

# SEAL LOCK PLUS INTERIOR ALCOHOL BASED PRIMER SEALER (IL-6800) by Benjamin Moore & Co.

## Health Product Declaration v2.1.1

created via: HPDC Online Builder

**CLASSIFICATION:** 09 00 00.00 Finishes: Finishes

**PRODUCT DESCRIPTION:** Seal Lock® Plus is an alcohol-based flat coating that stops bleeding on plaster, wood, metal and masonry. It is ideal as a replacement for pigmented shellac, although it does not contain shellac. Seal Lock® Plus may be used as a primer for porous wallboard, plasterboard, drywall and plywood; as a sealer for “hot plaster”, patches and spots, asphalt coatings, plaster walls, wood, multicolor finishes, and metal; and as a stain blocker for creosote, asphalt, crayons, ink, redwood and cedar. Applicable for interior or exterior use. For exterior use, spot prime only. Seal Lock® Plus is also suitable for use as a vapor barrier [perm rating of 0.3].

### Section 1: Summary

### Basic Method / Product Threshold

#### CONTENT INVENTORY

##### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

##### Threshold Disclosed Per

- Material  
 Product

##### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

##### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No

*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No

*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No

*All substances disclosed by Name (Specific or Generic) and Identifier.*

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

[SEAL LOCK PLUS INTERIOR ALCOHOL BASED PRIMER SEALER \(IL-6800\)](#)

[ [TALC](#) [BM-1](#) | [CAN](#) [ETHANOL](#) [BM-2](#) | [CAN](#) | [PHY](#) | [END](#) | [REP](#) | [DEL](#)

[TITANIUM DIOXIDE](#) [LT-1](#) | [CAN](#) | [END](#) [FUMARIC ACID MODIFIED ROSIN](#)

[LT-P1](#) [TERT-BUTYL ACETATE](#) [LT-UNK](#) | [PHY](#) [MAGNESITE](#) [LT-UNK](#)

[LINSEED OIL, POLYMER WITH PENTAERYTHRITOL AND TDI](#) [LT-UNK](#)

[ISOPROPYL ALCOHOL](#) [BM-2](#) | [PHY](#) | [EYE](#) [DISTILLATE FUEL OILS, LIGHT](#)

[BM-2](#) | [MAM](#) | [CAN](#) [STODDARD SOLVENT](#) [LT-1](#) | [MAM](#) | [GEN](#) | [CAN](#) | [MUL](#)

[SILICA, AMORPHOUS](#) [LT-P1](#) | [CAN](#) [ALUMINA TRIHYDRATE](#) [BM-2](#) | [RES](#) ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score ... BM-1

Nanomaterial ... No

##### INVENTORY AND SCREENING NOTES:

None

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 284

Regulatory (g/l): 339

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: Yes

#### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: No Emission Certification

VOC content: CARB02 & OTC1 Compliant

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2019-03-08

Yes  
 No

VERIFIER:  
VERIFICATION #:

PUBLISHED DATE: 2019-03-08  
EXPIRY DATE: 2022-03-08



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### SEAL LOCK PLUS INTERIOR ALCOHOL BASED PRIMER SEALER (IL-6800)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Based on information provided by raw material suppliers

OTHER PRODUCT NOTES: None

#### TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-08

#: 15.0000 - 25.0000 GS: BM-1 RC: None NANO: No ROLE: Color Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: None

#### ETHANOL

ID: 64-17-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-08

#: 10.0000 - 20.0000 GS: BM-2 RC: None NANO: No ROLE: Thinner/Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
CANCER	Japan - GHS	Carcinogenicity - Category 1A
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A
DEVELOPMENTAL	CA EPA - Prop 65	Developmental - specific to chemical form or exposure route

SUBSTANCE NOTES: **None**

## TITANIUM DIOXIDE

ID: **13463-67-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **10.0000 - 20.0000**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Color Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: **None**

## FUMARIC ACID MODIFIED ROSIN

ID: **65997-04-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **5.0000 - 15.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	No hazards found	

SUBSTANCE NOTES: **None**

### TERT-BUTYL ACETATE

ID: **540-88-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **5.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**PHYSICAL HAZARD (REACTIVE)**

**EU - GHS (H-Statements)**

**H225 - Highly flammable liquid and vapour**

SUBSTANCE NOTES: **None**

### MAGNESITE

ID: **546-93-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **5.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**No hazards found**

SUBSTANCE NOTES: **None**

### LINSEED OIL, POLYMER WITH PENTAERYTHRITOL AND TDI

ID: **68071-85-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **2.0000 - 7.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**No hazards found**

SUBSTANCE NOTES: **None**

### ISOPROPYL ALCOHOL

ID: **67-63-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

#: **1.0000 - 5.0000** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Thinner/Solvent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**PHYSICAL HAZARD (REACTIVE)**

**EU - GHS (H-Statements)**

**H225 - Highly flammable liquid and vapour**

**EYE IRRITATION**

**EU - GHS (H-Statements)**

**H319 - Causes serious eye irritation**

SUBSTANCE NOTES: **None**

## DISTILLATE FUEL OILS, LIGHT

ID: **64742-47-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

?: **1.0000 - 5.0000**

GS: **BM-2**

RC: **None**

NANO: **No**

ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: **None**

## STODDARD SOLVENT

ID: **8052-41-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-08**

?: **0.5000 - 2.0000**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Thinner/Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Malaysia - GHS	H340 - May cause genetic defects
CANCER	Malaysia - GHS	H350 - May cause cancer
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: **None**

**SILICA, AMORPHOUS**

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-08**%: **Impurity/Residual** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: **None****ALUMINA TRIHYDRATE**

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-08**%: **Impurity/Residual** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: **None**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### No Emission Certification

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-03-08**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

### VOC CONTENT

### CARB02 & OTC1 Compliant

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-03-08**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### GENNEX COLORANTS (229)

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

**Required for all tinted products.**

## Section 5: General Notes

SDS and TDS available on [www.benjaminmoore.com](http://www.benjaminmoore.com)





## MANUFACTURER INFORMATION

---

MANUFACTURER: **Benjamin Moore & Co.**  
 ADDRESS: **101 Paragon Drive**  
**Montvale NJ 07645, USA**  
 WEBSITE: **www.Benjaminmoore.com**

CONTACT NAME: **Edja Kouassi**  
 TITLE: **Technical Project Manager**  
 PHONE: **9732522607**  
 EMAIL: **Edja.kouassi@benjaminmoore.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*