

# ULTRA SPEC 500 INTERIOR GLOSS FINISH (540) by Benjamin Moore & Co.

# Health Product Declaration v2.1

created via: HPDC Online Builder

**CLASSIFICATION:** 09 00 00.00 Finishes: Finishes

**PRODUCT DESCRIPTION:** A professional-quality interior waterborne gloss finish based on a proprietary acrylic resin that tints on the Gennex® zero VOC colorant system. This waterborne interior gloss has excellent stain release so it washes clean easily. The product qualifies for LEED® v4 credit and passes the most stringent environmental standards in any color. Because it tints on our Gennex® waterborne colorant system all Ultra Spec® 500 finishes are available in any color without an increase in VOC.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

**Characterized**  Yes  No

Percent Weight and Role Provided?

**Screened**  Yes  No

Using Priority Hazard Lists with Results Disclosed?

**Identified**  Yes  No

Name and Identifier Provided?

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

**GREENSCREEN SCORE** | HAZARD TYPE

ULTRA SPEC 500 INTERIOR GLOSS FINISH (540) [ WATER BM-4  
PROPRIETARY POLYMER LT-UNK 2-PROPENOIC ACID, POLYMER WITH  
BUTYL 2-PROPENOATE AND ETHENYL ACETATE LT-UNK KAOLIN CLAY  
LT-UNK | CAN NEPHELINE SYENITE LT-UNK SILICA, AMORPHOUS LT-P1 |  
CAN ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-UNK  
SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES,  
SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346  
LT-UNK POLYETHYLENE GLYCOL LT-UNK HYDROTREATED HEAVY  
PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING  
LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-UNK ETHOXYLATED-  
2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-P1 | MUL HEXANEDIOIC  
ACID, DIHYDRAZIDE NoGS SODIUM LAURETH SULFATE LT-P1 | MUL  
ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS LT-UNK  
ACETONE BM-2 | EYE | PHY | END | DEL TITANIUM DIOXIDE LT-1 | CAN |  
END ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen  
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

None

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.45

Regulatory (g/l): 1.239

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: Yes

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -  
Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor  
coatings, non flat coatings, quick dry enamels, roof coatings only - 2007  
amendments

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2017-06-08

Yes  
 No

VERIFIER:  
VERIFICATION #:

PUBLISHED DATE: 2018-08-31  
EXPIRY DATE: 2020-06-08



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### ULTRA SPEC 500 INTERIOR GLOSS FINISH (540)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Based on data provided by raw material suppliers

OTHER PRODUCT NOTES: None

#### WATER

ID: 7732-18-5

#: 50.0000 - 60.0000 GS: BM-4 RC: None NANO: No ROLE: Thinner/solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: None

#### PROPRIETARY POLYMER

ID: Undisclosed

#: 20.0000 - 30.0000 GS: LT-UNK RC: None NANO: No ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Non-hazardous per GHS criteria

#### 2-PROPENOIC ACID, POLYMER WITH BUTYL 2-PROPENOATE AND ETHENYL ACETATE

ID: 25085-41-0

#: 5.0000 - 15.0000 GS: LT-UNK RC: None NANO: No ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: None

#### KAOLIN CLAY

ID: 1332-58-7

%: <b>5.0000 - 10.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Extender filler</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>CANCER</b>	<b>MAK</b>	<b>Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification</b>		
SUBSTANCE NOTES: <b>None</b>				

**NEPHELINE SYENITE** ID: **37244-96-5**

%: <b>0.5000 - 1.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Extender filler</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>None Found</b>	<b>No warnings found on HPD Priority lists</b>			
SUBSTANCE NOTES: <b>None</b>				

**SILICA, AMORPHOUS** ID: **7631-86-9**

%: <b>Impurity/Residual</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Impurity/Residual</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>CANCER</b>	<b>Japan - GHS</b>	<b>Carcinogenicity - Category 1A</b>		
SUBSTANCE NOTES: <b>None</b>				

**ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS** ID: **78330-21-9**

%: <b>0.5000 - 1.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Surfactant</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>None Found</b>	<b>No warnings found on HPD Priority lists</b>			
SUBSTANCE NOTES: <b>None</b>				

**SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346** ID: **64742-65-0**

%: <b>0.0500 - 0.5000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Defoamer</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>None Found</b>	<b>No warnings found on HPD Priority lists</b>			
SUBSTANCE NOTES: <b>None</b>				

**POLYETHYLENE GLYCOL**

ID: 25322-68-3

#: <b>Impurity/Residual</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Impurity/Residual</b>
-----------------------------	-------------------	-----------------	-----------------	--------------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: None

**HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346**

ID: 64742-54-7

#: <b>0.0500 - 0.5000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Defoamer</b>
---------------------------	-------------------	-----------------	-----------------	-----------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: None

**ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL**

ID: 9014-85-1

#: <b>0.0100 - 0.5000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Surfactant</b>
---------------------------	------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: None

**HEXANEDIOIC ACID, DIHYDRAZIDE**

ID: 1071-93-8

#: <b>0.0100 - 0.2000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Cross-linker</b>
---------------------------	-----------------	-----------------	-----------------	---------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: None

**SODIUM LAURETH SULFATE**

ID: 68585-34-2

#: <b>0.0100 - 0.2000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Additive</b>
---------------------------	------------------	-----------------	-----------------	-----------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: **None**

**ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS**

ID: **68439-57-6**

#: **0.0100 - 0.1500** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: **None**

**ACETONE**

ID: **67-64-1**

#: **Impurity/Residual** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

EYE IRRITATION

EU - R-phrases

R36 - Irritating to eyes

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H225 - Highly flammable liquid and vapour

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

DEVELOPMENTAL

MAK

Pregnancy Risk Group B

SUBSTANCE NOTES: **None**

**TITANIUM DIOXIDE**

ID: **13463-67-7**

#: **0.0000 - 5.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Color Pigment**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: **None**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

**CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario**

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-11-30**

EXPIRY DATE: **2019-11-30**

CERTIFIER OR LAB: **Berkeley Analytical**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

### VOC CONTENT

**SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments**

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-08-31**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **None**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### **GENNEX COLORANT (229)**

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

**Required for all tinted products**

## Section 5: General Notes

SDS/TDS available at [www.benjaminmoore.com](http://www.benjaminmoore.com)



## MANUFACTURER INFORMATION

---

MANUFACTURER: **Benjamin Moore & Co.**  
ADDRESS: **101 Paragon Drive**  
**Montvale NJ 07645, USA**  
WEBSITE: **www.Benjaminmoore.com**

CONTACT NAME: **Edja Kouassi**  
TITLE: **Technical Project Manager**  
PHONE: **973-252-2607**  
EMAIL: **Edja.kouassi@benjaminmoore.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*