

CLASSIFICATION: BROADLOOM CARPET

created via: HPDC Online Builder

PRODUCT DESCRIPTION: OUR AXMINSTER CARPET IS WOVEN WITH AN 80/20 BLEND OF WOOL AND NYLON. OUR BACKING MATERIAL IS COMPRISED MAINLY OF POLYPROPYLENE AND POLYESTER.

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

- Residuals and impurities considered in 0 of 1 materials
- see Section 2: Material Notes
 - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

AXMINSTER CARPET [SHEEPS WOOL **NoGS** POLYPROPYLENE **LT-UNK** POLYESTER **NoGS**
NYLON 6,6 **LT-UNK** LIMESTONE; CALCIUM CARBONATE **LT-UNK** STYRENE BUTADIENE
RUBBER (SBR) **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-UNK
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

VOC emissions: Green Label Plus

See Section 3 for additional listings.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: April 11, 2017	EXPIRY DATE*: April 11, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: May 15, 2017	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

AXMINSTER CARPET %: 0.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: No

Material Notes:

SHEEPS WOOL

ID:

%: 39.7800 - 52.2300

GS: NoGS

RC: None

NANO: NO

ROLE: Sheep's wool is the main component of our products surface

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: We use a blend of UK Wool and New Zealand Wool for maximum durability and performance.

POLYPROPYLENE

ID: 9003-07-0

%: 14.7300 - 19.6500

GS: LT-UNK

RC: None

NANO: NO

ROLE: Backing Material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Backing material

POLYESTER

ID: 113669-95-7

%: 9.7400 - 12.3700

GS: NoGS

RC: None

NANO: NO

ROLE: Backing material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Backing material

NYLON 6,6

ID: 32131-17-2

%: 9.2700 - 13.5300

GS: LT-UNK

RC: None

NANO: NO

ROLE: Provides added durability to complement the wool surface.

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Nylon 6.6 is blended with wool for maximum performance and durability.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 6.8700 - 8.2300

GS: LT-UNK

RC: None

NANO: NO

ROLE: Backing material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Backing material

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

%: 2.5200 - 4.7900

GS: LT-UNK

RC: None

NANO: NO

ROLE: Backing material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Backing material



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Second Party

APPLICABLE FACILITIES:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE

NOTES:

Green Label Plus

ISSUE DATE: 2014-02-25

EXPIRY DATE: 0000-00-00

CERTIFIER OR LAB: The Carpet and Rug Institute, Inc.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SIGNATURE SERIES DS 902 DUBL-STIK ADHESIVE

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Multi-Purpose Adhesive - DS 902 Dubl-Stik has been specially developed for the permanent installation of carpet to cushion in double glue down application. It is a high solids adhesive that can be used for the installation of woven, tufted secondary backed and smooth backed unitary carpet over approved cushions, Hot Melt carpet and most of the majority of carpet backings found in the market place today. VOC Compliant LEED Compliant - CRI GLP Low odor/odorless when dry High Solids For pad to sub-floor apply the specified Parabond Pressure Sensitive Adhesive with a fine-notched trowel or roller coat using a short nap paint roller. Some cushions and applications may require a permanent type adhesive between cushion and floor. Spread DS 902 using a minimum 1/16" square notch trowel when a permanent bond is required. Some cushions may require a larger notched trowel. For carpet to pad apply DS 902 to top of cushion using a 1/8" x 1/8" x 1/16" U-notch trowel. Use a 3/16" notched trowel for stiff or heavy textured backings. Lay carpet into adhesive when the adhesive has flashed off most of its moisture and become "leggy". Use a carpet core or lightweight roller to roll carpet into adhesive. Seal all seams with Parabond M-4263 Solvent Free Universal Seam Sealer, following carpet manufacturer's instructions. Allow installation to set for a minimum of 24 hours before allowing traffic, and 30 days before cleaning



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Innovative Carpets

CONTACT NAME: Juan Baron

ADDRESS: 45 Legion Drive
Cresskill, NJ 07626
USA

TITLE: Testing

PHONE: 201-894-1008

WEBSITE: www.innovativecarpets.com

EMAIL: juan@innovativecarpets.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient
information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.