

**CLASSIFICATION:** 12 51 00 Office Furniture

**PRODUCT DESCRIPTION:** Applause is a versatile collection of tables designed to compliment any environment. With hundreds of combinations, you can choose the right shape, size, finish, and leg style to fit your space, activity, and budget. In a tech-driven world, the need for power and data drive our movement throughout the day. Technology is easily integrated into any table through a variety of power and data options. Enable active learning even in tight spaces as the tables have the option for a nesting top and foldable base.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No

*% weight and role provided for all substances except SC substances characterized according to SC guidance.*

**Screened**  Yes Ex/SC  Yes  No

*All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.*

**Identified**  Yes Ex/SC  Yes  No

*One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**APPLAUSE TABLES [ STEEL NoGS ALUMINUM (PRIMARY CASRN IS 7429-90-5) LT-P1 | RES | PHY | END 1,3,5-TRIOXANE, POLYMER WITH 1,3-DIOXOLANE LT-UNK HEXANEDIOIC ACID, POLYMER WITH HEXAHYDRO-2H-AZEPIN-2-ONE AND 1,6-HEXANEDIAMINE LT-UNK ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER LT-UNK NYLON 6 LT-UNK IRON LT-P1 | END CELLULOSE PULP NoGS TITANIUM DIOXIDE LT-1 | CAN | END TALC BM-1 | CAN KAOLIN, CALCINED LT-UNK UNDISCLOSED LT-1 | CAN | END POLYVINYL ACETATE (PVA) LT-UNK UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-1 | RES | MUL | CAN | GEN UNDISCLOSED LT-UNK SC:WOOD Not Screened UREA FORMALDEHYDE LT-P1 | RES ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This HPD represents three surface options: veneer version, High Pressure Laminate version, and Thermally Fused Laminate version.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-09-25

PUBLISHED DATE: 2020-03-17

EXPIRY DATE: 2022-09-25





## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### APPLAUSE TABLES

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: Possible unreactive agents were evaluated as a residual through the review of supplier formulation and process chemistry. Those above the threshold of 1000 ppm are included.

OTHER PRODUCT NOTES:

#### STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-25

#: 35.00 - 50.00

GS: NoGS

RC: UNK

NANO: No

ROLE: Frame

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options. Due to the commodity nature of steel, most commercially available steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.

#### ALUMINUM (PRIMARY CASRN IS 7429-90-5)

ID: 477951-22-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-09-25

#: 15.00 - 20.00

GS: LT-P1

RC: UNK

NANO: No

ROLE: Frame

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H228 - Flammable solid

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H261 - In contact with water releases flammable gases

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options. Due to the commodity nature of aluminum alloy, most commercially available aluminum alloy contains some amount of recycled content. The exact percentage will likely change due to market conditions.

**1,3,5-TRIOXANE, POLYMER WITH 1,3-DIOXOLANE**

ID: 24969-26-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-25**%: **2.00 - 5.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Frame**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options.

**HEXANEDIOIC ACID, POLYMER WITH HEXAHYDRO-2H-AZEPIN-2-ONE AND 1,6-HEXANEDIAMINE**

ID: 24993-04-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-25**%: **0.50 - 2.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Frame**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options.

**ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER**

ID: 9003-56-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-25**%: **0.10 - 1.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Frame**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options.

**NYLON 6**

ID: 25038-54-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-09-25**%: **0.10 - 1.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Frame**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options.

**IRON**

ID: 7439-89-6

#: **0.10 - 1.00** GS: **LT-P1** RC: **UNK** NANO: **No** ROLE: **Frame**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**ENDOCRINE****TEDX - Potential Endocrine Disruptors****Potential Endocrine Disruptor**

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options. Due to the commodity nature of steel, most commercially steel contains some amount of recycled content. The exact percentage will likely change due to market conditions.

**CELLULOSE PULP**ID: **65996-61-4**

#: **0.00 - 20.00** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Veneer Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options.

**TITANIUM DIOXIDE**ID: **13463-67-7**

#: **0.00 - 10.00** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Veneer Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**CANCER****US CDC - Occupational Carcinogens****Occupational Carcinogen****CANCER****CA EPA - Prop 65****Carcinogen - specific to chemical form or exposure route****CANCER****IARC****Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources****ENDOCRINE****TEDX - Potential Endocrine Disruptors****Potential Endocrine Disruptor****CANCER****MAK****Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value****CANCER****MAK****Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options.

**TALC**ID: **14807-96-6**

#: **0.00 - 5.00** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Veneer Tabletop**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options.

### KAOLIN, CALCINED

ID: 92704-41-1

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-09-25</b>		
%: <b>0.00 - 5.00</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Veneer Tabletop</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options.

### UNDISCLOSED

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-09-25</b>		
%: <b>0.00 - 0.50</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Veneer Tabletop</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options. Chemical name and CAS number withheld due to being proprietary information of the supplier.

### POLYVINYL ACETATE (PVA)

ID: 9003-20-7

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-09-25</b>		
%: <b>0.00 - 0.50</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Veneer Tabletop</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options and to protect the proprietary nature of the formulation.

## UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-09-25**

#: **0.00 - 0.50** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Veneer Tabletop**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options and to protect the proprietary nature of the formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

## UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-09-25**

#: **0.00 - 0.50** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Veneer Tabletop**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
GENE MUTATION	MAK	Germ Cell Mutagen 3a

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options and to protect the proprietary nature of the formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

## UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-25**

#: **0.00 - 0.50**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Veneer Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options and to protect the proprietary nature of the formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

## SC:WOOD

ID: **SC:Bio**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-25**

#: **0.00 - 25.00**

GS: **Not Screened**

RC: **None**

NANO: **No**

ROLE: **Solid Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: Wood

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

A range is provided to account for variation in product tabletop options.

## UREA FORMALDEHYDE

ID: **9011-05-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-09-25**

#: **0.00 - 1.00**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Solid Tabletop**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: A range is provided to account for variation in product tabletop options and to protect the proprietary nature of the formulation.



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

[https://www.scscertified.com/products/cert\\_pdfs/OFS\\_2019\\_NOC\\_SCS-IAQ-03492\\_s.pdf](https://www.scscertified.com/products/cert_pdfs/OFS_2019_NOC_SCS-IAQ-03492_s.pdf)

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE:      EXPIRY DATE:      CERTIFIER OR LAB:

2019-02-10      2020-02-09      SCS

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

This HPD represents three surface options: veneer version, High Pressure Laminate version, and Thermally Fused Laminate version.

**MANUFACTURER INFORMATION**

---

MANUFACTURER: **OFS**ADDRESS: **1204 East Sixth Street  
Huntingburg IN 47542, USA**WEBSITE: **https://ofs.com**CONTACT NAME: **Jarod Brames**TITLE: **Director of Sustainability**PHONE: **866.637.9328**EMAIL: **jbrames@ofs.com****KEY**

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet**Hazard Types****AQU** Aquatic toxicity**CAN** Cancer**DEV** Developmental toxicity**END** Endocrine activity**EYE** Eye irritation/corrosivity**GEN** Gene mutation**GLO** Global warming**MAM** Mammalian/systemic/organ toxicity**MUL** Multiple hazards**NEU** Neurotoxicity**OZO** Ozone depletion**PBT** Persistent Bioaccumulative Toxic**PHY** Physical Hazard (reactive)**REP** Reproductive toxicity**RES** Respiratory sensitization**SKI** Skin sensitization/irritation/corrosivity**LAN** Land Toxicity**NF** Not found on Priority Hazard Lists**GreenScreen (GS)****BM-4** Benchmark 4 (prefer-safer chemical)**BM-3** Benchmark 3 (use but still opportunity for improvement)**BM-2** Benchmark 2 (use but search for safer substitutes)**BM-1** Benchmark 1 (avoid - chemical of high concern)**BM-U** Benchmark Unspecified (insufficient data to benchmark)**LT-P1** List Translator Possible Benchmark 1**LT-1** List Translator Likely Benchmark 1**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)**NoGS** Unknown (no data on List Translator Lists)**Recycled Types****PreC** Preconsumer (Post-Industrial)**PostC** Postconsumer**Both** Both Preconsumer and Postconsumer**Unk** Inclusion of recycled content is unknown**None** Does not include recycled content**Other Terms****Inventory Methods:****Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product**Nano** Composed of nano scale particles or nanotechnology**Third Party Verified** Verification by independent certifier approved by HPDC**Preparer** Third party preparer, if not self-prepared by manufacturer**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*