Heya Lounge by OFS

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 12 52 00 Seating

PRODUCT DESCRIPTION: The Heya lounge takes its name from the Japanese word for small room, because the piece creates a "room within a room". Existing in the space between isolation and openness, Heya creates a place for the time people spend "aside".



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Threshold	Disclosed	Per

Material Product

Threshold level

- C 100 ppm
- **⊙** 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

© Yes Ex/SC © Yes © No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

Yes Ex/SC ○ Yes ○ No.

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

HEYA LOUNGE [SC:WOOD Not Screened STEEL NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | SKI | PHY UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED BM-4 UNDISCLOSED BM-1 | DEL | PHY | MAM | END | MUL | REP UNDISCLOSED LT-UNK POLYVINYL CHLORIDE (PVC) LT-P1 | RES ZINC LT-P1 | AQU | PHY | END | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 CAN | MUL POLYESTER FIBERS NoGS UNDISCLOSED LT-1 | PBT | CAN | MUL ALUMINUM (PRIMARY CASRN IS 7429-90-5) LT-P1 | RES | PHY | END UNDISCLOSED LT-P1 | MUL UNDISCLOSED NoGS]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Upholstery not included in Inventory since this choice is at the determination of the specifier.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VFRIFIFR: VERIFICATION #: **SCREENING DATE: 2019-08-29** PUBLISHED DATE: 2019-09-05 EXPIRY DATE: 2022-08-29



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

HEYA LOUNGE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: Possible unreactive agents were evaluated as a residual through the review of supplier formulation and process chemistry. Those above the threshold of 1000 ppm are included.

OTHER PRODUCT NOTES:

SC:WOOD ID: SC:Bio

HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-08-29
%: 60.00 - 65.00	gs: Not Screened	RC: None NANO: No ROLE: Frame Part and Seat Structure
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials

Identifier: Wood

STEEL

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

A range is provided to account for variation in product specifications.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-08-29 %: 25.00 - 30.00 GS: NoGS RC: UNK NANO: No BOLE: Frame Part and Seat Structure HAZARD TYPE WARNINGS

AGENCY AND LIST TITLES

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product specifications. Globally steel is one of the most recycled materials. It is likely that there is recycled content in this material. However the exact percentage will likely change due to market conditions.

ID: 12597-69-2

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-08-29		
%: 5.00 - 10.00	gs: LT-UNK	RC: None	nano: No	ROLE: Seat Structure	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard Lists	

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENING DATE: 2019-08-29		
%: 1.00 - 5.00	GS: LT-P1	RC: None	nano: No	ROLE: Frame Part
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Caus	ses severe skin bu	ırns and eye damage
PHYSICAL HAZARD (REACTIVE)	GHS - Korea	H290 - May	be corrosive to m	etals

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-08-29			
%: 0.10 - 2.50	GS: LT-P1	RC: None NANO: No ROLE: Frame Part			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	IARC	Group 2b - Possibly carcinogenic to humans			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour			
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Ha	zard to Waters		
CANCER	MAK	•	Group 3A - Evider cient to establish	nce of carcinogenic effects MAK/BAT value	
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely H	azardous Substar	nces	
GENE MUTATION	GHS - New Zealand	6.6A - Know	n or presumed hu	man mutagens	

SUBSTANCE NOTES: A range is provided to account for variation in product specification and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-0	08-29
%: 0.10 - 2.50	GS: BM-4	RC: None	NANO: No	ROLE: Frame Part
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings foun	d on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREENING DATE: 2019-08-29		
%: 0.10 - 2.50	gs: BM-1	RC: None NANO: No ROLE: Frame Part		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity		
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour		
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed		
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin		
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled		
ORGAN TOXICANT	EU - GHS (H-Statements)	H370 - Causes damage to organs		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]		

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD:	HAZARD SCREEN	IING DATE: 2019	-08-29	
%: 0.10 - 2.50	gs: LT-UNK	RC: None	nano: No	ROLE: Seat Structure
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found No warnings found on HPD Priority Hazard Lists				

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

POLYVINYL CHLORIDE (PVC)

%: 0.10 - 2.50 GS: LT-P1 RC: None NANO: No ROLE: Seat Structure HAZARD TYPE AGENCY AND LIST TITLES WARNINGS RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-08-29			
	%: 0.10 - 2.50	GS: LT-P1	RC: None	nano: No	ROLE: Seat Structure	
RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	RESPIRATORY	AOEC - Asthmagens	Asthmage	en (Rs) - sensitize	er-induced	

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation.

ZINC

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-08-29

MAZARD TYPE AGENCY AND LIST TITLES WARNINGS ACUTE AQUATIC EU - GHS (H-Statements) H400 - Very toxic to aquatic life CHRON AQUATIC EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long lasting effects PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases which may ignite spontaneously ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor MULTIPLE German FEA - Substances Hazardous to Waters	HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENING DATE: 2019-08-29				
ACUTE AQUATIC EU - GHS (H-Statements) H400 - Very toxic to aquatic life CHRON AQUATIC EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long lasting effects PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases which may ignite spontaneously ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters	%: 0.10 - 2.50	GS: LT-P1	RC: UNK NANO: No ROLE: Frame Part and Seat Struc				
CHRON AQUATIC EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long lasting effects PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases which may ignite spontaneously ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters	HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases which may ignite spontaneously ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters	ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Very to	oxic to aquatic life		
PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases which may ignite spontaneously ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters	CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Very to	oxic to aquatic life with long lasting effects		
which may ignite spontaneously ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters	PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catch	es fire spontaneously if exposed to air		
MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters	PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)			•		
	ENDOCRINE	TEDX - Potential Endocrine Disrupto	ors	Potential End	ocrine Disruptor		
	MULTIPLE		us to	Class 2 - Haz	ard to Waters		

SUBSTANCE NOTES: A range is provided to account for variation in product specifications. Globally steel is one of the most recycled materials. It is likely that there is recycled content in this material. However the exact percentage will likely change due to market conditions.

UNDISCLOSED

HAZARD SCREENING METHOD:	HAZARD SCREEN	HAZARD SCREENING DATE: 2019-08-29		
%: 0.01 - 1.00	GS: LT-UNK	RC: None	nano: No	ROLE: Seat Structure
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found No warnings found on HPD Priority Hazard Lists				

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-08-29		
%: 0.01 - 1.00	GS: LT-UNK	RC: None	nano: No	ROLE: Seat Structure	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazar			ound on HPD Priority Hazard Lists		

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-08-29			
%: 0.01 - 1.00	GS: LT-1	RC: No i	ne NANO: No	ROLE: Seat Structure	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
CANCER	EU - GHS (H-Statements)	НЗ	50 - May cause cand	cer	
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxican			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters			
CANCER	EU - Annex VI CMRs		rcinogen Category 1 mal evidence	B - Presumed Carcinogen based on	
CANCER	GHS - Australia	НЗ	50 - May cause cand	cer	

 ${\tt SUBSTANCE\ NOTES:}\ A\ range\ is\ provided\ to\ account\ for\ variation\ in\ product\ specifications\ and\ to\ protect\ supplier\ proprietary\ formulation.}$

POLYESTER FIBERS ID: 80595-68-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-08-29		
%: 0.01 - 1.00	GS: NoGS	RC: None	NANO: No	ROLE: Seat Structure	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	ound on HPD Priority Hazard Lists	

 ${\tt SUBSTANCE\ NOTES:}\ A\ range\ is\ provided\ to\ account\ for\ variation\ in\ product\ specifications\ and\ to\ protect\ supplier\ proprietary\ formulation.}$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-08-29

%: 0.01 - 1.00	GS: LT-1	RC	: None	nano: No	ROLE: Seat Structure
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
PBT	EC - CEPA DSL		Persistent, humans	Bioaccumulative	e and inherently Toxic (PBiTH) to
CANCER	EU - GHS (H-Statements)		H350 - May	cause cancer	
CANCER	EU - REACH Annex XVII CMRs		•		ubstances which should be cinogenic to man
MULTIPLE	ChemSec - SIN List		CMR - Card	cinogen, Mutage	n &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 3 - Se	evere Hazard to	Waters
CANCER	EU - Annex VI CMRs		Carcinogen animal evid		Presumed Carcinogen based on
CANCER	GHS - Japan		Carcinogen	icity - Category	1A [H350]
CANCER	GHS - Australia		H350 - May	cause cancer	

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

ALUMINUM (PRIMARY CASRN IS 7429-90-5)

ID: 477951-22-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-08-29			
%: 0.01 - 1.00	GS: LT-P1	RC: UNK	UNK NANO: No ROLE: Frame Part and Seat Struc		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H228 - Flammable solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fire spontaneously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H261 - In contact with water releases flammable gases		
ENDOCRINE	TEDX - Potential Endocrine Disrupt	ors	Potential End	locrine Disruptor	

SUBSTANCE NOTES: A range is provided to account for variation in product specifications. Globally steel is one of the most recycled materials. It is likely that there is recycled content in this material. However the exact percentage will likely change due to market conditions.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-08-29		
%: 0.01 - 1.00	GS: LT-P1	RC: None	NANO: No	ROLE: Seat Structure

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-08-29		
%: 0.01 - 1.00	gs: NoGS	RC: None	nano: No	ROLE: Seat Structure	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard Lists	

SUBSTANCE NOTES: A range is provided to account for variation in product specifications and to protect supplier proprietary formulation. Chemical name and CAS number withheld due to being proprietary information of the supplier.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All

CERTIFICATE URL:

https://www.scscertified.com/products/cert_pdfs/OFS_2019_NOC_SCS-IAQ-03491_s.pdf

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE:

EXPIRY DATE:

CERTIFIER OR LAB:

2014-12-03 2020-02-09

SCS



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: OFS

ADDRESS: 1204 East Sixth Street Huntingburg IN 47542, USA WEBSITE: https://ofs.com CONTACT NAME: Jarod Brames
TITLE: Director of Sustainability

PHONE: 866.637.9328
EMAIL: jbrames@ofs.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity
CAN Cancer

DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.