

# BIOSTOP® 750 Spray Applied Mastic, BIOSTOP® 750 SL, BIOSTOP® 750 Caulk Grade by RectorSeal LLC

## Health Product Declaration v2.0

created via: HPDC Online Builder

CLASSIFICATION: FIRESTOPPING SEALANT

PRODUCT DESCRIPTION: ALL THREE GRADES OF BIOSTOP® 750 ARE A SINGLE COMPONENT, GENERAL PURPOSE FIRE RATED SEALANT FOR CONSTRUCTION JOINTS SUCH AS TOP OF THE WALL, CURTAIN WALL PERIMETER, EXPANSION, CONTROL, ETC. AND FOR GENERAL CONSTRUCTION GAPS AND VOIDS. BIOSTOP® 750 IS A WATER BASED SEALANT THAT COMES IN THREE DIFFERENT GRADES. BIOSTOP® 750 MASTIC GRADE IS DESIGNED FOR SPRAY APPLICATIONS AND PROVIDES A FAST, ECONOMICAL MEANS OF INSTALLATION ON LONG JOINT RUNS. BIOSTOP® 750 SELF-LEVELING (SL) SEALANT IS MADE FOR HORIZONTAL APPLICATIONS WHERE QUICK INSTALLATION IS NECESSARY. BIOSTOP® 750 CAULK GRADE IS A NON-SAG SEALANT THAT IS EASY TO APPLY FROM A CAULK GUN OR TROWELED. IT CURES TO AN ELASTOMERIC MEMBRANE SEAL THAT IS SUITABLE WHERE DYNAMIC MOVEMENT IS EXPECTED. IN THE EVENT OF A FIRE, BIOSTOP® 750 WILL PREVENT THE SPREAD OF FLAMES, SMOKE, HOT GASES AND WATER THROUGH THE JOINT OPENINGS. NO DILUTION OR MIXING IS REQUIRED FOR USE. BIOSTOP® 750 CAN BE CAULKED FROM A TUBE, BRUSHED OR TROWELED FROM THE PAIL, APPLIED WITH A SPRAY PUMP OR Poured. BIOSTOP® 750 IS RATED FOR UP TO 3 HOUR CONDITIONS IN ACCORDANCE WITH THE UL 2079 (TESTS FOR FIRE RESISTANCE OF BUILDING JOINT SYSTEMS) TEST STANDARDS. BIOSTOP® 750 HAS BEEN CYCLED 500 TIMES, MEETING THE NEW ASTM E 1399 STANDARD. ALSO TESTED IN ACCORDANCE WITH ASTM E 814 (UL1479) FOR SYSTEMS UP TO 4 HOURS.

### Section 1: Summary

#### CONTENT INVENTORY

- Threshold per material
- 100 ppm
  - 1,000 ppm
  - Per GHS SDS
  - Per OSHA MSDS
  - Other

Residuals and impurities considered in 0 of 1 materials

- see Section 2: Material Notes
- see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input type="radio"/>	<input checked="" type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input type="radio"/>	<input checked="" type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

BIOSTOP® 750 SPRAY APPLIED MASTIC, BIOSTOP® 750 SL, BIOSTOP® 750 CAULK GRADE [ ACRYLATE POLYMER DISPERSION **UNK** INORGANIC PIGMENTS/FILLERS **UNK** ]

Number of Greenscreen BM-4/BM3 contents..... 0  
Contents highest concern GreenScreen Benchmark or List translator Score..... UNK  
Nanomaterial..... No

#### INVENTORY AND SCREENING NOTES:

"This HPD was created with Basic Inventory."

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

#### CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: April 14, 2017	EXPIRY DATE*: April 14, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: May 12, 2017	* or within 3 months of significant change in product contents

\*See HPDC website for details



## Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: [www.hpd-collaborative.org](http://www.hpd-collaborative.org) and [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org).

**BIOSTOP® 750 SPRAY APPLIED MASTIC, BIOSTOP® 750 SL, BIOSTOP® 750 CAULK GRADE** %: 0.0000 HPD URL:

Inventory Threshold: Per OSHA MSDS

Residuals Considered: No

Material Notes:

**ACRYLATE POLYMER DISPERSION**

ID:

%: 40.0000 - 80.0000

GS: UNK

RC: None

NANO: NO

ROLE:

**HAZARDS:**

**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**INORGANIC PIGMENTS/FILLERS**

ID:

%:

GS: UNK

RC: None

NANO: NO

ROLE:

**HAZARDS:**

**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



## Section 5: General Notes





### MANUFACTURER INFORMATION

MANUFACTURER: RectorSeal LLC

CONTACT NAME: Scott Kerns

ADDRESS: 2601 Spenwick Drive  
Houston, TX 77055  
USA

TITLE: EHS Manager

PHONE: 713-263-8001 x3286

WEBSITE: www.rectorseal.com

EMAIL: scott.kerns@rectorseal.com

### KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Hazard Types

**AQU** Aquatic toxicity

**GLO** Global warming

**PHY** Physical Hazard (reactive)

**CAN** Cancer

**MAM** Mammalian/systemic/organ toxicity

**REP** Reproductive toxicity

**DEV** Developmental toxicity

**MUL** Multiple hazards

**RES** Respiratory sensitization

**END** Endocrine activity

**NEU** Neurotoxicity

**SKI** Skin sensitization/irritation/corrosivity

**EYE** Eye irritation/corrosivity

**OZO** Ozone depletion

**LAN** Land Toxicity

**GEN** Gene mutation

**PBT** Persistent Bioaccumulative Toxic

**NF** Not found on Priority Hazard Lists

#### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**LT-P1** List Translator Possible Benchmark 1

**BM-3** Benchmark 3 (use but still opportunity for improvement) BM-2  
Benchmark 2 (use but search for safer substitutes)

**LT-1** List Translator Likely Benchmark 1

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**LT-UNK** List Translator Benchmark Unknown (insufficient  
information from List Translator lists to benchmark)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**UNK** Unknown (no data on List Translator Lists)

#### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

#### Other

**Nano** Composed of nanoscale particles or nanotechnology

#### Declaration Level

**Self-declared** Manufacturer's self-declaration (First Party)

**Independent Lab** Manufacturer's self-declaration using results from an independent lab

**Second Party** Verification by trade association or other interested party

**Third Party** Verification by independent certifier

**Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.