Plafonds UP inc Acoustical suspension systems by Plafonds U.P.inc.

Health Product Declaration v2.1

CLASSIFICATION: 09 53 00 - 09 22 27

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Other applicable classification number: 09 22 27. Steel acoustical suspension systems / Ceiling grid / T shaped / Main tee / Main runner / Cross tee / Wall moulding

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method C Basic Method **Threshold Disclosed Per** Material Product

Threshold level € 100 ppm C 1,000 ppm Per GHS SDS C Per OSHA MSDS

C Other

Residuals/Impurities Residuals/Impurities Considered in 1 of 2 Materials Explanation(s) provided for Residuals/Impurities?

Yes No

Characterized Yes No Percent Weight and Role Provided? Screened Yes No Using Priority Hazard Lists with Results Disclosed? Identified Yes O No Name and Identifier Provided?

Are All Substances Above the Threshold Indicated:

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

GALVANIZED STEEL [IRON (IRON) LT-P1 | END ZINC (ZINC) LT-P1 | AQU | END | MUL | PHY MANGANESE (MANGANESE) LT-P1 | END | MUL | REP CHROMIUM (CHROMIUM) LT-P1 | RES | END NICKEL (NICKEL) LT-1 | MAM | CAN | SKI | AQU | RES | MUL LEAD (LEAD) LT-1 | MAM | AQU | DEL | REP | CAN | PBT | MUL | END | GEN CADMIUM (CADMIUM) LT-1 | MAM | CAN | AQU | REP | DEL | PBT | GEN | MUL | END | PHY] POLYESTER PAINT [POLYESTER (POLYESTER) NoGS]

Number of Greenscreen BM-4/BM3 contents...... 0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

This HPD was prepared using the nested materials method for the inventory. Data about the polyester coating applied on pre-painted steel product was not communicated by the supplier, except the fact that it was a polyester. Special Conditions materials are present in the product (metal alloy material). Guidelines for reporting Special Conditions materials are still under development by HPDC and Métal U.P. will update the HPD accordingly once these guidelines get published.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. No certifications have been added to this HPD.

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

C Yes No

VERIFICATION #:

SCREENING DATE: 2017-10-18 PUBLISHED DATE: 2017-10-31 EXPIRY DATE: 2020-10-18

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

GALVANIZED STEEL %: 99.5000 - 100.0000 HPD URL:

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities data were collected from the supplier. Traces of lead and cadmium are found in galvanized steel in concentrations that are typically less than 1 ppm.

other material notes: The metal profile is composed of galvanized steel. Quantities were given using ranges matching the supplier's documentation. The thickness of the galvanizing treatment is 120 g/m2 which represents 4.8% of the total mass of the final product. Recycled content Pre-consumer: 27 % / Post-consumer: 42 %. None of the substances contained in steel have been marked as recycled since it is not possible to discriminate which element is recycled when using scrap as input in the manufacturing process.

IRON (IRON)

| %: 90.0000 - 95.0000 | GS: LT-P1 | RC: None | NANO: No | ROLE: Main element |
|----------------------|----------------------------|----------------|---------------------|--------------------|
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | |
| ENDOCRINE | TEDX - Potential Endocr | ine Disruptors | Potential Endocrine | Disruptor |

SUBSTANCE NOTES: See material notes

ZINC (ZINC) 1D: 7440-66-6

| %: 4.8000 | GS: LT-P1 | RC: None | NANO: N | ROLE: Galvanizing element |
|----------------------------|---------------------------------------|---|----------------|--|
| HAZARDS: | AGENCY(IES) WITH WAR | RNINGS: | | |
| ACUTE AQUATIC | EU - R-phrases | | | R50 - Very Toxic to Aquatic Organisms |
| ACUTE AQUATIC | EU - GHS (H-State | EU - GHS (H-Statements) | | H400 - Very toxic to aquatic life |
| CHRON AQUATIC | EU - GHS (H-State | EU - GHS (H-Statements) | | H410 - Very toxic to aquatic life with long lasting effects |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | | | Potential Endocrine Disruptor |
| MULTIPLE | German FEA - Sul | German FEA - Substances Hazardous to Waters | | Class 2 - Hazard to Waters |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-State | EU - GHS (H-Statements) | | H250 - Catches fire spontaneously if exposed to air |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-State | ements) | | H260 - In contact with water releases flammable gases which may ignite spontaneously |

SUBSTANCE NOTES: Metallic coating: 99 % zinc. See material notes

MANGANESE (MANGANESE)

| %: 0.0000 - 2.0000 | GS: LT-P1 | RC: None | nano: No | ROLE: Alloying element |
|--------------------|---------------------|---------------------------------------|-----------------|----------------------------|
| HAZARDS: | AGENCY(IES) WITH WA | ARNINGS: | | |
| ENDOCRINE | TEDX - Potential | TEDX - Potential Endocrine Disruptors | | I Endocrine Disruptor |
| MULTIPLE | German FEA - Si | ubstances Hazardous to Wate | rs Class 2 | - Hazard to Waters |
| REPRODUCTIVE | Japan - GHS | Japan - GHS | | reproduction - Category 1B |
| | | | | |

SUBSTANCE NOTES: See material notes

CHROMIUM (CHROMIUM) ID: 7440-47-3

| %: 0.0000 - 0.6000 | GS: LT-P1 | RC: None | nano: No | ROLE: Alloying element |
|--------------------|---------------------|---------------------------------------|-----------------|--|
| HAZARDS: | AGENCY(IES) WITH WA | RNINGS: | | |
| RESPIRATORY | AOEC - Asthmage | AOEC - Asthmagens | | en (ARs) - sensitizer-induced - inhalable forms only |
| ENDOCRINE | TEDX - Potential I | TEDX - Potential Endocrine Disruptors | | Endocrine Disruptor |

SUBSTANCE NOTES: See material notes

NICKEL (NICKEL) ID: 7440-02-0

| %: 0.0000 - 0.2000 | GS: LT-1 | RC: None | nano: No | ROLE: Alloying element |
|--------------------|-----------------------|------------------|--------------------|---|
| HAZARDS: | AGENCY(IES) WITH WARN | IINGS: | | |
| MAMMALIAN | EU - R-phrases | | R23 - To | oxic by Inhalation (gas, vapour, dust/mist) |
| CANCER | EU - R-phrases | | R40 - Liı | mited Evidence of Carcinogenic Effects |
| SKIN SENSITIZE | EU - R-phrases | | R43 - M | ay cause sensitization by skin contact |
| ORGAN TOXICANT | EU - R-phrases | | R48: Da exposur | nger of serious damage to health by prolonged e. |
| ACUTE AQUATIC | EU - R-phrases | | R52 - Ha | armful to Aquatic Organisms |
| CANCER | IARC | | Group 1 | - Agent is Carcinogenic to humans |
| CANCER | IARC | IARC | | b - Possibly carcinogenic to humans |
| CANCER | CA EPA - Prop 65 | | Carcino | gen |
| CANCER | US CDC - Occupation | onal Carcinogens | Occupat | ional Carcinogen |
| CANCER | US NIH - Report on | Carcinogens | Reasona | ably Anticipated to be Human Carcinogen |
| RESPIRATORY | AOEC - Asthmagen | s | Asthmaç | gen (ARs) - sensitizer-induced - inhalable forms only |

| SKIN SENSITIZE | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction |
|----------------|---|---|
| CANCER | EU - GHS (H-Statements) | H351 - Suspected of causing cancer |
| ORGAN TOXICANT | EU - GHS (H-Statements) | H372 - Causes damage to organs through prolonged or repeated exposure |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| CANCER | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| RESPIRATORY | MAK | Sensitizing Substance Sah - Danger of airway & skin sensitization |
| | | |

SUBSTANCE NOTES: See material notes

| AGENCY(IES) WITH WARNINGS: EU - R-phrases | | |
|--|--|--|
| EU - R-phrases | | |
| | R20 - Harmful by Inha | alation (gas or vapor or dust/mist) |
| EU - R-phrases | R22 - Harmful if Swal | llowed |
| EU - R-phrases | R50 - Very Toxic to A | quatic Organisms |
| EU - R-phrases | R61 - May cause har | m to the unborn child |
| EU - R-phrases | R62 - Possible risk of | impaired fertility |
| G&L - Neurotoxic Chemicals | Developmental Neuro | otoxicant |
| US EPA - IRIS Carcinogens | (1986) Group B2 - Pr | obable human Carcinogen |
| IARC | Group 2a - Agent is p | probably Carcinogenic to humans |
| IARC | Group 2b - Possibly c | carcinogenic to humans |
| CA EPA - Prop 65 | Carcinogen | |
| CA EPA - Prop 65 | Developmental toxicit | ty |
| US EPA - Priority PBTs (NWMP) | Priority PBT | |
| WA DoE - PBT | РВТ | |
| CA EPA - Prop 65 | Reproductive Toxicity | r - Female |
| CA EPA - Prop 65 | Reproductive Toxicity | r - Male |
| US NIH - Report on Carcinogens | Reasonably Anticipat | ed to be Human Carcinogen |
| US EPA - Priority PBTs (PPT) | Priority PBT | |
| US EPA - Toxics Release Inventory PB | s PBT | |
| OSPAR - Priority PBTs & EDs & equiva concern | nt PBT - Chemical for P | riority Action |
| OR DEQ - Priority Persistent Pollutants | Priority Persistent Pol | llutant - Tier 1 |
| | EU - R-phrases EU - R-phrases G&L - Neurotoxic Chemicals US EPA - IRIS Carcinogens IARC IARC CA EPA - Prop 65 CA EPA - Prop 65 US EPA - Priority PBTs (NWMP) WA DOE - PBT CA EPA - Prop 65 CA EPA - Prop 65 US NIH - Report on Carcinogens US EPA - Priority PBTs (PPT) US EPA - Toxics Release Inventory PBTs OSPAR - Priority PBTs & EDs & equivale | EU - R-phrases R61 - May cause har EU - R-phrases R62 - Possible risk of G&L - Neurotoxic Chemicals Developmental Neuro US EPA - IRIS Carcinogens (1986) Group B2 - Pr IARC Group 2a - Agent is p IARC Group 2b - Possibly of CA EPA - Prop 65 Carcinogen CA EPA - Prop 65 Developmental toxici US EPA - Priority PBTs (NWMP) Priority PBT WA DoE - PBT PBT CA EPA - Prop 65 Reproductive Toxicity CA EPA - Prop 65 Resonably Anticipat US EPA - Priority PBTs (PPT) Priority PBT US EPA - Toxics Release Inventory PBTs PBT OSPAR - Priority PBTs & EDs & equivalent concern OR DEQ - Priority Persistent Pollutants Priority Persistent Po |

| | Monographs | |
|---------------|--|---|
| REPRODUCTIVE | US NIH - Reproductive & Developmental Monographs | Clear Evidence of Adverse Effects - Reproductive Toxicity |
| ACUTE AQUATIC | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life |
| CHRON AQUATIC | EU - GHS (H-Statements) | H410 - Very toxic to aquatic life with long lasting effects |
| DEVELOPMENTAL | EU - GHS (H-Statements) | H360Df - May damage the unborn child. Suspected of damaging fertility |
| REPRODUCTIVE | EU - GHS (H-Statements) | H360FD - May damage fertility. May damage the unborn child |
| DEVELOPMENTAL | EU - GHS (H-Statements) | H362 - May cause harm to breast-fed children |
| REPRODUCTIVE | EU - REACH Annex XVII CMRs | Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans |
| MULTIPLE | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CANCER | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man |
| REPRODUCTIVE | New Zealand - GHS | 6.8A - Known or presumed human reproductive or developmental toxicants |
| REPRODUCTIVE | Japan - GHS | Toxic to reproduction - Category 1A |
| GENE MUTATION | MAK | Germ Cell Mutagen 3a |
| REPRODUCTIVE | EU - Annex VI CMRs | Reproductive Toxicity - Category 1A |
| | | |

SUBSTANCE NOTES: Statement of supplier: "Trace amonts of lead and cadmium (naturally occuring in our iron one) present in our products at concentration that are typically less than 1 ppm."

NANO: **No**

ROLE: Impurity/Residual

R63 - Possible risk of harm to the unborn child

(1986) Group B1 - Probable human Carcinogen

Group 1 - Agent is Carcinogenic to humans

RC: None

| HAZARDS: | AGENCY(IES) WITH WARNINGS: | |
|----------------|----------------------------|--|
| MAMMALIAN | EU - R-phrases | R23 - Toxic by Inhalation (gas, vapour, dust/mist) |
| MAMMALIAN | EU - R-phrases | R25 - Toxic if Swallowed |
| MAMMALIAN | EU - R-phrases | R26 - Very Toxic by Inhalation |
| CANCER | EU - R-phrases | R45 - May cause cancer |
| ORGAN TOXICANT | EU - R-phrases | R48: Danger of serious damage to health by prolonged exposure. |
| ACUTE AQUATIC | EU - R-phrases | R50 - Very Toxic to Aquatic Organisms |
| REPRODUCTIVE | EU - R-phrases | R62 - Possible risk of impaired fertility |
| | | |

DEVELOPMENTAL

CANCER

CANCER

CADMIUM (CADMIUM)

%: Impurity/Residual

GS: **LT-1**

EU - R-phrases

IARC

US EPA - IRIS Carcinogens

ID: **7440-43-9**

| CANCER | CA EPA - Prop 65 | Carcinogen |
|----------------|--|--|
| DEVELOPMENTAL | CA EPA - Prop 65 | Developmental toxicity |
| PBT | US EPA - Priority PBTs (NWMP) | Priority PBT |
| PBT | WA DoE - PBT | PBT |
| GENE MUTATION | EU - R-phrases | R68 - May cause irreversible effects |
| REPRODUCTIVE | CA EPA - Prop 65 | Reproductive Toxicity - Male |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| CANCER | EU - SVHC Authorisation List | Carcinogenic - Candidate list |
| PBT | OSPAR - Priority PBTs & EDs & equivalent concern | PBT - Chemical for Priority Action |
| PBT | OR DEQ - Priority Persistent Pollutants | Priority Persistent Pollutant - Tier 1 |
| ACUTE AQUATIC | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life |
| CHRON AQUATIC | EU - GHS (H-Statements) | H410 - Very toxic to aquatic life with long lasting effects |
| MAMMALIAN | EU - GHS (H-Statements) | H330 - Fatal if inhaled |
| GENE MUTATION | EU - GHS (H-Statements) | H341 - Suspected of causing genetic defects |
| CANCER | EU - GHS (H-Statements) | H350 - May cause cancer |
| REPRODUCTIVE | EU - GHS (H-Statements) | H361fd - Suspected of damaging fertility. Suspected of damage the unborn child |
| ORGAN TOXICANT | EU - GHS (H-Statements) | H372 - Causes damage to organs through prolonged or repea |
| CANCER | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |
| MULTIPLE | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| CANCER | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CANCER | Korea - GHS | Carcinogenicity - Category 1 [H350 - May cause cancer] |
| CANCER | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence |
| GENE MUTATION | New Zealand - GHS | 6.6A - Known or presumed human mutagens |
| CANCER | New Zealand - GHS | 6.7A - Known or presumed human carcinogens |
| REPRODUCTIVE | New Zealand - GHS | 6.8A - Known or presumed human reproductive or developmental toxicants |
| GENE MUTATION | MAK | Germ Cell Mutagen 3a |
| CANCER | Malaysia - GHS | H350 - May cause cancer |
| CANCER | Australia - GHS | H350 - May cause cancer |
| | | |

SUBSTANCE NOTES: Statement of supplier: "Trace amonts of lead and cadmium (naturally occuring in our iron one) present in our products at concentration that are typically less than 1 ppm."

POLYESTER PAINT %: 0.0000 - 0.5000 HPD URL:

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No information about residuals and impurities was obtained from the supplier.

OTHER MATERIAL NOTES: It has been very difficult to obtain information about the paint used on pre-paint galvanized steel. The only information obtained from the supplier is that the paint is polyester-based.

MOLYESTER (POLYESTER) See material notes ### Discription of the content of the

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

+ Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Plafonds U.P.inc.

ADDRESS: 3745, rue Pascal-Gagnon

Terrebonne Québec J6X 4J3, Canada

WEBSITE: www.groupeup.com

CONTACT NAME: Maxime Charest
TITLE: Head of Customer Service

PHONE: 1-866-311-1122
EMAIL: mcharest@upd.ca

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

GLO Global warming

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation PBT Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
 BM-3 Benchmark 3 (use but still opportunity for improvement)
 LT-1 List Translator Possible Benchmark 1
 LT-1 List Translator Likely Benchmark 1

BM-2 Benchmark 2 (use but search for safer substitutes)

LT-UNK List Translator Benchmark Unknown (insufficient information

BM-1 Benchmark 1 (avoid - chemical of high concern) from List Translator lists to benchmark)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available,

full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.