Ecoustic Crescent Tiles by Unika Vaev

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 84 00 Acoustic Room Components

PRODUCT DESCRIPTION: The bold multi engraved pattern of ecoustic® Linear Tile creates a modern abstract design that can be easily manipulated to create stunning patterns and color statements. Turn the tiles and make wall and ceiling design your own creation!



Section 1: Summary

Nested Method / Material Threshold

			RY

Inventory Reporting Format
Nested Materials Method
C Basic Method

Threshold Disclosed Per

Material

C Product

Thres	shold	level
	3	

€ 100 ppm C 1,000 ppm

Per GHS SDS

Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 1 Materials

Explanation(s) provided for Residuals/Impurities? • Yes • No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No **Screened**

All substances screened using Priority Hazard Lists with results disclosed

Identified ○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

POLYESTER [POLYESTER NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Tiles are composed of 100% Polyester and are installed using a proprietary clip system.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2020-03-06** PUBLISHED DATE: 2020-03-06

EXPIRY DATE: 2023-03-06



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

POLYESTER %: 100.00 - 100.00

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered because they were not disclosed by manufacture.

OTHER MATERIAL NOTES: No Residual content disclosed by manufacture

ID: 113669		POLYESTER
HAZARD SCREENING DATE: 2020-03-06	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	
RC: None NANO: No ROLE: Main Content	GS: NoGS	%: 100.00 - 100.00
WARNINGS	AGENCY AND LIST TITLES	HAZARD TYPE
No warnings found on HPD Priority Hazard		None found
No warnings found on HPD Priority		None found

SUBSTANCE NOTES: No recycled content present in 0.98" or 1.97" thicknesses



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom &

Office scenario

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2017-

04-17

EXPIRY DATE:

CERTIFIER OR LAB: Berkeley

Analytical

APPLICABLE FACILITIES: all

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Applies to complete product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Crescent tiles can be installed in aligned or brickwork arrangements, with either complete coverage or with voids between tiles, thanks to tile form, scale, and a flexible installation system. - ecoustic® Crescent can be applied to ceilings using our proprietary clip system. - Colorways below are not multi-colored. They are renderings displaying the depth of the peak and valley of each tile. Performance - ecoustic® Crescent can be used to reduce the reverberant time of internal/ open plan space. An optional Ecoustic® Infill can increase sound absorption. Designed for disassembly; all components can be fixed without the use of adhesives. - ecoustic® Crescent Valley and Plateau tiles create topography via concave and convex planes which can be installed in consistent or opposing designs. Bold illumination enhances the three dimensional relationships. - Crescent is produced with 100% PET (>50% recycled content) with clear ABS wall clips.

MANUFACTURER INFORMATION

MANUFACTURER: Unika Vaev ADDRESS: 19 Ohio Ave

Norwich Connecticut 06360, usa

WEBSITE: https://unikavaev.com/

CONTACT NAME: Unika Vaev

TITLE: Customer Service PHONE: 800-237-1625

EMAIL: customerservice@unikavaev.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.