Ecoustic Domino Tiles by Unika Vaev

Declaration v2.1.1

Health Product

created via: HPDC Online Builder

CLASSIFICATION: 09 84 00 Acoustic Room Components

PRODUCT DESCRIPTION: The bold multi engraved pattern of ecoustic® Linear Tile creates a modern abstract design that can be easily manipulated to create stunning patterns and color statements. Turn the tiles and make wall and ceiling design your own creation!

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material
Product

Threshold level 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSDS Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with results disclosed.

○ Yes Ex/SC ⊙ Yes ○ No

Identified O Yes Ex/SC O Yes O No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE POLYESTER [POLYESTER NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Tiles are composed of 100% Polyester and are installed using a proprietary clip system.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-03-06 PUBLISHED DATE: 2020-03-06 EXPIRY DATE: 2023-03-06 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

POLYESTER		%: 100.	%: 100.00 - 100.00				
MATERIAL THRESHOLD: 100 ppm		RESIDUAL	RESIDUALS AND IMPURITIES CONSIDERED: NO				
F	RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities not considered because they were not disclosed by manufacture.						
(OTHER MATERIAL NOTES: No Residual content disclosed by manufacture						
	POLYESTER				ID: 113669-95-7		
	HAZARD SCREENING METHOD: Pharos Chemical a	nd Materials Library	HAZARD SCREENING DATE: 2020-03-06				
	%: 100.00 - 100.00	as: NoGS	RC: None	NANO: NO	ROLE: Main Content		
	HAZARD TYPE AGENCY AN	D LIST TITLES	WARNINGS				
	None found No warnings found on HPD Priority Hazard List						
	SUBSTANCE NOTES: No recycled content present in 0.98" or 1.97" thicknesses						

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario			
CERTIFIER OR LAB: Berkeley Analytical			

CERTIFICATION AND COMPLIANCE NOTES: Applies to complete product

General Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

ecoustic®Domino Tile earns a NRC rating of .80 when ordered with the optional infill. Domino installs in a "snap" with a simple clip system that is easily pre-positioned on a wall or ceiling by use of an accompanying template.

MANUFACTURER INFORMATION

MANUFACTURER: Unika Vaev Address: 19 Ohio Ave Norwich Connecticut 06360, usa WEBSITE: https://unikavaev.com/ CONTACT NAME: Unika Vaev TITLE: Customer Service PHONE: 800-237-1625 EMAIL: customerservice@unikavaev.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

GLO Global warming

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.