

CLASSIFICATION: 01 73 19 00

created via: HPDC Online Builder

**PRODUCT DESCRIPTION:** Flexlok is a fuss-free, fast and flexible adhesive tab for installing modular carpet. They're odorless, non-toxic, efficient to apply and easily removed. They'll work on any substrate, including wood, VCT and concrete. The environmentally friendly Flexlok Adhesive System is CRI Green Label certified and virtually eliminates VOC's. And since it will never dry out like wet adhesives. Flexlok lets you install your floors at your own pace.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

**Inventory Reporting Format**

- Nested Materials Method
- Basic Method

**Threshold Disclosed Per**

- Material
- Product

**Threshold level**

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

**Residuals/Impurities**

- Considered
  - Partially Considered
  - Not Considered
- Explanation(s) provided for Residuals/Impurities?
- Yes  No

Are All Substances Above the Threshold Indicated:

- Characterized**  
Percent Weight and Role Provided?  Yes  No
- Screened**  
Using Priority Hazard Lists with Results Disclosed?  Yes  No
- Identified**  
Name and Identifier Provided?  Yes  No

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 1  
 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-UNK  
 Nanomaterial..... No

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**FLEXLOK TABS [ VINYL ACETATE, POLYMER WITH N-BUTYL ACRYLATE**  
**LT-UNK POLYETHYLENE LT-UNK RAYON (OBSCURE CASRN, USE 9004-34-**  
**6) NoGS WATER BM-4 ]**

**INVENTORY AND SCREENING NOTES:**

Inventory disclosed per threshold.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: CRI Green Label Plus  
 Other: ILFI Declare - Red List Free

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared  
 VERIFIER:  
 VERIFICATION #:

SCREENING DATE: 2017-10-27  
 PUBLISHED DATE: 2017-10-27  
 EXPIRY DATE: 2020-10-27

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### FLEXLOK TABS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered.

OTHER PRODUCT NOTES: All inventory reported to threshold.

#### VINYL ACETATE, POLYMER WITH N-BUTYL ACRYLATE

ID: 25067-01-0

#: 25067-01-0      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **Acrylic Adhesive Polymer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Acrylic Adhesive Polymer

#### POLYETHYLENE

ID: 9002-88-4

#: 9002-88-4      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **Carrier**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Carrier

#### RAYON (OBSCURE CASRN, USE 9004-34-6)

ID: 99331-82-5

#: 99331-82-5      GS: **NoGS**      RC: **None**      NANO: **No**      ROLE: **Scrim**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Scrim

#### WATER

ID: 7732-18-5

#: 7732-18-5      GS: **BM-4**      RC: **None**      NANO: **No**      ROLE: **Moisture Bound in Adhesive**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Moisture Bound in Adhesive

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CRI Green Label Plus		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2013-12-17	EXPIRY DATE: 2017-10-31	CERTIFIER OR LAB: Underwriters Laboratory
APPLICABLE FACILITIES: Chatsworth, Ga.			
CERTIFICATE URL: <a href="http://www.carpet-rug.org/glpproducts">http://www.carpet-rug.org/glpproducts</a>			
CERTIFICATION AND COMPLIANCE NOTES: Flexlok Modular Carpet Tabs were tested at the Underwriters Laboratory in accordance with the California Department of Public Health Version 1.1 2010. The CRI Green Label Plus program is a recognized third-party certification program for LEED V4 EQ Credit Low-Emitting Materials.			

OTHER	ILFI Declare - Red List Free		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2016-05-01	EXPIRY DATE: 2018-05-01	CERTIFIER OR LAB: ILFI
APPLICABLE FACILITIES: Mohawk Industries Inc			
CERTIFICATE URL: <a href="https://living-future.org/declare-products/flexlok-installation-system/">https://living-future.org/declare-products/flexlok-installation-system/</a>			
CERTIFICATION AND COMPLIANCE NOTES: Red List Free. CDPH Standard Method V1.1 Compliant.			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

FlexLok tab system virtually eliminates harmful VOC's, this odorless dry installation system can be used in place of the traditional wet spread adhesives method. This system is performance without compromise and can be installed on any substrate. FlexLok provides a faster install with the flexibility of a floating modular floor with no glue. Fuss-free, fume-free, fast and flexible: the FlexLok Installation System is ideal for installing modular carpet. They're odorless, non-toxic, and

efficient to apply and easily removed. They'll most likely be applied to wood, VCT and concrete. They're environmentally-friendly FlexLok system is CRI Green Label-certified and virtually eliminates VOCs. And since it will never dry out like wet adhesives, FlexLok allows you install your floors at your own pace.

## Section 6: References

### MANUFACTURER INFORMATION

MANUFACTURER: **Mohawk Group**

ADDRESS: **160 South Industrial Blvd.**

**Calhoun GA 30701, USA**

WEBSITE: **<http://www.mohawkind.com>**

CONTACT NAME: **George Bandy**

TITLE: **Vice President of Sustainability**

PHONE: **706-629-7721**

EMAIL: **[george\\_bandy@mohawkind.com](mailto:george_bandy@mohawkind.com)**

### KEY

**OSHA MSDS**

Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS**

Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*