

CLASSIFICATION: 06 00 00 00

PRODUCT DESCRIPTION: High Pressure decorative Laminates (HPL) is a panel consisting of layers of cellulose fibres (more than 60 % of it consists of paper) impregnated with thermosetting resins and bonded together by a high pressure process. HPL can be more than 2 mm thick (HPL Compact) or less than 2 mm thick (HPL Thin). The panels are available in various sizes, thus optimising them with minimal off-cuts, reducing wastage and costs. They are furthermore available in a wide range of colours and designs, production grades and surface finishes with high and versatile performance across many applications. Application fields: furniture, countertops, worktops, cubicles, lockers, cabinets, benches, partition walls and doors in various environments such as kitchens, offices, hospitals, medical centers, laboratories, swimming pool, gyms, toilets.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Threshold Disclosed Per

- Material
- Product

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Explanation(s) provided for Residuals/Impurities?
 Yes No

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

PRINT HPL [CELLULOSE PULP (CELLULOSE PULP) NoGS PHENOL FORMALDEHYDE (PHENOL FORMALDEHYDE) LT-P1 | RES MELAMINE FORMALDEHYDE (MELAMINE FORMALDEHYDE) NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The process, defined as the simultaneous application of heat and high specific pressure, provides flowing and subsequent curing of the thermosetting resins to obtain a homogenous non-porous material (> 1,35 g/cm³). The residuals are composed by unreacted monomers, which are less than 50 ppb, as certified by SCS Global Services tests protocol mentioned in this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario
VOC emissions: Eurofins Confirmation LEEDv4 EQ - Low emitting products - DiBt/AgBB/SCAQMD
VOC emissions: French VOC Regulation, class A+
Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2020-05-07

PUBLISHED DATE: 2020-05-07

EXPIRY DATE: 2023-05-07



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PRINT HPL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: On the final product residuals may be present as impurities (traces of resins, dust, paper, ...) due to the manufacturing process.

OTHER PRODUCT NOTES: PRINT HPL is classified as a non hazardous product

CELLULOSE PULP (CELLULOSE PULP)

ID: 65996-61-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-07**%: **60.00 - 80.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **structural fiber**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **the percentage depends on product thickness****PHENOL FORMALDEHYDE (PHENOL FORMALDEHYDE)**

ID: 9003-35-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-07**%: **18.00 - 25.00**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **resin matrix for the core layers**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY**AOEC - Asthmagens****Asthmagen (Rs) - sensitizer-induced**SUBSTANCE NOTES: **the percentage depends on product thickness****MELAMINE FORMALDEHYDE (MELAMINE FORMALDEHYDE)**

ID: 94645-56-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-07**%: **6.00 - 12.00**GS: **NoGS**RC:
NoneNANO:
NoROLE: **resin matrix for decorative surface layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found**No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **the percentage depends on the product composition and thickness**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE: 2021-

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: All

03-21

03-20

Services

CERTIFICATE URL:

<https://www.scsglobalservices.com/certified-green-products-guide?program=156>

CERTIFICATION AND COMPLIANCE NOTES: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom and private office parameters.* Also conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3-2014e (Credits 7.6.1, 7.6.2) open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.** Measure Concentration of Total Volatile Organic Compounds (TVOC): 0.5mg/m³ or less (in compliance with CDPH/EHLB Standard Method v.1.2-2017) *Modeled as Flooring **Modeled as Individual Furniture Components

VOC EMISSIONS

Eurofins Confirmation LEEDv4 EQ - Low emitting products - DiBt/AgBB/SCAQMD

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-

EXPIRY DATE:

CERTIFIER OR LAB: Eurofins

APPLICABLE FACILITIES: All

07-12

Product Testing A/S

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Product qualifies for LEED v4 specifications on VOC emissions by complying with VOC emissions specifications in LEED EQ credit "Low-emitting products" (the requirements of CDPH-IAQ (California Department of Public Health, Jan 2017); and a TVOC below 0.5 mg/m³ in both office and class room).

VOC EMISSIONS

French VOC Regulation, class A+

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-

EXPIRY DATE:

CERTIFIER OR LAB: Eurofins

APPLICABLE FACILITIES: All

06-06

Product Testing A/S

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Regulation of March and April 2011 (DEVL1101903D and DEVL1104875A). It is based on ISO 16000. Class A+ corresponding to the extremely low pollution emission level.

SUSTAINABLE FORESTRY

FSC Certification - Chain of Custody (COC)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE: 2024-

CERTIFIER OR LAB: CSI

APPLICABLE FACILITIES: Abet Laminati S.p.A.; Abet AG; Abet BV; Abet France sarl; Abet GmbH; Abet Laminati SA; Abet Pty Limited; Abet Sp. z.o.o.; OOO Abet; Abet Inc., Abet Corporation

01-22

01-21

CERTIFICATE URL: <https://info.fsc.org/details.php?id=a024000000J8JkiAAF&type=certificate>

CERTIFICATION AND COMPLIANCE NOTES: FSC chain of custody certification verifies that FSC-certified material has come from a forest and supply chain that is managed responsibly. Abet Laminati products have gained chain of custody certification, meeting FSC-STD-40-004 Chain of Custody Certification standard.

LCA

Environmental Product Declaration (EPD) by EPDItaly

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE: 2024-

CERTIFIER OR LAB: EPDItaly

APPLICABLE FACILITIES: All

11-08

11-08

CERTIFICATE URL:

<https://www.epditaly.it/en/epd/print-hpl-high-pressure-laminate-compact/>

CERTIFICATION AND COMPLIANCE NOTES: Product specific EPD for HPL Compact (thickness > 2 mm) HPL for interior and exterior applications in compliance with ISO 14025 and EN 15804

LCA

Environmental Product Declaration (EPD) by EPDItaly

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE: 2024-

CERTIFIER OR LAB: EPDItaly

APPLICABLE FACILITIES: All

06-18

06-17

CERTIFICATE URL:

<https://www.epditaly.it/en/epd/print-hpl-high-pressure-laminate-thin/>

CERTIFICATION AND COMPLIANCE NOTES: Product specific EPD for HPL Thin (thickness < 2 mm) in compliance with ISO 14025 and EN 15804

SUSTAINABLE FORESTRY

PEFC International Sustainability Benchmark

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: CSI

APPLICABLE FACILITIES: All

01-22

2024-01-21

CERTIFICATE URL:

<https://abetlaminati.com/app/uploads/2016/04/Certificato-di-Conformit%C3%A0-PEFC-validit%C3%A0-2024.pdf>

CERTIFICATION AND COMPLIANCE NOTES: The management of chain of custody of the multisite managed by Abet Laminati S.p.A. is in compliance with the standards: - PEFC ITA 1002:2013 (Appendice 2) - PEFC ST 2002:2013 (Appendix 2)



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Thanks to its certifications Abet Laminati HPL may contribute to LEED v4.1 credits. For FSC or PEFC products it is necessary to include the specification in the order.



MANUFACTURER INFORMATION

MANUFACTURER: **ABET LAMINATI SPA**
ADDRESS: **Viale Industria, 21**
Bra CN 12042, Italy
WEBSITE: <http://us.abetlaminati.com/>

CONTACT NAME: **Sean Gregory**
TITLE: **Abet Inc Manager**
PHONE: **800.228.2238**
EMAIL: sgregory@abetlaminati.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.