100% Nylon 6.6 Axminster Broadloom Carpet - ROYAL THAI by Carpets International Thailand Public Company Limited

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 68 00

PRODUCT DESCRIPTION: Axminster is made up of Nylon6,6 spun yarn. Backings for axminster carpets consist of yarns called stuffers that are interwoven with the face yarn during the construction process. Since the yarns are interlocked components of the carpet, a secondary backing is not require. This HPD cover all styles and colors of Nylon6,6 spun yarn Axminster Carpet manufactured in Carpets International Thailand Public Company Limited.



Section 1: Summary

Basic Method / Product Threshold

	TFN			

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS C Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

O Yes O No

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC © Yes C No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

100% NYLON 6,6 AXMINSTER BROADLOOM CARPET - ROYAL THAI [NYLON 6,6 (WITH STAIN RESISTANCE) LT-UNK POLYPROPYLENE LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

As include in the finished product, none of materials identified with "Hazard

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets

Multi-attribute: Australian Carpet Environmental Certification Scheme (ECS)

Level 3

Multi-attribute: NSF/ANSI 140-2007e - Silver

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFICATION #:

SCREENING DATE: 2017-12-06 PUBLISHED DATE: 2020-05-08 EXPIRY DATE: 2020-12-06



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

100% NYLON 6,6 AXMINSTER BROADLOOM CARPET - ROYAL THAI

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: As include in the finished product, none of materials identified with "Hazard Type"

OTHER PRODUCT NOTES: VOC content data is not applicable for this product category.

NYLON 6,6 (WITH STAIN RESISTANCE)

SUBSTANCE NOTES: Nylon 6,6 spun yarn

ID: 32131-17-2

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2017-12-06			
%: 47.20 - 66.40	GS: LT-UNK	RC: None	NANO: No	ROLE: Face yarn
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		N	lo warnings found	on HPD Priority Hazard Lists

POLYPROPYLENE ID: 9003-07-0

HAZARD SCREENING METHOD:	HAZARD SCREEN	HAZARD SCREENING DATE: 2017-12-06		
%: 16.20 - 25.70	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found	No	warnings found o	n HPD Priority Hazard Lists	

SUBSTANCE NOTES: Primary backing

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2017-1 2	2-06
%: 7.40 - 9.60	GS: LT-UNK	RC: None	nano: No	ROLE: Backing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found or	n HPD Priority Hazard Lists

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2017-12-06			
%: 6.10 - 10.60	GS: LT-UNK	RC: None	nano: No	ROLE: Adhesive filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings fo	und on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Adhes	ive filler			

ETHYLENE VINYL ACETATE POLYMER (EVA)

ID: 24937-78-8

HAZARD SCREENING METHOD:	HAZARD SCREET	HAZARD SCREENING DATE: 2017-12-06			
%: 3.80 - 6.70	GS: LT-UNK	RC: None	NANO: No	ROLE: Adhesive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	o warnings found	on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Adhesive base



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CRI Green Label Plus - Carpets

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-

EXPIRY DATE: 2020-

CERTIFIER OR LAB: CRI - The

APPLICABLE FACILITIES: Predyed Nylon with EVA

05-12

06-30

Carpet and Rug Institute

Backing

CERTIFICATE URL: https://services.carpetrug.org/api/GLPCertificate/2343

CERTIFICATION AND COMPLIANCE NOTES: Range Of Total VOCs: 0.5 mg/m³ or less

MULTI-ATTRIBUTE

Australian Carpet Environmental Certification Scheme (ECS) Level 3

CERTIFYING PARTY: Third Party

ISSUE DATE: 2013-

EXPIRY DATE:

CERTIFIER OR LAB: ACCS

APPLICABLE FACILITIES: Nylon Broadloom Carpet, all 06-27

patterns and colors

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: An extension of the Australian Carpet Classification Scheme (ACCS), the Environmental Certification Scheme provides a guide to the environmental performance of carpet. As a precondition of obtaining environmental certification, carpet manufacturers must comply with the Code of Practice for Environmental Management which provides performance standards for raw materials, carpet manufacturing, in-service use and final disposal.

MULTI-ATTRIBUTE

NSF/ANSI 140-2007e - Silver

CERTIFYING PARTY: Third Party

ISSUE DATE: 2011-

EXPIRY DATE:

CERTIFIER OR LAB: NSF

APPLICABLE FACILITIES: Nylon 6,6 Broadloom Carpet, all

04-08

2021-12-31

patterns and colors

CERTIFICATE URL:

http://info.nsf.org/Certified/Sustain/ProdCert/C0029503-

CERTIFICATION AND COMPLIANCE NOTES: As complying with Certification for NSF/ANSI 140-2015 - Sustainability Assessment for Carpet Standard and all applicable requirements for achievement of: Silver Certification



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

As included in the finished product, none of materials identified with "Hazi	ard type"
100% Nylon 6,6 Axminster Broadloom Carpet - ROYAL THAI	HPD v2.1.1 created via HPDC Builder Bage E of

MANUFACTURER INFORMATION

MANUFACTURER: Carpets International Thailand Public

Company Limited

ADDRESS: www.carpetsinter.com

Muang Pathumthani 12000, Thailand

WEBSITE: www.carpetsinter.com

CONTACT NAME: Narupat Kuptiyanuwat

TITLE: Asst. R&D Manager

PHONE: 29760123

EMAIL: narupat@carpetsinter.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.