## 100% Nylon 6,6 Axminster Broadloom Carpet - ROYAL THAI by Carpets International Thailand Public Company Limited

CLASSIFICATION: 09 68 00

PRODUCT DESCRIPTION: Nylon 6,6 Spun Broadloom Axminster Carpet , all pattern and color.

## **Health Product Declaration v2.1**

created via: HPDC Online Builder

# Section 1: Summary

# **Basic Method / Product Threshold**

## CONTENT INVENTORY

- Inventory Reporting Format
- C Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- C Material
- Product

**Threshold level** C 100 ppm C 1,000 ppm C Per GHS SDS C Per OSHA MSDS • Other

**Residuals/Impurities** Considered C Partially Considered

C Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes • No

Are All Substances Above the Threshold Indicated:

Characterized Percent Weight and Role Provided?	• Yes C No
Screened Using Priority Hazard Lists with Results Disclosed?	⊙ Yes Ĉ No
Identified	

Name and Identifier Provided?

• Yes O No

Number of Greenscreen BM-4/BM3 contents...... 0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-UNK Nanomaterial..... No

### INVENTORY AND SCREENING NOTES:

As include in the finished product, none of materials identified with "Hazard Type"

## Section 2 for further details. MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical

substances against HPD Priority Hazard Lists and the GreenScreen for Safer

Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to

GREENSCREEN SCORE | HAZARD TYPE

100% NYLON 6,6 AXMINSTER BROADLOOM CARPET - ROYAL THAI [ NYLON 6,6 (WITH STAIN RESISTANCE) (NYLON 6,6 (WITH STAIN RESISTANCE)) LT-UNK POLYPROPYLENE (POLYPROPYLENE) LT-UNK POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE TEREPHTHALATE (PET)) LT-UNK LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE) LT-UNK ETHYLENE VINYL ACETATE POLYMER (EVA) (ETHYLENE VINYL ACETATE POLYMER (EVA)) LT-UNK ]

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets Multi-attribute: NSF/ANSI 140-2007e - Silver Multi-attribute: Australian Carpet Environmental Certification Scheme (ECS) Level 3

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

SCREENING DATE: 2017-12-06 PUBLISHED DATE: 2017-12-06 EXPIRY DATE: 2020-12-06

Third Party Verified? PREPARER: Self-Prepared C Yes

No

VERIFIER VERIFICATION #:

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### 100% NYLON 6,6 AXMINSTER BROADLOOM CARPET - ROYAL THAI

PRODUCT THRESHOLD: Other

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: As include in the finished product, none of materials identified with "Hazard Type"

OTHER PRODUCT NOTES: VOC content data is not applicable for this product category.

47.2000 - 66.4000	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Face yarn
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

TANCE NOTES: Nylon 6,6 spun yarn

POLYPROPYLENE (POLYPROPYL	.ENE)				ID: 9003-07-0
%: 16.2000 - 25.7000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE:	Backing
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priorit	y lists			
SUBSTANCE NOTES: Primary backing					
POLYETHYLENE TEREPHTHALAT (PET))	TE (PET) (POLYETHYLENE TER	EPHTHALATE			ID: <b>25038-59-9</b>
%: 7.4000 - 9.6000	GS: LT-UNK		RC: None	NANO: <b>NO</b>	ROLE: Backing
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priorit	y lists			
SUBSTANCE NOTES: Primary backing					
LIMESTONE; CALCIUM CARBONA CARBONATE)					ID: <b>1317-65-3</b>

6: <b>6.1000 - 10.6000</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Adhesive filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Adhesive	filler			
ETHYLENE VINYL ACETAT POLYMER (EVA)) 6: 3.8000 - 6.7000	<b>TE POLYMER (EVA) (ETHYLENE VINYL ACETAT</b> GS: <b>LT-UNK</b>		Jone NANO:	ID: 24937-78
POLYMER (EVA))			Jone NANO:	
CLYMER (EVA))	GS: LT-UNK		None NANO:	

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CRI Green Label Plu	ıs - Carpets			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Predyed Nylon with EVA Backing CERTIFICATE URL:	ISSUE DATE:2017-05- 12	EXPIRY DATE: 2018- 06-30	CERTIFIER OR LAB: CRI - The Carpet and Rug Institute		
CERTIFICATION AND COMPLIANCE NOTES: Range Of Total	VOCs: 0.5 mg/m <sup>3</sup> or	less			
MULTI-ATTRIBUTE	NSF/ANSI 140-20	007e - Silver			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Nylon 6,6 Broadloom Carpet , all patterns and colors CERTIFICATE URL: http://info.nsf.org/Certified/Sustain/ProdCert/C0029503 104.pdf	ISSUE DATE:2011-04 08 3-	- EXPIRY DATE: 2018- 12-31	CERTIFIER OR LAB: NSF		
CERTIFICATION AND COMPLIANCE NOTES: As complying with Certification for NSF/ANSI 140-2015 – Sustainability Assessment for Carpet Standard and all applicable requirements for achievement of: Silver Certification					
MULTI-ATTRIBUTE	Australian Carpet E	nvironmental Certifica	ation Scheme (ECS) Level 3		

MULTI-ATTRIBUTE	tification Scheme (ECS) Level 3		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Nylon Broadloom Carpet , all patterns and colors	ISSUE DATE: <b>2013-06-</b> 27	EXPIRY DATE:	CERTIFIER OR LAB: ASSC
100% Nylon 6.6 Ayminster Broadloom Carpet - BOYAL THAI			

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: An extension of the Australian Carpet Classification Scheme (ACCS), the Environmental Certification Scheme provides a guide to the environmental performance of carpet. As a precondition of obtaining environmental certification, carpet manufacturers must comply with the Code of Practice for Environmental Management which provides performance standards for raw materials, carpet manufacturing, in-service use and final disposal.

# **Generation 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

As included in the finished product, none of materials identified with "Hazard type"

## Section 6: References

### MANUFACTURER INFORMATION

MANUFACTURER: Carpets International Thailand Public Company Limited Address: www.carpetsinter.com Muang Pathumthani 12000, Thailand WEBSITE: www.carpetsinter.com

## CONTACT NAME: Narupat Kuptiyanuwat TITLE: Asst. R&D Manager PHONE: 29760123 EMAIL: narupat@carpetsinter.com

### KEY

OSHA MSDS GHS SDS Occupational Safety and Health Administration Material Safety Data Sheet Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

**Recycled Types** 

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

#### Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.