100% Nylon 6,6 Axminster Broadloom Carpet - ROYAL THAI by Carpets International Thailand Public Company Limited

Health Product Declaration v2.1

CLASSIFICATION: 09 68 00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Axminster is made up of Nylon6,6 spun yarn. Backings for axminster carpets consist of yarns called stuffers that are interwoven with the face yarn during the construction process. Since the yarns are interlocked components of the carpet, a secondary backing is not require. This HPD cover all styles and colors of Nylon6,6 spun yarn Axminster Carpet manufactured in Carpets International Thailand Public Company Limited.

_	

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Above the Thre	eshold Indicated:
Nested Materials Method	C 100 ppm	Considered	Characterized	C ' C '
Basic Method	C 1,000 ppm	C Partially Considered	Percent Weight and Role Provided	Yes C No 1?
Threshold Disclosed Per Material Product	Per GHS SDSPer OSHA MSDSOther	Not Considered Explanation(s) provided	Screened Using Priority Hazard Lists with Results Disclosed?	• Yes • No
		for Residuals/Impurities? • Yes • No	Identified Name and Identifier Provided?	• Yes • No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

100% NYLON 6,6 AXMINSTER BROADLOOM CARPET - ROYAL THAI [
NYLON 6,6 (WITH STAIN RESISTANCE) (NYLON 6,6 (WITH STAIN
RESISTANCE)) LT-UNK POLYPROPYLENE (POLYPROPYLENE) LT-UNK
POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE
TEREPHTHALATE (PET)) LT-UNK LIMESTONE; CALCIUM CARBONATE
(LIMESTONE; CALCIUM CARBONATE) LT-UNK ETHYLENE VINYL ACETATE
POLYMER (EVA) (ETHYLENE VINYL ACETATE POLYMER (EVA)) LT-UNK]

Number of Greenscreen BM-4/BM3 contents....... 0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-UNK Nanomaterial........... No

INVENTORY AND SCREENING NOTES:

As include in the finished product, none of materials identified with "Hazard Type"

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets Multi-attribute: NSF/ANSI 140-2007e - Silver

Multi-attribute: Australian Carpet Environmental Certification Scheme (ECS)

Level 3

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

PREPARER: Self-Prepared

C Yes

VERIFICATION #:

No

SCREENING DATE: 2017-12-06 PUBLISHED DATE: 2017-12-06 EXPIRY DATE: 2020-12-06

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

100% NYLON 6,6 AXMINSTER BROADLOOM CARPET - ROYAL THAI

PRODUCT THRESHOLD: Other

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: As include in the finished product, none of materials identified with "Hazard Type"

OTHER PRODUCT NOTES: VOC content data is not applicable for this product category.

NYLON 6,6 (WITH STAIN RESISTANCE) (NYLON 6,6 (WITH STAIN RESISTANCE))

ID: 32131-17-2

%: 47.2000 - 66.4000	GS: LT-UNK	RC: None	nano: No	ROLE: Face yarn
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Nylon 6,6 spun yarn

POLYPROPYLENE (POLYPROPYLENE)

ID: 9003-07-0

%: 16.2000 - 25.7000	gs: LT-UNK	rc: None	nano: No	ROLE: Backing
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPI	Priority lists		
SUBSTANCE NOTES: Primary ba	ckina			

POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE TEREPHTHALATE (PET))

ID: **25038-59-9**

%: 7.4000 - 9.6000	GS: LT-UNK	RC: None	NANO: No	ROLE: Backing
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Primary ba	cking			

LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE)

ID: **1317-65-3**

%: 6.1000 - 10.6000	GS: LT-UNK	RC: None	NANO: No	ROLE: Adhesive filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Adhesive fi	ller			
ETHYLENE VINYL ACETATE POLYMER (EVA))	POLYMER (EVA) (ETHYLENE VINYL ACETATE			ID: 24937-78
%: 3.8000 - 6.7000	gs: LT-UNK	RC: I	None NANO	: No ROLE: Adhesive
%: 3.8000 - 6.7000 HAZARDS:	GS: LT-UNK AGENCY(IES) WITH WARNINGS:	RC: I	None NANO	P: No ROLE: Adhesive
		RC: I	None NANO	o: No ROLE: Adhesive
HAZARDS:	AGENCY(IES) WITH WARNINGS: No warnings found on HPD Priority lists	RC: I	None NANO	P: No ROLE: Adhesive
HAZARDS: None Found	AGENCY(IES) WITH WARNINGS: No warnings found on HPD Priority lists	RC: I	None NANO	o: No ROLE: Adhesive

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CRI Green Label Plus - Carpets

EXPIRY DATE: 2018-CERTIFIER OR LAB: CRI - The CERTIFYING PARTY: Third Party ISSUE DATE:2017-05-APPLICABLE FACILITIES: Predyed Nylon with EVA 12 06-30 Carpet and Rug Institute Backing

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Range Of Total VOCs: 0.5 mg/m³ or less

MULTI-ATTRIBUTE

NSF/ANSI 140-2007e - Silver

12-31

CERTIFYING PARTY: Third Party ISSUE DATE: 2011-04- EXPIRY DATE: 2018-CERTIFIER OR LAB: NSF

APPLICABLE FACILITIES: Nylon 6,6 Broadloom Carpet, all

patterns and colors

CERTIFICATE URL:

http://info.nsf.org/Certified/Sustain/ProdCert/C0029503-

104.pdf

CERTIFICATION AND COMPLIANCE NOTES: As complying with Certification for NSF/ANSI 140-2015 - Sustainability Assessment for Carpet Standard and all applicable requirements for achievement of: Silver Certification

MULTI-ATTRIBUTE

Australian Carpet Environmental Certification Scheme (ECS) Level 3

CERTIFYING PARTY: Third Party ISSUE DATE:2013-06-EXPIRY DATE: CERTIFIER OR LAB: ACCS APPLICABLE FACILITIES: Nylon Broadloom Carpet, all 27

patterns and colors

100% Nylon 6,6 Axminster Broadloom Carpet - ROYAL THAI hpdrepository.hpd-collaborative.org

HPD v2.1 created via HPDC Builder Page 3 of 5

CERTIFICATION AND COMPLIANCE NOTES: An extension of the Australian Carpet Classification Scheme (ACCS), the Environmental Certification Scheme provides a guide to the environmental performance of carpet. As a precondition of obtaining environmental certification, carpet manufacturers must comply with the Code of Practice for Environmental Management which provides performance standards for raw materials, carpet manufacturing, in-service use and final disposal.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

As included in the finished product, none of materials identified with "Hazard type"



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Carpets International Thailand Public

Company Limited

ADDRESS: www.carpetsinter.com

Muang Pathumthani 12000, Thailand

WEBSITE: www.carpetsinter.com

CONTACT NAME: Narupat Kuptiyanuwat

TITLE: Asst. R&D Manager

PHONE: 29760123

EMAIL: narupat@carpetsinter.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

EYE Eye irritation/corrosivity

AQU Aquatic toxicity **GLO** Global warming

MAM Mammalian/systemic/organ toxicity **CAN** Cancer

DEV Developmental toxicity **MUL** Multiple hazards **END** Endocrine activity **NEU** Neurotoxicity

OZO Ozone depletion

GEN Gene mutation **PBT** Persistent Bioaccumulative Toxic **PHY** Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.