

CLASSIFICATION: 09 29 00.00 Finishes: Gypsum Board

PRODUCT DESCRIPTION: Gold Bond® BRAND eXP® Interior Extreme® Gypsum Panels consist of a moisture- and mold-resistant gypsum core encased in a coated, specially designed fiberglass mat on the face, back and sides. It is available in a Regular, Type X or Type C core. The glass mat is folded around the long edges to reinforce and protect the core. Use it wherever gypsum board is specified in interior applications for the entire project, wood or metal framing, for increased resistance to incidental moisture. This HPD covers 5/8" Gold Bond® BRAND eXP® Interior Extreme® Fire-Shield® Type X Gypsum Panels, and 5/8" Gold Bond® BRAND eXP® Interior Extreme® AR Gypsum Panels.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
EXP GYPSUM CORE | GYPSUM LT-UNK | GLASS / MINERAL FIBER LT-UNK
| CAN STARCH LT-UNK | SILOXANES AND SILICONES, DI-ME, POLYMERS
WITH 3-MERCAPTOPROPYL SILSESQUIOXANES LT-UNK | COATED
FIBERGLASS MAT | LIMESTONE; CALCIUM CARBONATE LT-UNK | GLASS /
MINERAL FIBER LT-UNK | CAN KAOLIN CLAY LT-UNK | CAN
UNDISCLOSED LT-UNK | UNDISCLOSED LT-UNK | MICA LT-UNK
POTASSIUM METHYLSILANETRIOLATE NoGS | POLYACRYLIC ACID,
SODIUM SALT LT-UNK | UNDISCLOSED LT-P1 | RES SILICA, AMORPHOUS
LT-P1 | CAN QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, and thus are "Undisclosed" on this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Elixir Environmental

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-07-12

PUBLISHED DATE: 2018-07-12

EXPIRY DATE: 2021-07-12



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-1-standard

EXP GYPSUM CORE

%: 96.0000 - 97.2000

HPD URL:

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on batch testing, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of Material reported as range to account for formulation variations between products and manufacturing facilities.

GYPSUM

ID: 13397-24-5

%: 98.8000 - 99.2000

GS: LT-UNK

RC: PreC

NANO: No

ROLE: Substrate

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: May also include CASRN 10101-41-4 (LT-UNK; No warnings found on HPD Priority lists). Four National Gypsum plants produce gypsum board exclusively with Pre-Consumer (Post-Industrial) byproduct gypsum [Shippingport, PA; Mt. Holly, NC; Westwego, LA; Shoals, IN]. Eleven National Gypsum plants produce gypsum board exclusively with natural rock gypsum [Burlington, NJ; Fort Dodge, IA; Long Beach, CA; Medicine Lodge, KS; National City, MI; Phoenix, AZ; Portsmouth, NH; Richmond, CA; Rotan, TX; Savannah, GA; Waukegan, IL]. Two National Gypsum plants produce gypsum board with a blend of Pre-Consumer (Post-Industrial) byproduct gypsum and natural rock gypsum [Apollo Beach, FL; Baltimore, MD].

GLASS / MINERAL FIBER

ID: 65997-17-3

%: 0.3000 - 0.4000

GS: LT-UNK

RC: None

NANO: No

ROLE: Core Strength, Fire Resistance

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

EU - GHS (H-Statements)

H351 - Suspected of causing cancer

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

STARCH

ID: 9005-25-8

%: 0.3000 - 0.4000

GS: LT-UNK

RC: None

NANO: No

ROLE: Improves Binding, Core Strength

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-MERCAPTOPROPYL SILSESQUIOXANES

ID: 108775-26-4

#: 0.1000 - 0.2000 GS: LT-UNK RC: None NANO: No ROLE: Moisture Resistance

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Silicone

COATED FIBERGLASS MAT

#: 2.8000 - 4.0000

HPD URL:

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities with the potential to be present at or above the Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of Material reported as range to account for formulation variations between products and manufacturing facilities. Percent by weight of Substances reported as range to further protect the proprietary nature of this formulation.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

#: 45.0000 - 50.0000 GS: LT-UNK RC: None NANO: No ROLE: Filler

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

GLASS / MINERAL FIBER

ID: 65997-17-3

#: 20.0000 - 25.0000 GS: LT-UNK RC: None NANO: No ROLE: Substrate

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

EU - GHS (H-Statements)

H351 - Suspected of causing cancer

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

KAOLIN CLAY

ID: 1332-58-7

%: 20.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

UNDISCLOSED

%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists	*3rd Party Screened*		

SUBSTANCE NOTES: Supplier has disclosed substance name and CASRN under a Non-Disclosure Agreement; substance to remain proprietary to supplier. Substance has been screened against the HPD Priority lists with results disclosed.

UNDISCLOSED

%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists	*3rd Party Screened*		

SUBSTANCE NOTES: Supplier has disclosed substance name and CASRN under a Non-Disclosure Agreement; substance to remain proprietary to supplier. Substance has been screened against the HPD Priority lists with results disclosed.

MICA

ID: **12001-26-2**

%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES:

POTASSIUM METHYLSILANETRIOLATE

ID: **31795-24-1**

%: 0.1000 - 1.0000	GS: NoGS	RC: None	NANO: No	ROLE: Water Repellent
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES:

POLYACRYLIC ACID, SODIUM SALT

ID: 9003-04-7

%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Dispersant
---------------------------	-------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

UNDISCLOSED

%: 0.1000 - 1.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Binder
---------------------------	------------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

3rd Party Screened

SUBSTANCE NOTES: Supplier has disclosed substance name and CASRN under a Non-Disclosure Agreement; substance to remain proprietary to supplier. Substance has been screened against the HPD Priority lists with results disclosed. Supplier has confirmed the upper limit for residuals of concern related to this binder component, which fall below the Content Inventory Threshold indicated for this material.

SILICA, AMORPHOUS

ID: 7631-86-9

%: Impurity/Residual	GS: LT-P1	RC: None	NANO: No	ROLE: Impurity/Residual
-----------------------------	------------------	-----------------	-----------------	--------------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

Japan - GHS

Carcinogenicity - Category 1A

SUBSTANCE NOTES: Potential Impurity/Residual of Glass/Mineral Fiber (Pharos CML).

QUARTZ

ID: 14808-60-7

%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual
-----------------------------	-----------------	-----------------	-----------------	--------------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Australia - GHS	H350 - May cause cancer
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Potential impurity of various raw materials (e.g. Limestone, Kaolin). Quartz is one of several compounds with warnings restricted to respirable forms (Pharos CML). Exposures to respirable crystalline silica are not expected during the recommended use of this product. Awaiting full GreenScreen Assessment for form specific hazards for this compound (<http://ow.ly/Z5ken>).

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2008-**

EXPIRY DATE: **2018-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All**

12-31

12-28

Environment

CERTIFICATE URL:

<http://certificates.ulenvironment.com/default.aspx?id=12048&t=cs>

CERTIFICATION AND COMPLIANCE NOTES: **Gold Bond® BRAND eXP Interior Extreme Gypsum Panel. Certificate Number: 12048-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.**

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2008-**

EXPIRY DATE: **2018-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All**

12-31

12-28

Environment

CERTIFICATE URL:

<http://certificates.ulenvironment.com/default.aspx?id=22971&t=cs>

CERTIFICATION AND COMPLIANCE NOTES: **Gold Bond BRAND eXP Interior Extreme AR Gypsum Panel. Certificate Number: 22971-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PROFORM® PAPER JOINT TAPE

HPD URL:

<http://designcenter.nationalgypsum.com/sustainability/category/health-product-declaration-hpd>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Perform finishing of eXP Interior Extreme Panels in accordance with GA-214. Joints between eXP Interior Extreme Panels may be finished with either paper tape, such as ProForm® Paper Joint Tape, and ready mix joint compound; or with fiberglass mesh tape and setting compound. In most areas to receive final decoration, skim coating of the entire surface is recommended.

**PROFORM® READY MIX JOINT
COMPOUNDS (VOC 2.00 G/L)**

HPD URL:

<http://designcenter.nationalgypsum.com/sustainability/category/health-product-declaration-hpd>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Perform finishing of eXP Interior Extreme Panels in accordance with GA-214. Joints between eXP Interior Extreme Panels may be finished with either paper tape and ready mix joint compound, such as ProForm® Ready Mix Joint Compounds; or with fiberglass mesh tape and setting compound. In most areas to receive final decoration, skim coating of the entire surface is recommended.

PROFORM® SETTING COMPOUNDS

HPD URL:

<http://designcenter.nationalgypsum.com/sustainability/category/health-product-declaration-hpd>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Perform finishing of eXP Interior Extreme Panels in accordance with GA-214. Joints between eXP Interior Extreme Panels may be finished with either paper tape and ready mix joint compound, or with fiberglass mesh tape and setting compound, such as ProForm® brand Interior Finishing Products. In most areas to receive final decoration, skim coating of the entire surface is recommended.

FASTENERS

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

As referenced in ICC-ES Evaluation Report (ESR-3234).

 **Section 5: General Notes**

Residuals and Impurities have been considered as stated in the Material Notes for each disclosed material.



MANUFACTURER INFORMATION

MANUFACTURER: **National Gypsum Company**

ADDRESS: **2001 Rexford Road**

Charlotte NC 28211, USA

WEBSITE: **www.NationalGypsum.com**

CONTACT NAME: **Amy Hockett**

TITLE: **National Marketing Manager - Construction Design Services & Sustainability**

PHONE: **704-365-7931**

EMAIL: **AmyH@NationalGypsum.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.