

**CLASSIFICATION:** 09 29 00 Finishes: Gypsum Board

**PRODUCT DESCRIPTION:** ProForm® BRAND Concrete-Cover Ready Mix Compound is a vinyl based compound specifically formulated for smoothing or texturing above grade monolithic interior concrete ceilings and columns. It may be used for texturing drywall, embedding drywall tape and as a first coat over drywall beads and trims. Concrete-Cover Compound is specifically formulated for enhanced bond when applied to interior monolithic concrete ceilings and columns. It can be sprayed, brushed, rolled, trowel-applied or applied with drywall finishing boxes and/or taping tools. It provides excellent bond for embedding drywall tape and laminating gypsum board, and can be used to first-coat beads and trim and spot drywall fasteners. It develops its strength and hardness by drying. By adjusting consistency and/or varying application techniques, Concrete-Cover creates an almost endless variety of textures including Smooth, Spray Spatter, Spatter Knock-Down or Orange Peel.

## Section 1: Summary

## Nested Method / Material Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Residuals/Impurities  
Considered in 1 of 1 Materials
- Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No  
*One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**READY MIX JOINT COMPOUNDS [ CALCIUM CARBONATE BM-3 WATER  
BM-4 LATEX BINDER LT-UNK TALC BM-1 | CAN PYROPHYLLITE NoGS  
QUARTZ LT-1 | CAN ATTAPULGITE LT-1 | CAN MICA LT-UNK KAOLIN  
CLAY LT-UNK | CAN METHYLHYDROXYETHYLCELLULOSE LT-UNK  
HYDROXYETHYL CELLULOSE LT-P1 | END POLY(VINYL ALCOHOL) LT-  
UNK POLYVINYL ACETATE (PVA) LT-UNK CHLORITE NoGS ]**

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen  
Benchmark or List translator Score ... BM-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers, and thus are "Undisclosed" on this HPD.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <2 g/L Regulatory (g/l): <2 g/L  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: N/A

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified  
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)  
Multi-attribute: Environmental Product Declaration (EPD) by UL - Industry Generic

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Elixir Environmental

SCREENING DATE: 2019-03-18

Yes  
 No

VERIFIER:  
VERIFICATION #:

PUBLISHED DATE: 2019-03-20  
EXPIRY DATE: 2022-03-18



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### READY MIX JOINT COMPOUNDS

#: 100.0000

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of substances disclosed as ranges to protect proprietary formulation, and to account for possible formulation variations between manufacturing facilities.

### CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-18

#: 45.0000 - 65.0000

GS: BM-3

RC: None

NANO: No

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Other CASRN may include 1317-65-3 (Limestone; LT-UNK; NO | No warnings found on HPD Priority lists). GreenScreen Benchmark® assessment score of BM-3 was provided by the HPD Builder Tool.

### WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-18

#: 30.0000 - 50.0000

GS: BM-4

RC: None

NANO: No

ROLE: Diluent; Controls fluidity and texture

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-4 was provided by the HPD Builder Tool.

### LATEX BINDER

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-18

#: 0.1000 - 1.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	No hazards found	*3rd Party Screened*

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

## TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-18		
%: 0.1000 - 10.0000	GS: BM-1	RC: None	NANO: No	ROLE: Filler, flow ability, crack resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Non-asbestiform. Supplier has provided Certificate of Analysis confirming that talc products "do not contain detectable regulated asbestiform minerals". Talc is one of several substances that work synergistically to reduce cracking in the finished product. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. GreenScreen® Assessment for Talc (CAS# 14807-96-6) assigns the following GreenScreen® Benchmark Scores for Relevant Routes of Exposure: Inhalation (BM-1); Oral (BM-3DG); Dermal (BM-U).

## PYROPHYLLITE

ID: 12269-78-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-18		
%: 0.1000 - 10.0000	GS: NoGS	RC: None	NANO: No	ROLE: Crack resistance; Improved workability; Reduced chalking
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Pyrophyllite is one of several substances that work synergistically to reduce cracking in the finished product.

## QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-18		
%: 0.1000 - 10.0000	GS: LT-1	RC: None	NANO: No	ROLE: Crack resistance; Improved workability; Reduced chalking; Residual/Impurity

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Warnings restricted to respirable forms (Silica, crystalline - airborne particles of respirable size). Awaiting full GreenScreen Assessment for form specific hazards for this compound (<http://ow.ly/Z5ken>). Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Quartz/Silica. Quartz is one of several substances that work synergistically to reduce cracking in the finished product. May also represent possible impurity present in raw materials.

## ATTAPULGITE

ID: 12174-11-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-03-18**

#: **0.1000 - 10.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Improves sag resistance; Reduces cracking**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Attapulgite is one of several substances that work synergistically to reduce cracking in the finished product.

## MICA

ID: 12001-26-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-03-18**

#: **0.1000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Crack resistance; Improved workability; Reduced chalking**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Mica is one of several substances that work synergistically to reduce cracking in the finished product.

**KAOLIN CLAY**

ID: 1332-58-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.1000 - 10.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Crack resistance; Improved workability; Reduced chalking**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**CANCER**

**MAK**

**Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**

SUBSTANCE NOTES: Identified on the US EPA Safer Chemicals Ingredient List. Kaolin Clay is one of several substances that work synergistically to reduce cracking in the finished product.

**METHYLHYDROXYETHYLCELLULOSE**

ID: 9032-42-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.1000 - 10.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Thickener**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

**HYDROXYETHYL CELLULOSE**

ID: 9004-62-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.1000 - 10.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Thickener**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**ENDOCRINE**

**TEDX - Potential Endocrine Disruptors**

**Potential Endocrine Disruptor**

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

**POLY(VINYL ALCOHOL)**

ID: 9002-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.1000 - 10.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **Identified on the US EPA Safer Chemical Ingredient List.**

### **POLYVINYL ACETATE (PVA)**

ID: **9003-20-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.0000 - 10.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

### **CHLORITE**

ID: **1318-59-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **Impurity/Residual**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **Chlorite Group Minerals. Potential Impurity of Talc as per supplier SDS.**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2009-**

EXPIRY DATE: **2019-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All**

**04-30**

**03-28**

**Environment**

CERTIFICATE URL:

<http://certificates.ulenvironment.com/default.aspx?id=22973&t=cs>

CERTIFICATION AND COMPLIANCE NOTES: **Certificate Number 22973-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.**

### VOC CONTENT

### EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **All**

**03-15**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Calculated from formulation.**

### MULTI-ATTRIBUTE

### Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2017-**

EXPIRY DATE: **2022-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All**

**11-08**

**11-08**

**Environment**

CERTIFICATE URL:

<http://designcenter.nationalgypsum.com/building-futures/documents>

CERTIFICATION AND COMPLIANCE NOTES: **Declaration Number: 4787593939.101.1. Reference PCR: UL Part A v1.3 & Part B: Joint compound EPD requirements (2016). EPD covers both Ready Mix and Setting Type Joint Compounds. National Gypsum Company is listed among the Participating Companies in this Industry-Wide EPD.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### GOLD BOND® GYPSUM BOARDS

HPD URL:

<http://designcenter.nationalgypsum.com/building-futures/documents>



CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

ProForm® Ready Mix Joint Compounds can be used to finish various types of gypsum boards, such as Gold Bond® Fire-Shield, Gold Bond® XP Fire-Shield, and Gold Bond® XP SoundBreak.

## PROFORM® PAPER JOINT TAPE

HPD URL:

<http://designcenter.nationalgypsum.com/building-futures/documents>

---

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Paper tape, such as ProForm® Paper Joint Tape, can be used in conjunction with ProForm® Ready Mix Joint Compounds to finish various types of gypsum boards.

## Section 5: General Notes



## MANUFACTURER INFORMATION

---

MANUFACTURER: **National Gypsum Company**

ADDRESS: **2001 Rexford Road**

**Charlotte NC 28211, USA**

WEBSITE: **www.NationalGypsum.com**

CONTACT NAME: **Amy Hockett**

TITLE: **National Marketing Manager - Construction Design Services & Sustainability**

PHONE: **704-365-7931**

EMAIL: **AmyH@NationalGypsum.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*