

CLASSIFICATION: 09 72 19 Wall Coverings - Textile Wall Coverings

PRODUCT DESCRIPTION: Our 3mm Wool Design Felt is available for product, furniture, fashion, and vertical surface applications. The possibilities are limitless! Wool felt is one of the oldest man-made textiles and to produce felt, raw wool undergoes a wet “felting” process, which involves matting, condensing and pressing the fibers. Design Felt is a high quality natural material, comes in highly saturated colors, and is perfect for demanding design applications

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities  
Considered in 1 of 1 Materials

Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No  
% weight and role provided for all substances.

Screened  Yes Ex/SC  Yes  No  
All substances screened using Priority Hazard Lists with  
results disclosed.

Identified  Yes Ex/SC  Yes  No  
One or more substances not disclosed by Name (Specific or  
Generic) and Identifier and/ or one or more Special Condition  
did not follow guidance.

Threshold Disclosed Per

- Material
- Product

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

100% WOOL DESIGN FELT [ SHEEPS WOOL NoGS BENZENESULFONIC ACID, 4-[[5-METHOXY-4-[[4-METHOXYPHENYL] AZO]-2-METHYLPHENYL]AZO]-, SODIUM SALT LT-UNK C.I. ACID GREEN 16 LT-UNK 2-(METHYL(1-OXO-9-OCTADECENYL)AMINO)ETHANESULFONIC ACID, SODIUM SALT LT-UNK BENZENESULFONIC ACID, 3-[[4-[[2-ETHOXY-5-METHYLPHENYL] AZO]-1-NAPHTHALENYL]AZO]-, SODIUM SALT LT-UNK BENZENESULFONIC ACID, [[9,10-DIHYDRO-9,10-DIOXO-1,4-ANTHRACENEDIYL]DIIMINO]BIS[ETHYLMETHYL-, DISODIUM SALT LT-UNK SODIUM LAURYL SULFATE NoGS 1,3-NAPHTHALENEDISULFONIC ACID, 7-HYDROXY-8-[[4-[1-[4-[[4-HYDROXYPHENYL]AZO]PHENYL]CYCLOHEXYL]PHENYL]AZO]-, DISODIUM SALT LT-UNK 2-NAPHTHALENESULFONIC ACID, 6-AMINO-4-HYDROXY-5-[[2-( TRIFLUOROMETHYL)PHENYL]AZO]-, MONOSODIUM SALT LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest concern GreenScreen  
Benchmark or List translator Score ... LT-UNK  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

10 colorways are undyed (0% dye) sheep's wool and 53 colorways require a mix of dyes. Maximum content of all dyes combined is 1%. Through the quality control check, material is reviewed to determine impurities. Material containing impurities is removed and returned to the mill for redye

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -  
Classroom & Office scenario  
Other: OEKO-TEX Standard 100  
Multi-attribute: GreenTag 3.1 - Gold - GreenRate Level B

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-01-23

PUBLISHED DATE: 2020-03-31

EXPIRY DATE: 2021-01-23



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### 100% WOOL DESIGN FELT

#: 100.00 - 100.00

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Through the quality control check, material is reviewed to determine impurities. Material containing impurities is removed and returned to the mill for redye

HPD URL: <https://www.filzfelt.com/index.php?/shop/product/5mm-wool-design-felt>

OTHER MATERIAL NOTES: Some colorways are 100% undyed sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

#### SHEEPS WOOL

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-01-23

#: 99.00 - 100.00

GS: NoGS

RC: None

NANO: No

ROLE: Base Material

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Base Material

#### BENZENESULFONIC ACID, 4-[[5-METHOXY-4-[[4-METHOXYPHENYL] AZO]-2-METHYLPHENYL]AZO]-, SODIUM SALT

ID: 68555-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-01-23

#: 0.10 - 1.00

GS: LT-UNK

RC:

None

NANO:

No

ROLE: Dye for textile finishing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% natural sheep's wool and others require a mix of dyes. maximum content of all dyes combined is 1%

#### C.I. ACID GREEN 16

ID: 12768-78-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-01-23

%: **0.10 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Dye for textile finishing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% natural sheep's wool and others require a mix of dyes. maximum content of all dyes combined is 1%

**2-(METHYL(1-OXO-9-OCTADECENYL)AMINO)ETHANESULFONIC ACID, SODIUM SALT**

ID: **137-20-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-01-23**

%: **0.10 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Dye for textile finishing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% natural sheep's wool and others require a mix of dyes. maximum content of all dyes combined is 1%

**BENZENESULFONIC ACID, 3-[[4-[(2-ETHOXY-5-METHYLPHENYL) AZO]-1-NAPHTHALENYL]AZO]-, SODIUM SALT**

ID: **68959-00-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-01-23**

%: **0.10 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Dye for textile finishing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% natural sheep's wool and others require a mix of dyes. maximum content of all dyes combined is 1%

**BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)DIIMINO]BIS[ETHYLMETHYL-, DISODIUM SALT**

ID: **83027-61-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-01-23**

%: **0.10 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Dye for textile finishing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% natural sheep's wool and others require a mix of dyes. maximum content of all dyes combined is 1%

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-01-23**%: **0.10 - 1.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Dye for textile finishing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% natural sheep's wool and others require a mix of dyes. maximum content of all dyes combined is 1%

**1,3-NAPHTHALENEDISULFONIC ACID, 7-HYDROXY-8-[[4-[1-[4-[4-HYDROXYPHENYL]AZO]PHENYL]CYCLOHEXYL]PHENYL]AZO]-, DISODIUM SALT**

ID: 6507-77-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-01-23**%: **0.10 - 1.00**GS: **LT-UNK**

RC:

**None**

NANO:

**No**ROLE: **Dye for textile finishing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% natural sheep's wool and others require a mix of dyes. maximum content of all dyes combined is 1%

**2-NAPHTHALENESULFONIC ACID, 6-AMINO-4-HYDROXY-5-[[2-(TRIFLUOROMETHYL)PHENYL]AZO]-, MONOSODIUM SALT**

ID: 67786-14-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-01-23**%: **0.00 - 1.00**GS: **LT-UNK**

RC:

**None**

NANO:

**No**ROLE: **Dye for textile finishing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% natural sheep's wool and others require a mix of dyes. maximum content of all dyes combined is 1%

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

#### CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2001-**

EXPIRY DATE:

CERTIFIER OR LAB: **Berkeley**

APPLICABLE FACILITIES: **Spinneybeck | FilzFelt**

**10-20**

**Analytic**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

### OTHER

#### OEKO-TEX Standard 100

CERTIFYING PARTY: **Second Party**

ISSUE DATE: **2016-**

EXPIRY DATE: **2017-**

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **Spinneybeck | FilzFelt**

**11-22**

**09-30**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

### MULTI-ATTRIBUTE

#### GreenTag 3.1 - Gold - GreenRate Level B

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-**

EXPIRY DATE:

CERTIFIER OR LAB: **Global**

APPLICABLE FACILITIES: **Spinneybeck | FilzFelt**

**12-26**

**2017-12-26**

**GreenTag Pty Ltd**

CERTIFICATE URL:

<https://www.filzfelt.com/index.php?/shop/product/5mm-wool-design-felt>

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Some colorways are 100% undyed sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.



## MANUFACTURER INFORMATION

MANUFACTURER: **Spinneybeck | FilzFelt**  
 ADDRESS: **425 CrossPoint Parkway**  
**Getzville New York 14068, United States**  
 WEBSITE: **https://www.filzfelt.com/**

CONTACT NAME: **Peter A. Harenda**  
 TITLE: **Product Testing Coordinator**  
 PHONE: **7164462358**  
 EMAIL: **pharenda@spinneybeck.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*