

HPD UNIQUE IDENTIFIER: (to be provided)

CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: Akustika 10 Wall is a wall-mounted acoustic system available in customizable sizes in 63 colors with exposed edge or 33 colors with wrapped edge, Akustika Wall achieves up to a 0.75 Noise Reduction Coefficient (NRC) with exposed or wrapped edge. The system ships complete with Interlock Mounting System or standard Z-Clips for easy hanging

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 2 Materials

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

AKUSTIKA 10 [UNDISCLOSED LT-UNK] FELT [SHEEPS WOOL NoGS C.I. ACID GREEN 16 LT-UNK 2-(METHYL(1-OXO-9-OCTADECENYL)AMINO)ETHANESULFONIC ACID, SODIUM SALT LT-UNK BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)BIS[IMINO[3-(2-METHYLPROPYL)-3 ,1-PROPANEDIYL]]]BIS-, DISODIUM SALT LT-P1 BENZENESULFONIC ACID, 3-[[4-[(2-ETHOXY-5-METHYLPHENYL) AZO]-1-NAPHTHALENYL]AZO]-, SODIUM SALT LT-UNK BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)DIIMINO]BIS[ETHYLMETHYL-, DISODIUM SALT LT-UNK SODIUM LAURYL SULFATE LT-P1 | MUL 1,3-NAPHTHALENEDISULFONIC ACID, 7-HYDROXY-8-[[4-[1-[4-[[4-HYDROXYPHENYL]AZO]PHENYL]CYCLOHEXYL]PHENYL]AZO]- , DISODIUM SALT LT-UNK 2-NAPHTHALENESULFONIC ACID, 6-AMINO-4-HYDROXY-5-[[2-(TRIFLUOROMETHYL)PHENYL]AZO]-, MONOSODIUM SALT LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

10 colorways are undyed (0% dye) sheep's wool and 53 colorways require a mix of dyes. Maximum content of all dyes combined is 1%. Through the quality control check, material is reviewed to determine impurities. Material containing impurities is removed and returned to the mill for redye

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
Other: Oeko-Tex Standard 100
Multi-attribute: Global GreenTag GreenRate Level B

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: **2020-05-18**

PUBLISHED DATE: **2020-05-18**

EXPIRY DATE: **2023-05-18**



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

AKUSTIKA 10

#: 75.0000 - 80.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: 10 colorways are undyed (0% dye) sheep's wool and 53 colorways require a mix of dyes. Maximum content of all dyes combined is 1%. Through the quality control check, material is reviewed to determine impurities. Material containing impurities is removed and returned to the mill for redye

HPD URL: <https://www.filzfelt.com/index.php?/shop/product/akustika-10-wall>

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-18

#: 100.0000 - 100.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Sound Absorbing Acoustical Substrate

FELT

#: 20.0000 - 25.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Other, Textile Fiber - Sheep's Wool

RESIDUALS AND IMPURITIES NOTES: 10 colorways are undyed (0% dye) sheep's wool and 53 colorways require a mix of dyes. Maximum content of all dyes combined is 1%. Through the quality control check, material is reviewed to determine impurities. Material containing impurities is removed and returned to the mill for redye

HPD URL: <https://www.filzfelt.com/index.php?/shop/product/akustika-10-wall>

OTHER MATERIAL NOTES: Textile Finish

SHEEPS WOOL

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-18

#: 99.0000 - 100.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Textile component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are 100% undyed sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

C.I. ACID GREEN 16

ID: 12768-78-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-18		
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

2-(METHYL(1-OXO-9-OCTADECENYL)AMINO)ETHANESULFONIC ACID, SODIUM SALT

ID: 137-20-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-18		
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)BIS[[IMINO[3-(2-METHYLPROPYL)-3 ,1-PROPANEDIYL]]]BIS-, DISODIUM SALT

ID: 72749-90-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-18		
%: 0.1000 - 1.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

BENZENESULFONIC ACID, 3-[[4-[(2-ETHOXY-5-METHYLPHENYL) AZO]-1-NAPHTHALENYL]AZO]-, SODIUM SALT

ID: 68959-00-2

%: **0.1000 - 1.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Dye**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)DIIMINO]BIS[ETHYLMETHYL-, DISODIUM SALT
ID: **83027-61-6**%: **0.1000 - 1.0000**GS: **LT-UNK**

RC:

NANO:

SUBSTANCE ROLE:

None**No****Dye**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

SODIUM LAURYL SULFATE
ID: **151-21-3**%: **0.1000 - 1.0000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Dye**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

1,3-NAPHTHALENEDISULFONIC ACID, 7-HYDROXY-8-[[4-[1-[4-[[4-HYDROXYPHENYL]AZO]PHENYL]CYCLOHEXYL]PHENYL]AZO]-, DISODIUM SALT
ID: **6507-77-3**%: **0.1000 - 1.0000**GS: **LT-UNK**

RC:

NANO:

SUBSTANCE ROLE:

None**No****Dye**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

2-NAPHTHALENESULFONIC ACID, 6-AMINO-4-HYDROXY-5-[[2-(TRIFLUOROMETHYL)PHENYL]AZO]-, MONOSODIUM SALT

ID: 67786-14-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-18**

%: **0.1000 - 1.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Dye**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2009-05-20**

EXPIRY DATE:

CERTIFIER OR LAB: **Berkeley Analytical**

APPLICABLE FACILITIES: **Spinneybeck | FilzFelt**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

OTHER

Oeko-Tex Standard 100

CERTIFYING PARTY: **Second Party**

ISSUE DATE: **2016-11-22**

EXPIRY DATE: **2017-09-30**

CERTIFIER OR LAB: **Hohenstein Textile Testing Institute**

APPLICABLE FACILITIES: **Spinneybeck | FilzFelt**

CERTIFICATE URL: **www.filzfelt.com**

CERTIFICATION AND COMPLIANCE NOTES:

MULTI-ATTRIBUTE

Global GreenTag GreenRate Level B

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-12-06**

EXPIRY DATE: **2020-12-30**

CERTIFIER OR LAB: **Global Green Tag**

APPLICABLE FACILITIES: **Spinneybeck | FilzFelt**

CERTIFICATE URL: **www.filzfelt.com**

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

INTERLOCK MOUNTING SYSTEM

HPD URL: **No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installation

Z-CLIPS

HPD URL: **No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installation

Section 5: General Notes

Wool felt is a natural material and color variation and inclusions of natural fiber on the surface are evidence of the 100% natural origin of the material. Product color is only indicative, as it is not possible to assure consistency of color in a natural product due to the natural color of raw wool and absorption of dyes. Color matching cannot be guaranteed on shipments and variation will be more pronounced beyond the normal commercial range.



MANUFACTURER INFORMATION

MANUFACTURER: **Spinneybeck | FilzFelt**

ADDRESS: **425 CrossPoint Parkway**

Getzville NY 14068, United States

WEBSITE: **www.filzfelt.com**

CONTACT NAME: **Peter A Harenda**

TITLE: **Product Testing Coordinator**

PHONE: **7164462358**

EMAIL: **pharenda@spinneybeck.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led

organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.