

CLASSIFICATION: 09-72-19 WALL COVERINGS - TEXTILE WALL COVERINGS

PRODUCT DESCRIPTION: BLOCK ALLOWS FOR ENDLESS PATTERNING BY PLAYING WITH COLOR COMBINATIONS AND ROTATING TILES. AVAILABLE IN UP TO 63 COLORS OF 100% WOOL DESIGN FELT MOUNTED TO A HIGH-PERFORMING ACOUSTIC SUBSTRATE, THE MODULAR TILES INSTALL EASILY WITH HEAVY-DUTY CONSTRUCTION ADHESIVE WHILE PROVIDING SOUND ABSORPTION AND NATURAL TEXTURE.

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

- Residuals and impurities considered in 0 of 2 materials
- see Section 2: Material Notes
 - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input type="radio"/>	<input checked="" type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

AKUSTIKA 10 [UNDISCLOSED **LT-UNK**] FELT [SHEEPS WOOL **NoGS** BENZENESULFONIC ACID, 4-[[5-METHOXY-4-[(4-METHOXYPHENYL) AZO]-2-METHYLPHENYL]AZO]-, SODIUM SALT **LT-UNK** C.I. ACID GREEN 16 **LT-UNK** 2-(METHYL(1-OXO-9-OCTADECENYL)AMINO)ETHANESULFONIC ACID, SODIUM SALT **LT-UNK** BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)BIS[IMINO[3-(2-METHYLPROPYL)-3 ,1-PROPANEDIYL]]]BIS-, DISODIUM SALT **LT-P1** BENZENESULFONIC ACID, 3-[[4-[(2-ETHOXY-5-METHYLPHENYL) AZO]-1-NAPHTHALENYL]AZO]-, SODIUM SALT **LT-UNK** BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)DIIMINO]BIS[ETHYLMETHYL-, DISODIUM SALT **LT-UNK** SODIUM LAURYL SULFATE **LT-P1** | MUL 1,3-NAPHTHALENEDISULFONIC ACID, 7-HYDROXY-8-[[4-[1-[4-[(4-HYDROXYPHENYL)AZO]PHENYL]CYCLOHEXYL]PHENYL]AZO]- , DISODIUM SALT **LT-UNK** 2-NAPHTHALENESULFONIC ACID, 6-AMINO-4-HYDROXY-5-[[2-(TRIFLUOROMETHYL)PHENYL]AZO]-, MONOSODIUM SALT **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-P1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

Other: Oeko-Tex Standard 100
Multi-attribute: Global GreenTag GreenRate Level B

See Section 3 for additional listings.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: July 6, 2017	EXPIRY DATE*: July 6, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: July 6, 2017	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

AKUSTIKA 10

%: 75.0000 - 80.0000 HPD URL:

Inventory Threshold: Per OSHA MSDS Residuals Considered: No

Material Notes: Acoustical Substrate

UNDISCLOSED

%: 100.0000 - 100.0000 GS: LT-UNK RC: None NANO: NO ROLE: Base Material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substrate

FELT

%: 20.0000 - 25.0000

HPD URL:

Inventory Threshold: Per OSHA MSDS

Residuals Considered: No

Material Notes: Some colorways are 100% undyed sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

SHEEPS WOOL

ID:

%: 99.0000 - 100.0000 GS: NoGS RC: None NANO: NO ROLE: Textile Covering

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are 100% undyed sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

BENZENESULFONIC ACID, 4-[[5-METHOXY-4-[(4-METHOXYPHENYL) AZO]-2-METHYLPHENYL]AZO]-, SODIUM SALT

ID: 68555-86-2

%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: NO ROLE: Dye for textile finishing

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Dye for textile finishing
--------------------	------------	----------	----------	---------------------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

2-(METHYL(1-OXO-9-OCTADECENYL)AMINO)ETHANESULFONIC ACID, SODIUM SALT ID: 137-20-2

%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Dye for textile finishing
--------------------	------------	----------	----------	---------------------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)BIS[[IMINO[3-(2-METHYLPROPYL)-3 ,1-PROPANEDIYL]]]BIS-, DISODIUM SALT ID: 72749-90-7

%: 0.1000 - 1.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Dye for textile finishing
--------------------	-----------	----------	----------	---------------------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

BENZENESULFONIC ACID, 3-[[4-[(2-ETHOXY-5-METHYLPHENYL) AZO]-1-NAPHTHALENYL]AZO]-, SODIUM SALT ID: 68959-00-2

%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Dye for textile finishing
--------------------	------------	----------	----------	---------------------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

BENZENESULFONIC ACID, [(9,10-DIHYDRO-9,10-DIOXO- 1,4-ANTHRACENEDIYL)DIIMINO]BIS[ETHYLMETHYL-, DISODIUM SALT

ID: 83027-61-6

%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: NO ROLE: Dye for textile finishing

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

SODIUM LAURYL SULFATE

ID: 151-21-3

%: 0.1000 - 1.0000 GS: LT-P1 RC: None NANO: NO ROLE: Dye for textile finishing

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

1,3-NAPHTHALENEDISULFONIC ACID, 7-HYDROXY-8-[[4-[1-[4-[(4-HYDROXYPHENYL)AZO]PHENYL]CYCLOHEXYL]PHENYL]AZO]- , DISODIUM SALT

ID: 6507-77-3

%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: NO ROLE: Dye for textile finishing

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.

%: 0.1000 - 1.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Dye for textile finishing

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Some colorways are undyed (0%) sheep's wool and others require a mix of dyes. Maximum content of all dyes combined is 1%.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

OTHER

CERTIFYING PARTY: Second Party
APPLICABLE FACILITIES: Spinneybeck | FilzFelt

CERTIFICATE URL: www.filzfelt.com
CERTIFICATION AND COMPLIANCE NOTES:

Oeko-Tex Standard 100

ISSUE DATE: 2016-11-22

EXPIRY DATE: 2017-09-30

CERTIFIER OR LAB: Hohenstein Textile Testing Institute

MULTI-ATTRIBUTE

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Spinneybeck | FilzFelt

CERTIFICATE URL: www.filzfelt.com
CERTIFICATION AND COMPLIANCE NOTES:

Global GreenTag GreenRate Level B

ISSUE DATE: 2016-12-06

EXPIRY DATE: 2020-12-30

CERTIFIER OR LAB: Global Green Tag



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Spinneybeck | FilzFelt

CONTACT NAME: Peter A Harenda

ADDRESS: 425 CrossPoint Parkway
Getzville, NY 14068
United States

TITLE: Product Testing Coordinator

PHONE: 7164462358

WEBSITE: www.filzfelt.com

EMAIL: pharenda@spinneybeck.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient
information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.