

CLASSIFICATION: 12 52 19 - Seating - Upholstered Seating

PRODUCT DESCRIPTION: Polyester blended yarn upholstery fabric for use as commercial seating.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

RHYTHM 10782 [**POLYESTER** NoGS **ACRYLIC FIBER** NoGS **CELLULOSE, REGENERATED** NoGS **NYLON 6,6** LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The product is made from 45% polyester, 35% Acrylic, 10% Viscose, 5% Linen and 5 nylon in a 21 colorway range that uses various combinations of 16 different dyes and 5 chemicals are for providing colour to the fibre. This ensures stains collect on the outside of the fibre so the fabric can easily be cleaned. As a result there are no chemical finishes or flame retardants applied. No chemicals listed on the Living Building Challenge Red List and no AZO or heavy metal dyes are used in production. No Risks associated with their use have been assessed from Safety Data Sheets that confirm, any risk is in the manufacturing stage and not in the end product, because the dyes are chemically bonded to the fibres.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-03-26

PUBLISHED DATE: 2020-05-04

EXPIRY DATE: 2022-03-26



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

RHYTHM 10782

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: The product is made from 45% polyester, 35% Acrylic, 10% Viscose, 5% Linen and 5 nylon in a 21 colorway range that uses various combinations of 16 different dyes and 5 chemicals are for providing colour to the fibre. This ensures stains collect on the outside of the fibre so the fabric can easily be cleaned. As a result there are no chemical finishes or flame retardants applied. No chemicals listed on the Living Building Challenge Red List and no AZO or heavy metal dyes are used in production. No Risks associated with their use have been assessed from Safety Data Sheets that confirm, any risk is in the manufacturing stage and not in the end product, because the dyes are chemically bonded to the fibres.

OTHER PRODUCT NOTES: Our latest MDC upholstery Rhythm is made from our new polyester blended yarn, to give a random thick and thin Texture to the fabric with an outstanding 73,000 Martindale rubs without change of appearance. Rhythm is suitable for Heavy Duty Upholstery use, on chairs, settees, banquettes and wall panels. Available in 21 new colours from the 2018/2019 Pantone Fashion Colour Palette. Upholster your next Hero piece with rhythm

POLYESTER

ID: 113669-95-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-26**%: **45.00 - 45.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Face fibre of fabric**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Soft solid polyester yarn is used to give a great handle and excellent serviceability****ACRYLIC FIBER**

ID: 63231-45-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-26**%: **35.00 - 35.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Face fibre of fabric**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Acrylic fibre is blended with Viscose, Linen and Nylon to increase the thickness of the yarn and give texture to the fabric.****CELLULOSE, REGENERATED**

ID: 68442-85-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-26**%: **15.00 - 15.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Face fibre of fabric**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Viscose and Linen fibres are blended with Acrylic and Nylon to increase the thickness of the yarn and give texture to the fabric.****NYLON 6,6**

ID: 32131-17-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-26**%: **5.00 - 5.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Face fibre of fabric**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Nylon is blended with Acrylic, Viscose and Linen to increase the thickness of the yarn and give texture to the fabric.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **N/A**

03-27

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **This product is made from polyester and blended yarn and does not emit VOC's, improving the air quality of the surrounding environment.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Rhythm uses our solid soft polyester yarn with a blended slub yarn made using acrylic, viscose, linen and nylon giving the fabric a heavy weight. By using solid filament yarns to make the fabric, there is no air pockets in the yarn giving you excellent serviceability similar to wool where spills will sit on the surface of the fabric ensure that spill can be cleaned easily. Rhythm is made from our new polyester blended yarn, to give a random thick and thin Texture to the fabric with an outstanding 73,000 Martindale rubs without change of appearance. Rhythm is suitable for Heavy Duty Upholstery use, on chairs, settees, banquettes and wall panels. Available in 21 new colours from the 2018/2019 Pantone Fashion Colour Palette. Upholster your next Hero piece with Rhythm.



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **textile mania**

ADDRESS: **Textile Mania**

560 SWAN ST

RICHMOND VICTORIA 3121, AUSTRALIA

WEBSITE: **<http://www.textilemania.com.au>**

CONTACT NAME: **Jim Frame**

TITLE: **Sales & Marketing Director**

PHONE: **+61 3 94271166**

EMAIL: **jim_frame@textilemania.com.au**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.