

CLASSIFICATION: 07 42 13.19 Thermal and Moisture Protection (insulation water barrier): Insulated Metal Wall Panels  
created via: HPDC Online Builder

PRODUCT DESCRIPTION: Insulated metal wall panels are comprised of an advanced urethane core sandwiched two pre-finished hot dipped galvanized steel panels, forming a single, all-in-one unit. The result is the most thermally efficient panel available. Finished panels are mounted to the buildings framework - outboard of the structural supports - providing continuous insulation with no thermal bridges for maximum thermal efficiency. Foam-core insulated metal wall panels sold under the Metl-Span brand including: CF Architectural, CF Striated, CF Flute, CF Mesa, CF Light Mesa, CF Partition, LS-36 Wall, 7.2 Insul-Rib, Tuff Wall, Tuff Cast, CF Santa Fe, HPCI Barrier

**Section 1: Summary** **Nested Method / Product Threshold**

**CONTENT INVENTORY**

<p><b>Inventory Reporting Format</b></p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold level</b></p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Per OSHA MSDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p>Residuals/Impurities Considered in 0 of 6 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>Are All Substances Above the Threshold Indicated:</i></p> <p><b>Characterized</b> Percent Weight and Role Provided? <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><b>Screened</b> Using Priority Hazard Lists with Results Disclosed? <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><b>Identified</b> Name and Identifier Provided? <input checked="" type="radio"/> Yes <input type="radio"/> No</p>
--	---	---	---

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | HAZARD TYPE

STEEL [ STEEL (STEEL) NoGS ] POLYURETHANE [ POLYURETHANE (POLYURETHANE) LT-UNK ] ZINC [ ZINC (ZINC) LT-P1 ] AQU | MUL | END | PHY ] TITANIUM DIOXIDE [ TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 ] CAN | END ] POLYVINYLIDENE FLUORIDE (1, 1-DIFLUOROETHENE) [ POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER) (POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER)) LT-UNK ] POLYESTER [ POLYESTER (POLYESTER) NoGS ]

Number of Greenscreen BM-4/BM3 contents..... 0  
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

**INVENTORY AND SCREENING NOTES:**

n/a

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: N/A

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed

<p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p>	<p>SCREENING DATE: 2017-12-26</p> <p>PUBLISHED DATE: 2018-01-25</p> <p>EXPIRY DATE: 2020-12-26</p>
--	--	--

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### STEEL

#: 57.5000 - 82.5000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES: Galvalume Sheet - Carbon Steel is not hazardous according to the criteria specified in REACH [Regulation (EC) No 1907/2006] and CLP [Regulation (EC) No 1272/ 2008]. Under 29 CFR 1910.1200 Hazard Communication Standard, steel products are considered mixtures due to further processing which may produce dusts or fume. The categories of Health Hazards are defined in "Globally harmonized system of classification and labelling of chemicals (GHS), Third revised edition ST/SG/AC.10/30/Rev.3" United Nations, New York and Geneva, 2009 have been evaluated. Refer to Section 3, 8 and 11 for additional information. Precautionary Statement/Emergency Overview: This formed solid metal product poses little or no immediate health or fire hazard. When product is subjected to welding, burning, melting, sawing, brazing, grinding or other similar processes, potentially hazardous airborne particulate and fumes may be generated.

#### STEEL (STEEL)

ID: 12597-69-2

#: 57.5000 - 82.5000

GS: NoGS

RC: Both

NANO: No

ROLE: Protective barrier of galvanized steel coil

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### POLYURETHANE

#: 17.0000 - 42.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES: The variability in polyurethane foam content is due to the variation in panel core thickness (anywhere from 2- to 6-inches). Thickness is determined by application needs.

#### POLYURETHANE (POLYURETHANE)

ID: 64440-88-6

#: 0.9000 - 1.5000

GS: LT-UNK

RC: None

NANO: No

ROLE: Purchased ashesive

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**ZINC**%: **0.2000 - 0.4000**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES:

**ZINC (ZINC)**ID: **7440-66-6**%: **0.1000 - 0.3000**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Galvanzition of steel coil**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES:

**TITANIUM DIOXIDE**%: **0.0900 - 0.1600**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES:

**TITANIUM DIOXIDE (TITANIUM DIOXIDE)**ID: **13463-67-7**%: **0.0200 - 0.0700**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Coil pre-coat component (pigment)**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not

SUBSTANCE NOTES:

**POLYVINYLIDENE FLUORIDE (1, 1-DIFLUOROETHENE)**%: **0.0000 - 0.2300**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES:

**POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER)  
(POLYVINYLIDENE FLUORIDE (1,1-DIFLUOROETHENE HOMOPOLYMER))**ID: **24937-79-9**%: **0.0000 - 0.0800**GS: **LT-UNK**

RC:

**None**

NANO:

**No**ROLE: **Coil pre-coat component  
(binder)**

HAZARDS:

AGENCY (IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**POLYESTER**%: **0.0000 - 0.1600**

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities and there are none listed on their MSDS.

OTHER MATERIAL NOTES:

**POLYESTER (POLYESTER)**ID: **113669-95-7**%: **0.0000 - 0.0600**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Coil pre-coat component (binder)**

HAZARDS:

AGENCY (IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

 **Section 3: Certifications and Compliance***This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of*

**VOC EMISSIONS** **N/A**

CERTIFYING PARTY: Self-declared  
ISSUE DATE: 2017-01-08 EXPIRY DATE: CERTIFIER OR LAB: N/A  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:  
CERTIFICATION AND COMPLIANCE NOTES:

**+ Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

**+ Section 5: General Notes**

n/a

**+ Section 6: References**

**MANUFACTURER INFORMATION**

MANUFACTURER: **Metl-Span**  
ADDRESS: **1720 Lakepointe Dr Suite 101 Lewisville Texas 75057, USA**  
WEBSITE: **www.metlspan.com**

CONTACT NAME: **Amanda Storer**  
TITLE: **Marketing Brand Manager**  
PHONE: **972.221.6656**  
EMAIL: **ajstorer@metlspan.com**

**KEY**

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Hazard Types**

- |                                       |  |  |
|---------------------------------------|--|--|
| <b>AQU</b> Aquatic toxicity           | <b>GLO</b> Global warming                    | <b>PHY</b> Physical Hazard (reactive)                |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity | <b>REP</b> Reproductive toxicity                     |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple hazards                  | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                     | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>OZO</b> Ozone depletion                   | <b>LAN</b> Land Toxicity                             |

## GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

## Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

## Other Terms

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*