Marazzi Branded Tile Products Manufactured by Dal-Tile Corporation

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 13.00 Finishes: Ceramic Tiling

PRODUCT DESCRIPTION: Marazzi Brand ceramic tile products are made using a high temperature kiln-firing process. For purposes of this HPD, the term "ceramic" encompasses all types of tile products manufactured by Dal-Tile Corporation; ceramic, porcelain and guarry. The individual ingredients used to formulate the tile product (water and mineral-based naturally occurring materials) undergo both physical and chemical reactions that form the final fired tile product. Ceramic tile is fire resistant, durable (lasts a lifetime) and extremely easy to maintain. As floor and wall coverings, ceramic tile products provide dual functions. They serve 1) an esthetic function as a design component, and 2) a technical function as a building finishing material. As a building material, ceramic tile is capable of withstanding a wide range of environmental stresses (non-flammable, heat/cold resistant, and provides a moisture barrier). The versatility of ceramic tile is further enhanced by the extensive ranges of colors, textures, and decorative motifs offered by Dal-Tile under multiple brand names. Tile products are available in a wide range of sizes from less than 1" x 1" to more than 24" x 24". Information on Marazzi Brand tile products can be found on the following website: http://www.marazziusa.com - This Health Product Declaration is representative of all Marazzi brand tile series manufactured in the following locations: Dickson, TN; El Paso, TX; Fayette AL; Florence, AL; Gettysburg, PA; Lewisport, KY; Mexicali, MEX; Monterrey, MEX; Muskogee, OK; Salamanca, MEX; Sunnyvale,



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

€ 100 ppm

C 1,000 ppm

Per GHS SDS Per OSHA MSDS

C Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

• Yes • No

Are All Substances Above the Threshold Indicated:

Characterized

Yes O No

Percent Weight and Role Provided?

Screened

Using Priority Hazard Lists with Results Disclosed?

Identified

Yes ○ No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MARAZZI BRANDED TILE PRODUCTS MANUFACTURED [KAOLIN CLAY

LT-UNK | CAN NEPHELINE SYENITE LT-UNK TALC BM-1 | CAN FELDSPAR

LT-UNK | RES MICA (MICA (BIOTITE)) LT-UNK QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

"Ceramic" is regarded as a special condition by HPD Collaborative and not screened. Ceramic tile is considered one component resulting from the reactions inside the high temperature kiln-firing process. No warnings or hazards are associated with the final, finished product.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. Multi-attribute: Environmental Product Declaration (EPD) by UL - Industry

Generic

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFICATION #:

SCREENING DATE: 2018-05-14 PUBLISHED DATE: 2018-05-14 EXPIRY DATE: 2021-05-14



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

MARAZZI BRANDED TILE PRODUCTS MANUFACTURED

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: The physical and chemical reactions in the kiln-firing process transform 100% of the initial ingredients into the final fired tile product and no residuals remain.

OTHER PRODUCT NOTES: During the manufacturing process a combination of intensely high pressure and very high firing techniques create a chemical and physical change in these materials converting these hazards into a benign, fully vitrified porcelain tile product.

KAOLIN CLAY				ıD: 1332-58-7
%: 20.0000 - 55.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Used in pre-fired tile
HAZARDS:	AGENCY(IES) WITH WAR	RNINGS:		
CANCER	MAK			gen Group 3B - Evidence of carcinogenic effects sufficient for classification

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

NEPHELINE SYENITE					ID: 37244-96-5	
%: 0.0000 - 50.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Used in pre-fired tile		
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

TALC					
%: 0.0000 - 40.0000	gs: BM-1	RC: None	nano: No	ROLE: Used in pre-fired tile	
HAZARDS:	AGENCY(IES) WITH	WARNINGS:			
CANCER	MAK	MAK		nogen Group 3B - Evidence of carcinogenic effectors of sufficient for classification	cts

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

FELDSPAR ID: 68476-25-5

%: 0.0000 - 15.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Used in pre-fired tile
HAZARDS:	AGENCY(IES) WITH WARNING	GS:		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only	

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

MICA (MICA (BIOTITE)) ID: 12001-26-2

%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Used in pre-fired tile
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

QUARTZ ID: 14808-60-7

%: 0.0000 - 30.0000	GS: LT-1	RC: None	nano: No	ROLE: Used in pre-fired tile	
HAZARDS:	AGENCY(IES) WITH W	'ARNINGS:			
CANCER	US CDC - Occu	pational Carcinogens	Od	ccupational Carcinogen	
CANCER	CA EPA - Prop	65	Ca	arcinogen - specific to chemical form or exposure route	
CANCER	IARC			roup 1 - Agent is carcinogenic to humans - inhaled from ccupational sources	
CANCER	US NIH - Report on Carcinogens			Known to be Human Carcinogen (respirable size - occupational setting)	
CANCER	MAK			Carcinogen Group 1 - Substances that cause cancer in man	
CANCER	New Zealand -	GHS	6.	7A - Known or presumed human carcinogens	
CANCER	Australia - GHS	Australia - GHS		350 - May cause cancer	
CANCER	Japan - GHS		Ca	arcinogenicity - Category 1A	

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

04-11

MULTI-ATTRIBUTE

Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFYING PARTY: Third Party

ISSUE DATE: 2014-

EXPIRY DATE: 2019- CERTIFIER OR LAB: UL

04-11

Environment Inc.

APPLICABLE FACILITIES: El Paso, TX; Fayette, AL; Florence,

AL; Gettysburg, PA; Lewisport, KY; Monterrey,

Mexico; Muskogee, OK; Sunnyvale, TX

CERTIFICATE URL:

https://spot.ulprospector.com/en/na/BuiltEnvironment

CERTIFICATION AND COMPLIANCE NOTES: EPDs are available for all tile products manufactured at the above facilities.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MORTAR AND GROUT

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Accessory materials required for all installations. VOC content of the mortar and/or grout varies depending on the type and brand chosen.



Section 5: General Notes

Mohawk Corporation - Dal-Tile's Parent Company, has published a LEED compliant Corporate Sustainability Report. This document can be found at the following website: http://mohawksustainability.com/

MANUFACTURER INFORMATION

MANUFACTURER: Dal-Tile Corporation ADDRESS: 7834 CF Hawn Freeway

7834 CF Hawn Frwy
 Dallas Texas 75217,

United States

WEBSITE: www.marazziusa.com

CONTACT NAME: Jan Moore

TITLE: EHS Specialist PHONE: 214-309-4393

EMAIL: jan.moore@daltile.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.