

CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: BASWA Phon is the industry leading sound absorbing plaster system, with the most robust specification portfolio. NRCs of 1.00+ position BASWA Phon as the most sound absorptive plaster on the market. Additionally, BASWA Phon Acoustical Plaster Systems boast high light reflectance and high R-value, no VOCs, are California Section 01350 compliant, and are mold, moisture, and mildew resistant. BASWA Systems are Swiss engineered, with components made in the US. BASWA Phon can be applied to a surface of up to 5,000 square feet without a control joint. Furthermore, BASWA Phon can be applied to flat, curved, domed, or vaulted surfaces in any color. The factory sanded BASWA Phon Supporting Panels are pre-coated with durable, recycled glass granulate. BASWA finishes are composed of a monolithic, smooth, marble aggregate. BASWA Phon Panels are butted together, creating beveled seams which are filled with BASWA Fill. Once dry, one to two coats of BASWA Base Finish or BASWA Fine Finish is hand trowel applied over the entire surface.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities  
Considered in 1 of 1 Materials

- Explanation(s) provided  
for Residuals/Impurities?
- Yes
  - No

Are All Substances Above the Threshold Indicated:

Characterized  Yes  No  
Percent Weight and Role Provided?

Screened  Yes  No  
Using Priority Hazard Lists with Results Disclosed?

Identified  Yes  No  
Name and Identifier Provided?

Threshold Disclosed Per

- Material
- Product

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

BASWA FINE FINISH [ LIMESTONE; CALCIUM CARBONATE LT-UNK  
WATER BM-4 ACRYLIC POLYMER LT-UNK TITANIUM DIOXIDE LT-1 | CAN  
| END MAGNESIUM OXIDE LT-UNK | CAN HYDROXYETHYL CELLULOSE  
LT-P1 | END ALUMINUM OXIDE LT-P1 | RES ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen  
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, and thus are "Undisclosed" on this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l):

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC content: SCAQMD Rule 1113 Architectural Coatings - Clear Wood Finishes including Varnish & Sanding Sealer, Lacquers, Mastic Coatings, Recycled Coatings - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-05-02

PUBLISHED DATE: 2018-05-02

EXPIRY DATE: 2021-05-02



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### BASWA FINE FINISH

#: 100.0000

HPD URL:

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES:

#### LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

#: 95.5000 - 95.8000      GS: LT-UNK      RC: None      NANO: No      ROLE: Crushed Aggregate Substrate

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Crushed marble (metamorphic limestone) with high purity (99.5% CaCO<sub>3</sub>). May also be represented by CASRN 471-34-1 (BM-3 | NO). Supplier has confirmed that SiO<sub>2</sub> is present at less than 1000 ppm, and according to the regulation (EU) No 1272/2008, this ingredient does not contain any fine fraction classified as STOT RE1.

#### WATER

ID: 7732-18-5

#: 1.6000 - 1.7000      GS: BM-4      RC: None      NANO: No      ROLE: Solvent, Diluent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

#### ACRYLIC POLYMER

ID: Undisclosed

#: 1.3000 - 1.4000      GS: LT-UNK      RC: None      NANO: No      ROLE: Polymer Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder

with results disclosed.

## TITANIUM DIOXIDE

ID: 13463-67-7

#: 0.7000 - 0.8000 GS: LT-1 RC: None NANO: No ROLE: Pigment

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was “determined to be Benchmark 2 using the full GS (GreenScreen) method” (<http://ow.ly/Z5ken>).

## MAGNESIUM OXIDE

ID: 1309-48-4

#: 0.2000 - 0.3000 GS: LT-UNK RC: None NANO: No ROLE: Component of Marble Aggregate

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

## HYDROXYETHYL CELLULOSE

ID: 9004-62-0

#: 0.0500 - 0.1000 GS: LT-P1 RC: None NANO: No ROLE: Thickener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

## ALUMINUM OXIDE

ID: 1344-28-1

#: 0.0000 - 0.1000 GS: LT-P1 RC: None NANO: No ROLE: Component of Marble Aggregate

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: **Considered "Occupational hazard only" by Pharos CML.**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC CONTENT

**SCAQMD Rule 1113 Architectural Coatings - Clear Wood Finishes including Varnish & Sanding Sealer, Lacquers, Mastic Coatings, Recycled Coatings - 2007 amendments**

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2012-08-28**

EXPIRY DATE:

CERTIFIER OR LAB: **Eurofins**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Ref. G12936B/Rev2/IB. Test Report - LEED 2009 EQ c4.2, SCAQMD rule 1113 (2007). Methods applied: LEED 2009 EQ c4.2; ASTM D 2369 - 10. Test results - VOC less water, less exempt compounds: <1 g/L.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### BASWA PHON ACOUSTICAL PANEL

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installation of BASWA Phon Acoustical System.

### BASWA PANEL ADHESIVE

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installation of BASWA Phon Acoustical System.

### BASWA FILL

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installation of BASWA Phon Acoustical System.

## Section 5: General Notes



## MANUFACTURER INFORMATION

---

MANUFACTURER: **BASWA acoustic**  
ADDRESS: **Marmorweg 10**  
**Baldegg Lucerne 6283, Switzerland**  
WEBSITE: **http://www.baswa.com**

CONTACT NAME: **Bernhard Hanisch**  
TITLE: **Operations Manager**  
PHONE: **+41419140211**  
EMAIL: **bernhard.hanisch@baswa.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*