1inch All Aluminum Collection by emeco

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 12 52 13 Seating - Chairs

PRODUCT DESCRIPTION: For the 1 Inch Collection, Jasper Morrison tapped into Emeco's heritage in hand crafting recycled aluminum, and leveraged its signature strength, light weight, and sustainability. Emeco and Jasper Morrison together have created a collection that reflects our values and uncompromising standards - a seating family that is strong, simple, timeless, and engineered to last.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- € 1,000 ppm
- C Per GHS SDS
- C Per OSHA MSDS
- **O** Other

Residuals/Impurities

Residuals/Impurities Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role (Yes Ex/SC (Yes (No provided for all substances.

O Yes Ex/SC • Yes O No Screened

All substances screened using Priority Hazard Lists with results disclosed.

O Yes Ex/SC O Yes O No Identified

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM FRAME [6061 ALUMINUM BM-1 | RES | PHY | END NICKEL LT-1 | RES | CAN | SKI | MAM | MUL LEAD (CONTAMINANT) BM-1 | DEL | CAN | PBT | REP | MUL | END | GEN] GLIDES [ACRYLONITRILE-

BUTADIENE-STYRENE COPOLYMER LT-UNK POLYMETHYL

METHACRYLATE (PMMA) LT-P1 | RES]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, or are those without a registered identifier.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for

additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2020-04-20 PUBLISHED DATE: 2020-05-01 EXPIRY DATE: 2023-04-20



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ALUMINUM FRAME

%: 98.00 - 99.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range due to the various seating options available in the 1" Aluminum Collection.

6061 ALUMINUM		ID: 7429-90-		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-20		
%: 100.00	GS: BM-1	RC: Both NANO: No ROLE: Base metal		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

Substance notes: Aluminum is anodized. Supplier confirms that Aluminum used consists of 10-20% post-consumer and 50-60% pre-consumer recycled content. Supplier datasheet confirms that the composition includes the following substances at or above the declared Content Inventory Threshold: Aluminum (>90.0%; 7429-90-5; LT-P1); Magnesium (<3.1%; 7439-95-4; LT-UNK); Silicon (<1.9%; 7440-21-3; LT-UNK); Manganese (1.5%; 7439-96-5); Copper (1.4%; 7440-50-8; LT-UNK); Iron (1.2%; 7439-89-6; LT-P1); Chromium (<0.5; 7440-47-3); Zinc (1.1%, 7440-66-6)

NICKEL				ID: 8049-31-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE:	2020-04-20
%: Impurity/Residual	GS: LT-1	RC: Both	NANO: No	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Potential impurity of 6061 Aluminum, based on information provided in supplier SDS. As per supplier SDS: "While Nickel is not intentionally added to this mixture, it could potentially enter through the recycle stream."

LEAD (CONTAMINANT) ID: 7439-92-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-20
%: Impurity/Residual	GS: BM-1	RC: Both NANO: No ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
DEVELOPMENTAL	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT

PBT	WA DoE - PBT	PBT	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female	
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male	
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen	
PBT	US EPA - Toxics Release Inventory PBTs	PBT	
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list	
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action	
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1	
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity	
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity	
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child	
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children	
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man	
CANCER	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]	
REPRODUCTIVE	GHS - Korea	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]	
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants	
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1A [H360]	
GENE MUTATION	MAK	Germ Cell Mutagen 3a	
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A	
DEVELOPMENTAL	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility	

SUBSTANCE NOTES: Potential impurity of 6061 Aluminum, based on information provided in supplier SDS. As per supplier SDS: " While Lead is not intentionally added to this mixture, it could potentially enter through the recycle stream."

GLIDES %: 0.80 - 1.56

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and/or as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Inserted into Aluminum Frame

ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER

ID: 9003-56-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-20			
%: 55.00 - 70.00	GS: LT-UNK	RC	: None	NANO: NO	ROLE: Resin
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	S		
None found			No warning	s found on HPD	Priority Hazard Lists

SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier SDS and as predicted by process chemistry (Pharos CML).

POLYMETHYL METHACRYLATE (PMMA)

ID: 9011-14-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-20
%: 28.00 - 45.00	GS: LT-P1	RC: None NANO: No ROLE: Resin
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier SDS and as predicted by process chemistry (Pharos CML).



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

EXPIRY DATE:

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

CERTIFIER OR LAB: Intertek

APPLICABLE FACILITIES: Hanover PA 17331

08-26

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: 1" Collection conforms to the ANSI/ BIFMA X7.1-2011 Standard for Formaldehyde and TVOC Emissions of Low-emitting Office Furniture Systems and Seating, ANSI/ BIFMA M7.1-2011 Standard Test Method for Determining VOC Emissions from Office Furniture Systems, Components and Seating, and ANSI/ BIFMA e3-2014e Furniture Sustainability Standard Credits 7.6.1, 7.6.2 and 7.6.3 Low Emitting Furniture for Office Furniture Systems and Components emission criteria. Credit 7.6.3 demonstrates compliance to California Department of Public Health (CDPH) Standard Method v1.2 01350 (2017).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

We make chairs. In America. Often by hand. Mostly from recycled stuff. But always to last.

MANUFACTURER INFORMATION

MANUFACTURER · emeco

ADDRESS: 805 W Elm Avenue

Hanover PA 17331, United States

WEBSITE: www.emeco.net

CONTACT NAME: Gregg Buchbinder

TITLE: CEO

PHONE: 7176375951

EMAIL: info@emeco.net

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ

toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin

sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for

improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to

benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.