Alfi Chairs & Stools with Wood Frame by emeco

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 12 52 13 Seating - Chairs

PRODUCT DESCRIPTION: Emeco and Morrison together, designed and engineered The Alfi Collection with the conviction that what you don't see is as important as what you do see. Alfi reflects Emeco and Morrison's common appreciation for the invisible qualities behind simplicity. Made of reclaimed and responsibly selected materials, engineered for comfort and strength, and designed to be humble and timeless, Alfi embodies these hidden values. Alfi seats are made primarily of reclaimed post-industrial polypropylene and wood fiber. This record covers all colors and variations of chairs and stools available in The Alfi Collection, including both Low Back and High Back versions of chairs, counter stools and barstools. Seats available in five colors: Sand, Dark Grey, Red, Dark Brown, and Green. Wood available in Natural or Dark Ash.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method
 Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS C Per OSHA MSDS

C Other

Residuals/Impurities

Considered in 8 of 8 Materials Explanation(s) provided for Residuals/Impurities?

• Yes O No

Are All Substances Above the Threshold Indicated:

Characterized • Yes • No Percent Weight and Role Provided?

Screened • Yes • No Using Priority Hazard Lists with Results Disclosed?

Identified O Yes O No Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ALFI BASE [ASH NoGS] ALFI SEAT [POLYPROPYLENE LT-UNK WOOD FIBER - UNSPECIFIED NoGS POLYETHYLENE LT-UNK UNDISCLOSED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH 2-METHYL-2-PROPENENITRILE AND 2-PROPENENITRILE NoGS ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK TITANIUM, [2,2-BIS[(2-PROPENYLOXY)METHYL] -1-BUTANOLATO-0,0',0'']TRIS(DIOCTYL PHOSPHATO-O")- (TITANIUM, [2,2-BIS[(2-PROPENYLOXY)METHYL] -1-BUTANOLATO-0,0',0'']TRIS(DIOCTYL PHOSPHATO-0'')-) LT-UNK PUMICE (PUMICE) LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED BM-2 | CAN] SEAT-TO-FRAME FASTENERS [STEEL NoGS ZINC LT-P1 | AQU | END | MUL | PHY] CHAIR GLIDES [UNDISCLOSED LT-UNK POLYMETHYL METHACRYLATE (PMMA) (POLYMETHYL METHACRYLATE (PMMA)) LT-P1 | RES ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER LT-UNK UNDISCLOSED NoGS WOOD ADHESIVE [WATER (WATER) BM-4 POLYVINYL ACETATE (PVA) (POLYVINYL ACETATE (PVA)) LT-UNK POLY(VINYL ALCOHOL) (POLY(VINYL ALCOHOL)) LT-UNK] GLIDE FASTENERS [STAINLESS STEEL NoGS] WOOD LACQUER FOOTREST PROTECTOR [ALUMINUM LT-P1 | RES | END | PHY]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, or are those without a registered identifier.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Intertek ETL Environmental VOC+

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2018-04-13 PUBLISHED DATE: 2018-05-10 EXPIRY DATE: 2021-04-13 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

| ALFI BASE | | %: 50.500 | 0 - 67.7000 | HPD URL: | |
|---|----------------------|---------------------------|-----------------------|--|----|
| PRODUCT THRESHOLD: 1000 ppm | | RESIDUALS AI | ND IMPURITIES CONSIDE | red: Yes | |
| | | - | - | e present at or above the Content as predicted by process chemistry | , |
| other material notes: Includes I due to the various seating op | - | - | - | y weight of material reported as ran | ge |
| ASH | | | | ID: Not registere | d |
| %: 100.0000 - 100.0000 | gs: NoGS | RC: None | NANO: NO | ROLE: Legs; Frame | |
| HAZARDS: | AGENCY(IES) WITH WAR | NINGS: | | | |
| None Found | No warnings foun | d on HPD Priority lists | | | |
| SUBSTANCE NOTES: This substance | e is considered esse | entially inert for the pu | rposes of Pharos tox | ics scoring (Pharos CML). | |
| | | | | | |
| | | | | | |
| ALFI SEAT | | %: 29.600 | 0 - 47.7000 | HPD URL: | |
| PRODUCT THRESHOLD: 1000 ppm | | RESIDUALS A | ND IMPURITIES CONSIDE | red: Yes | |
| | that have a GS | score of BM-1, LT | -1, LT-P1 or NoGS | e present at or above the Content based on information provided in naros CML). | |
| other material notes: Percent b options and colors available i | | | es reported as ran | ges due to the various seating | |

| POLYPROPYLENE | | | | | ID: 9003-07-0 | | |
|-----------------------------|------------------------|---|---------------------|---------------------------------|---------------|--|--|
| %: 81.6000 - 91.2000 | GS: LT-UNK | RC: PreC | NANO: NO | ROLE: Bioplastic Substrate | | | |
| HAZARDS: | AGENCY(IES) WITH WAR | NINGS: | | | | | |
| None Found | No warnings foun | No warnings found on HPD Priority lists | | | | | |
| SUBSTANCE NOTES: Identified | on the US EPA Safer Ch | emical Ingredient I | ist (Green Circle - | Verified Low Concern) 100% of r | olypropylene | | |

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). 100% of polypropylene used is reclaimed post-industrial waste obtained directly from plastic producer worksites. Specific guidelines are being created to

address known issues related to transparency and disclosure for several materials ("Special Conditions"), including "Plastics and Polymers" and "Recycled content – mixtures". This HPD will be updated as appropriate when these guidelines become available.

| WOOD FIBER - UNSPECIFIED | | | | ID: Not registered |
|--------------------------|--------------------|----------------------|-----------------|----------------------------|
| %: 4.8000 - 14.4000 | GS: NoGS | RC: PreC | NANO: NO | ROLE: Bioplastic Substrate |
| HAZARDS: | AGENCY(IES) WITH V | VARNINGS: | | |
| None Found | No warnings fo | ound on HPD Priority | lists | |

SUBSTANCE NOTES: Substance encapsulated in resin of finished product. Secondary supplier states the following: "raw material used for wood flour/fiber production is sourced from secondary wood manufacturers in the form of fiber by-products. Such sources include facilities that manufacture moldings, flooring, wood windows and doors, and other wood products. Also, we do not utilize any "treated" wood fiber for production of our wood fibers/flour." Percent by weight disclosed as range in order to protect supplier's proprietary formulation.

| %: 1.1000 - 2.3000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Additive Carrier | |
|---|--|--|---|--|---------------|
| HAZARDS: | AGENCY(IES) WITH WARM | NINGS: | | | |
| None Found | No warnings found | d on HPD Priority lists | | | |
| SUBSTANCE NOTES: | | | | | |
| %: 0.5000 - 1.5000 | GS: LT-UNK | RC: None | nano: No | ROLE: Coupling Agent | |
| HAZARDS: | AGENCY(IES) WITH WARM | NINGS: | | | |
| None Found | No warnings found | d on HPD Priority lists | | | |
| | SRN under the terms of a | non-disclosure agree | nent with third-part | ied Low Concern). Supplier has share / consultant; substance to remain disclosed. | ed |
| substance name and CAS | SRN under the terms of a | non-disclosure agree | nent with third-part | consultant; substance to remain | |
| substance name and CAS proprietary to supplier. Su | SRN under the terms of a | non-disclosure agree | nent with third-part | / consultant; substance to remain disclosed. | |
| substance name and CAS proprietary to supplier. Su TITANIUM DIOXIDE | SRN under the terms of a ubstance has been screer | non-disclosure agreen ned against HPD Prior RC: None | nent with third-part | y consultant; substance to remain disclosed. ID: 1346 | |
| substance name and CAS proprietary to supplier. Su TITANIUM DIOXIDE %: 0.1000 - 0.5000 | SRN under the terms of a ubstance has been screen GS: LT-1 AGENCY(IES) WITH WARM | non-disclosure agreen ned against HPD Prior RC: None | nent with third-part | r consultant; substance to remain disclosed. ID: 1346 ROLE: Pigment | |
| substance name and CAS proprietary to supplier. Su TITANIUM DIOXIDE %: 0.1000 - 0.5000 HAZARDS: | SRN under the terms of a ubstance has been screen GS: LT-1 AGENCY(IES) WITH WARM | non-disclosure agreen ned against HPD Prior RC: None | nent with third-part ity Lists with results NANO: No Occupational Carcinogen G | r consultant; substance to remain disclosed. ID: 1346 ROLE: Pigment | <u>53-67</u> |
| substance name and CAS proprietary to supplier. Su TITANIUM DIOXIDE %: 0.1000 - 0.5000 HAZARDS: CANCER | SRN under the terms of a ubstance has been screer GS: LT-1 AGENCY(IES) WITH WARK US CDC - Occupat | non-disclosure agreen ned against HPD Prior RC: None | nent with third-part ity Lists with results NANO: No Occupational Carcinogen G but not suffic | roup 3A - Evidence of carcinogenic effe | 63-67 |
| substance name and CAS proprietary to supplier. Su TITANIUM DIOXIDE %: 0.1000 - 0.5000 HAZARDS: CANCER CANCER | SRN under the terms of a ubstance has been screer gs: LT-1 AGENCY(IES) WITH WARN US CDC - Occupat MAK | non-disclosure agreen ned against HPD Prior RC: None | NANO: No Occupational Carcinogen G but not suffic Carcinogen - | roup 3A - Evidence of carcinogenic effer ent to establish MAK/BAT value specific to chemical form or exposure ro | 63-67 ccts |

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Substance encapsulated in resin of finished product. Formspecific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" (http://ow.ly/Z5ken).

2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH 2-METHYL-2-PROPENENITRILE AND 2-PROPENENITRILE

| %: 0.0500 - 0.5000 | gs: NoGS | ^{RC:} None | NANO: No | ROLE: Blowing Agent Component |
|--------------------|---|------------------------|--------------------|----------------------------------|
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | |
| None Found | No warnings found on HPD Priority lists | | | |

SUBSTANCE NOTES:

| | ETHYLENE VINYL ACETATE POLYMER (EVA) | | | | | | | |
|--|---|----------|-----------------|-------------------------------|--|--|--|--|
| %: 0.0400 - 0.4000 GS: I | LT-UNK | RC: None | NANO: No | ROLE: Blowing Agent Component | | | | |
| HAZARDS: AGE | NCY(IES) WITH WARNINGS: | | | | | | | |
| None Found No | No warnings found on HPD Priority lists | | | | | | | |

SUBSTANCE NOTES:

| TITANIUM, [2,2-BIS[(2-PROPENY PHOSPHATO-O'')- (TITANIUM, [2 O,O',O'']TRIS(DIOCTYL PHOSPH | 2,2-BIS[(2-PROPENYLO | | ID: 110438-25-0 | | | |
|--|----------------------------|--------------------|------------------------|--------------------|--------------------|---------------------------|
| %: 0.0200 - 0.2000 | GS: LT-UNK | | | RC: None | NANO: No | ROLE: Polymer Additive |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | | |
| None Found | No warnings found on H | HPD Priority lists | | | | |
| SUBSTANCE NOTES: | | | | | | |
| PUMICE (PUMICE) | | | | | | ID: 1332-09-8 |
| %: 0.0200 - 0.2000 | gs: LT-UNK | RC: None | NANO: NO | ROLE: Polyme | r Additive | 9 |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | | |
| None Found | No warnings found on H | HPD Priority lists | | | | |

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

ID: 38742-70-0

| %: 0.0000 - 0.4000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Pigment |
|-----------------------------|---|---|--|--|
| HAZARDS: | AGENCY(IES) WITH WAF | RNINGS: | | |
| None Found | No warnings foun | nd on HPD Priority lists | | |
| | ement with third-party co | | | nce name and CASRN under the te oplier. Substance has been screen |
| %: 0.0000 - 0.2000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Pigment |
| HAZARDS: | AGENCY(IES) WITH WAF | RNINGS: | | |
| None Found | No warnings foun | nd on HPD Priority lists | | |
| in resin of finished produc | ct. Supplier has shared s bstance to remain propri | ubstance name and CAS ietary to supplier. Substa | SRN under the terms of ance has been screened | ow Concern). Substance encapsula a non-disclosure agreement with I against HPD Priority Lists with re roduct. |
| %: 0.0000 - 0.2000 | GS: NoGS | RC: None | NANO: NO | ROLE: Pigment |
| HAZARDS: | AGENCY(IES) WITH WAF | RNINGS: | | |
| None Found | No warnings foun | d on HPD Priority lists | | |
| of a non-disclosure agree | ement with third-party co | nsultant; substance to re | emain proprietary to sup | nce name and CASRN under the te oplier. Substance has been screen r Threshold indicated for the finish |
| %: 0.0000 - 0.4000 | GS: BM-2 | RC: None | NANO: NO | ROLE: Pigment |
| HAZARDS: | AGENCY(IES) WITH WAF | RNINGS: | | |
| CANCER | МАК | | Carcinogen Group | 3B - Evidence of carcinogenic effects r classification |
| | ement with third-party co | | | nce name and CASRN under the te |
| | | | | |

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Zinc-plated steel screws and washers used to attach Alfi Seat to Alfi Base.

| STEEL | | | | | ID: 12597-69-2 |
|----------------------|----------------------------|--------------------|-----------------|------------------|----------------|
| %: 98.0000 - 98.0000 | GS: NoGS | RC: None | NANO: No | ROLE: Base Metal | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | |
| None Found | No warnings found on I | HPD Priority lists | | | |
| | | | | | |

SUBSTANCE NOTES: This substance is considered essentially inert for the purposes of Pharos toxics scoring (Pharos CML).

| ZINC | | | | ID: 7440-66- |
|----------------------------|--------------------------|-------------------------|----------------------------|---|
| %: 2.0000 - 2.0000 | GS: LT-P1 | RC: None | NANO: NO | ROLE: Metallic Coating |
| HAZARDS: | AGENCY(IES) WITH W | /ARNINGS: | | |
| ACUTE AQUATIC | EU - GHS (H-St | atements) | H400 - Ve | ry toxic to aquatic life |
| CHRON AQUATIC | EU - GHS (H-St | EU - GHS (H-Statements) | | ry toxic to aquatic life with long lasting effects |
| ENDOCRINE | TEDX - Potentia | al Endocrine Disruptors | Potential I | Endocrine Disruptor |
| MULTIPLE | German FEA - S Waters | Substances Hazardous to | Class 2 - Hazard to Waters | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-St | atements) | H250 - Ca | tches fire spontaneously if exposed to air |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-St | atements) | | contact with water releases flammable gases / ignite spontaneously |

SUBSTANCE NOTES: Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Zinc. This HPD will be updated as appropriate when these guidelines become available. This substance falls below the Content Inventory Threshold indicated for the finished product.

CHAIR GLIDES

%: 0.2000 - 0.3000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

NANO: NO

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS, as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Attached to Alfi Base with Glide Fasteners.

%: 35.0000 - 40.0000

GS: LT-UNK

RC: None

е

HAZARDS:

None Found

AGENCY(IES) WITH WARNIN

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists with results disclosed.

| %: 28.0000 - 33.0000 | GS: LT-P1 | RC: None | NANO: NO | ROLE: Thermoplastic R | esin |
|--|---|--|---|--|--------------------|
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | |
| RESPIRATORY | AOEC - Asthmagens | As | thmagen (Rs) - s | ensitizer-induced | |
| SUBSTANCE NOTES: | | | | | |
| ACRYLONITRILE-BUTADIE | ENE-STYRENE COPOLYMER | | | םו | : 9003-56 - |
| %: 16.0000 - 21.0000 | GS: LT-UNK | RC: None | NANO: No | ROLE: Impact Resistance | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | |
| None Found | No warnings found on HPD | Priority lists | | | |
| %: 5.0000 - 10.0000 | GS: NOGS RC: N | NANO: N | O RO | LE: TPU Component | |
| %: 5.0000 - 10.0000 HAZARDS: | GS: NOGS RC: N | NANO: N | o ro | LE: TPU Component | |
| | | | O RO | LE: TPU Component | |
| HAZARDS: None Found SUBSTANCE NOTES: Supplier I | AGENCY(IES) WITH WARNINGS: | Priority lists CASRN under the terms | of a non-discl | osure agreement; substance | e to remai |
| HAZARDS: None Found SUBSTANCE NOTES: Supplier I | AGENCY(IES) WITH WARNINGS: No warnings found on HPE | Priority lists CASRN under the terms | of a non-discl ith results disc | osure agreement; substance | e to remai |
| HAZARDS: None Found SUBSTANCE NOTES: Supplier H proprietary to supplier. Su | AGENCY(IES) WITH WARNINGS: No warnings found on HPD has shared substance name and ubstance has been screened agai | Priority lists CASRN under the terms inst HPD Priority Lists w | of a non-discl ith results disc | osure agreement; substance losed. HPD URL: | e to remai |
| HAZARDS: None Found SUBSTANCE NOTES: Supplier I proprietary to supplier. Su NOOD ADHESIVE RODUCT THRESHOLD: 1000 pp ESIDUALS AND IMPURITIES NOTE INVENTORY Threshold indic | AGENCY(IES) WITH WARNINGS: No warnings found on HPD has shared substance name and ubstance has been screened agai | Priority lists CASRN under the terms inst HPD Priority Lists w %: 0.1000 - 0.2000 RESIDUALS AND IMPURITI s are known or expend of BM-1, LT-1, LT-P1 | e of a non-discl vith results disc ES CONSIDERED Cted to be pr | osure agreement; substance losed. HPD URL: Yes esent at or above the C | content |
| HAZARDS: None Found SUBSTANCE NOTES: Supplier H proprietary to supplier. Su VOOD ADHESIVE RODUCT THRESHOLD: 1000 pp ESIDUALS AND IMPURITIES NOTE Inventory Threshold indic upplier SDS and as pred | AGENCY(IES) WITH WARNINGS: No warnings found on HPD has shared substance name and ubstance has been screened again pm ES: No residuals or impurities stated that have a GS score of | Priority lists CASRN under the terms inst HPD Priority Lists w %: 0.1000 - 0.2000 RESIDUALS AND IMPURITI s are known or expen- of BM-1, LT-1, LT-P1 (Pharos CML). | e of a non-discl vith results disc ES CONSIDERED Cted to be pr | osure agreement; substance losed. HPD URL: Yes esent at or above the C | content |
| HAZARDS: None Found SUBSTANCE NOTES: Supplier H proprietary to supplier. Su VOOD ADHESIVE RODUCT THRESHOLD: 1000 pp ESIDUALS AND IMPURITIES NOTE Inventory Threshold indic upplier SDS and as pred | AGENCY(IES) WITH WARNINGS: No warnings found on HPE has shared substance name and ubstance has been screened aga pm as: No residuals or impurities cated that have a GS score of licted by process chemistry d Adhesive used for assemb | Priority lists CASRN under the terms inst HPD Priority Lists w %: 0.1000 - 0.2000 RESIDUALS AND IMPURITI s are known or expen- of BM-1, LT-1, LT-P1 (Pharos CML). | e of a non-discl vith results disc ES CONSIDERED Cted to be pr | osure agreement; substance losed. HPD URL: Yes esent at or above the C | content |

| WATER (WATER) | | | | | ID: 7732-18 - |
|---|--------------------|--------------------------|-----------------------|-----------------|----------------------------|
| %: 55.8000 | GS: BM-4 | RC: None | NANO: NO | ROLE: Solve | ent, Diluent |
| HAZARDS: | AGENCY(IES) WITH W | ARNINGS: | | | |
| None Found | No warnings for | and on HPD Priority list | s | | |
| SUBSTANCE NOTES: | | | | | |
| POLYVINYL ACETATE (PVA) (PC | DLYVINYL ACETA | TE (PVA)) | | | ID: 9003-20- |
| %: 41.2000 | GS: LT-UNK | | RC: None | NANO: NO | ROLE: Binder Resin |
| HAZARDS: | AGENCY(IES) WITH W | ARNINGS: | | | |
| None Found | No warnings fou | und on HPD Priority list | s | | |
| %: 3.0000 | GS: LT-UNK | | RC: None NANO | : No ROLE: A | Adhesive Component |
| HAZARDS: | AGENCY(IES) WITH W | ARNINGS: | | | |
| None Found | No warnings for | und on HPD Priority list | s | | |
| SUBSTANCE NOTES: Identified on the below the Content Inventory TI | | - | | rified Low Conc | ern). This substance falls |
| LIDE FASTENERS | | %: 0.05 | 00 - 0.0700 | | HPD URL: |
| ODUCT THRESHOLD: 1000 ppm | | RESIDUALS | S AND IMPURITIES CONS | idered: Yes | |
| SIDUALS AND IMPURITIES NOTES: N ventory Threshold indicated haros CML). | | | | | |
| HER MATERIAL NOTES: Hardware | used to attach | Chair Glides to A | lfi Base. | | |

| STAINLESS STEEL | | | | | ID: 12597-68-1 |
|------------------------|---|----------|-----------------|----------------|----------------|
| %: 100.0000 - 100.0000 | GS: NoGS | RC: None | nano: No | ROLE: Hardware | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | |
| None Found | No warnings found on HPD Priority lists | | | | |
| | | | | | |

SUBSTANCE NOTES: 18-8 Stainless Steel. This substance is considered essentially inert for the purposes of Pharos toxics scoring (Pharos CML). This substance falls below the Content Inventory Threshold indicated for the finished product.

П

| WO | | LACQUER |
|----|----|---------|
| WU | UD | LACQUER |

%: 0.0500 - 0.2000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: As all substances in this material fall below the Content Inventory Threshold indicated, no residuals or impurities are possible above this level.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold, as confirmed by supplier.

| FOOTREST PROTECTOR | %: 0.0000 - 1.4000 | HPD URL: | |
|--------------------|--------------------|----------|--|
| 1000 | | | |

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS, based on information provided by supplier and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Aluminum Footrest Protector available for Alfi Counter Stools and Barstools.

| ALUMINUM | | | | ID: 7429-90- | | |
|----------------------------|---------------------------------------|----------|------------------------|---|--|--|
| %: 100.0000 - 100.0000 | gs: LT-P1 | RC: None | NANO: No | ROLE: Hardware | | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS | : | | | | |
| RESPIRATORY | AOEC - Asthmagens | | Asthmagen (ARs only | Asthmagen (ARs) - sensitizer-induced - inhalable forms only | | |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | | Potential Endocr | Potential Endocrine Disruptor | | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | | H228 - Flammab | H228 - Flammable solid | | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | | H250 - Catches f | H250 - Catches fire spontaneously if exposed to air | | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | | H261 - In contac | H261 - In contact with water releases flammable gases | | |
| | | | | | | |

SUBSTANCE NOTES: Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific hazards such as Aluminum. This HPD will be updated as appropriate when these guidelines become available.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | Intertek ETL Enviro | onmental VOC+ | |
|---|----------------------------|---------------|----------------------------|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Emeco Industries, Hanover PA 17331 CERTIFICATE URL: | ISSUE DATE: 2018- 04-27 | EXPIRY DATE: | CERTIFIER OR LAB: Intertek |
| http://www.intertek.com/directories/environmental- sustainability-solutions/etl-voc/ | | | |

CERTIFICATION AND COMPLIANCE NOTES: Conforms to the ANSI/ BIFMA X7.1-2011 Standard for Formaldehyde and TVOC Emissions of Low-emitting Office Furniture Systems and Seating, ANSI/ BIFMA M7.1-2011 Standard Test Method for Determining VOC Emissions from Office Furniture Systems, Components and Seating, and ANSI/ BIFMA e3-2014e Furniture Sustainability Standard Credits 7.6.1, 7.6.2 and 7.6.3 Low Emitting Furniture for Office Furniture Systems and Components emission criteria. Credit 7.6.3 demonstrates compliance to California Department of Public Health (CDPH) Standard Method v1.2 01350 (2017).

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

ALFI SOFT SLIPCOVER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The Alfi Soft slip-cover is intelligently designed for easy dressing and removing, while it also offers the comfort and look of a perfectly fitted, fully upholstered seat. It can be retro-fitted on existing chairs and stools, or ordered as an option for new chairs. Alfi Soft comes in fabric and leather - select from our wide standard range or choose your own. Please contact manufacturer for additional information.

Section 5: General Notes

We make chairs. In America. Often by hand. Mostly from recycled stuff. But always to last. www.emeco.net

MANUFACTURER INFORMATION

MANUFACTURER: emeco Address: 805 Elm Avenue Hanover PA 17331, USA WEBSITE: http://www.emeco.net CONTACT NAME: Gregg Buchbinder TITLE: CEO PHONE: (717) 637-5951 EMAIL: gregg@emeco.net

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)