Emeco Stools and Occasional Tables by emeco

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 12 52 13 Seating - Chairs

PRODUCT DESCRIPTION: Designed for Emeco by Phillippe Starck in 2001. This record covers Emeco Stools and Occasional tables, available in hand-brushed or hand-polished finish.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

C Material

Product

Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS C Per OSHA MSDS C Other

Residuals/Impurities

Residuals/Impurities Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

Nested Method / Product Threshold

Are All Substances Above the Threshold Indicated:

Characterized © Yes C No Percent Weight and Role Provided?

Screened • Yes • No Using Priority Hazard Lists with Results Disclosed?

Identified • Yes • No Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

EMECO ALUMINUM FRAME [6061 ALUMINUM LT-P1 | RES | END | PHY NICKEL LT-1 | CAN | RES | SKI | MAM | MUL LEAD (CONTAMINANT) LT-1 | MAM | DEL | CAN | PBT | REP | AQU | MUL | END | GEN ALUMINUM OXIDE (ALUMINUM OXIDE) LT-P1 | RES QUARTZ LT-1 | CAN] STANDARD SOFT GLIDE [1,3-BUTANEDIOL, POLYMER WITH ALPHA-BUTYL-OMEGA-HYDROXYPOLY(OXY(METHYL-1,2-ETHANEDIYL)) AND 1,3-DIISOCYANATOMETHYLBENZENE NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Intertek ETL Environmental VOC+

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

🖸 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2018-05-03 PUBLISHED DATE: 2018-05-10 EXPIRY DATE: 2021-05-03 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

EMECO ALUMINUM FRAME	%: 97.5000 - 98.5000	HPD URL:
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES:

6061 ALUMINUM						
%: 100.0000	GS: LT-P1	RC: Both	NANO: NO	ROLE: Base metal		
HAZARDS:	AGENCY(IES) WITH WARNINGS	3:				
RESPIRATORY	AOEC - Asthmagens		Asthmagen (AF only	Asthmagen (ARs) - sensitizer-induced - inhalable forms only		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endo	crine Disruptor		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H228 - Flamma	H228 - Flammable solid		
PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements)		H250 - Catches	s fire spontaneously if exposed to air			
PHYSICAL HAZARD (REACTIVE)	ARD (REACTIVE) EU - GHS (H-Statements)		H261 - In conta	act with water releases flammable gases		

SUBSTANCE NOTES: Aluminum is anodized. Supplier confirms that Aluminum used consists of 10-20% post-consumer and 50-60% preconsumer recycled content. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with form-specific hazards and metal alloy materials such as 6061 Aluminum. This HPD will be updated as appropriate when these guidelines become available.

NICKEL					ID: 7440-02-0	
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual		
HAZARDS:	AZARDS: AGENCY(IES) WITH WARNINGS:					
CANCER IARC			Group 1 - Agent is Carcinogenic to humans			
CANCER	CANCER IARC		Group 2b - Possibly carcinogenic to humans			
CANCER	CA EPA - Pro	CA EPA - Prop 65		Carcinogen		
CANCER	US CDC - Occupational Carcinogens		Occupa			

CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen		
C C		Asthmagen (ARs) - sensitizer-induced - inhalable forms only		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man		
RESPIRATORY MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization		

SUBSTANCE NOTES: Potential impurity of 6061 Aluminum, based on information provided in supplier SDS. As per supplier SDS: "While Nickel is not intentionally added to this mixture, it could potentially enter through the recycle stream."

LEAD (CONTAMINANT)				ID: 7439-92-1		
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual		
HAZARDS:	AGENCY(IES) WITH	I WARNINGS:				
MAMMALIAN	EU - R-phrase	EU - R-phrases		armful by Inhalation (gas or vapor or dust/mist)		
DEVELOPMENTAL	EU - R-phrase	es	R61 - May cause harm to the unborn child			
DEVELOPMENTAL	G&L - Neuroto	oxic Chemicals	Develop	omental Neurotoxicant		
CANCER	US EPA - IRIS	Carcinogens	(1986) Group B2 - Probable human Carcinogen			
CANCER	IARC		Group 2	2a - Agent is probably Carcinogenic to humans		
CANCER	IARC	IARC		2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Pro	CA EPA - Prop 65		Carcinogen		
DEVELOPMENTAL	CA EPA - Prop 65		Developmental toxicity			
РВТ	US EPA - Prio	ority PBTs (NWMP)	Priority PBT			
РВТ	WA DoE - PB	Т	PBT			
REPRODUCTIVE	CA EPA - Pro	p 65	Reprod	uctive Toxicity - Female		
REPRODUCTIVE	CA EPA - Pro	p 65	Reprod	uctive Toxicity - Male		
CANCER	US NIH - Rep	ort on Carcinogens	Reason	ably Anticipated to be Human Carcinogen		
РВТ	US EPA - Prio	ority PBTs (PPT)	Priority	РВТ		
РВТ	US EPA - Tox	ics Release Inventory PBT	s PBT			
РВТ	OSPAR - Prio concern	rity PBTs & EDs & equivale	ent PBT - C	Chemical for Priority Action		
PBT	OR DEQ - Pric	ority Persistent Pollutants	Priority	Persistent Pollutant - Tier 1		

Emeco Stools and Occasional Tables hpdrepository.hpd-collaborative.org

DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
REPRODUCTIVE	Korea - GHS	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A
GENE MUTATION	МАК	Germ Cell Mutagen 3a
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen

SUBSTANCE NOTES: Potential impurity of 6061 Aluminum, based on information provided in supplier SDS. As per supplier SDS: "While Nickel is not intentionally added to this mixture, it could potentially enter through the recycle stream."

ALUMINUM OXIDE (ALUMINUM OXIDE)					
%: Impurity/Residual	GS: LT-P1	RC: None	nano: No	ROLE: Impurity/Residual	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
RESPIRATORY	AOEC - Asthmagens		Asthmagen only	(ARs) - sensitizer-induced - inhalable forms	

SUBSTANCE NOTES: This substance is a component of the polishing compound used on polished chairs. The chairs are washed after polishing, and therefore this substance is not expected to remain on the chairs at or above the Content Inventory Threshold declared. However, we have chosen to include it in an effort provide full transparency for this product line.

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH	WARNINGS:		
CANCER	US CDC - Oc	cupational Carcinogens	Occupa	tional Carcinogen
CANCER	CA EPA - Pro	- Prop 65 Carcinogen - specific to chemical form		gen - specific to chemical form or exposure route
CANCER	IARC		-	- Agent is carcinogenic to humans - inhaled from tional sources
CANCER	US NIH - Rep	ort on Carcinogens		to be Human Carcinogen (respirable size - tional setting)
CANCER	МАК		Carcino man	gen Group 1 - Substances that cause cancer in
CANCER	New Zealand	- GHS	6.7A - K	nown or presumed human carcinogens
CANCER	Japan - GHS		Carcino	genicity - Category 1A
CANCER	Australia - GH	IS	H350 - I	May cause cancer

SUBSTANCE NOTES: This substance is a component of the polishing compound used on polished chairs. The chairs are washed after polishing, and therefore this substance is not expected to remain on the chairs at or above the Content Inventory Threshold declared. However, we have chosen to include it in an effort provide full transparency for this product line. Quartz is one of several compounds with warnings restricted to respirable forms (Silica, crystalline - airborne particles of respirable size). Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Quartz/Silica. This HPD will be updated as appropriate when these guidelines become available.

STANDARD S	OFT GL	IDE

%: 1.5000 - 2.5000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Inserted into leg bottoms.

1,3-BUTANEDIOL, POLYMER WITH ALPHA-BUTYL-OMEGA- HYDROXYPOLY(OXY(METHYL-1,2-ETHANEDIYL)) AND 1,3- DIISOCYANATOMETHYLBENZENEID: 68					
%: 99.0000 - 100.0000	gs: NoGS	RC: None	NANO: No	ROLE: Thermoplastic resin	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Intertek ETL Environmental VOC+			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Emeco Industries, Hanover, PA 17331	ISSUE DATE: 2018- 04-27	EXPIRY DATE:	CERTIFIER OR LAB: N/A	
CERTIFICATE URL: http://www.intertek.com/directories/environmental- sustainability-solutions/etl-voc/				

CERTIFICATION AND COMPLIANCE NOTES: Conforms to the ANSI/ BIFMA X7.1-2011 Standard for Formaldehyde and TVOC Emissions of Low-emitting Office Furniture Systems and Seating, ANSI/ BIFMA M7.1-2011 Standard Test Method for Determining VOC Emissions from Office Furniture Systems, Components and Seating, and ANSI/ BIFMA e3-2014e Furniture Sustainability Standard Credits 7.6.1, 7.6.2 and 7.6.3 Low Emitting Furniture for Office Furniture Systems and Components emission criteria. Credit 7.6.3 demonstrates compliance to California Department of Public Health (CDPH) Standard Method v1.2 01350 (2017).

🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

LEXAN® GLIDES

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Optional glides available. Lexan® is a hard plastic, suitable for use on carpeted floors, to reduce friction. Please contact manufacturer if more information is required.

GLIDES WITH FELT INSERTS

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Optional glides with integrated felt inserts are recommended for noise reduction on hard floors. Please contact manufacturer if more information is required.

Section 5: General Notes

We make chairs. In America. Often by hand. Mostly from recycled stuff. But always to last. www.emeco.net

MANUFACTURER INFORMATION

MANUFACTURER: emeco ADDRESS: 805 W Elm Avenue Hanover PA 17331, United States WEBSITE: www.emeco.net CONTACT NAME: Gregg Buchbinder TITLE: CEO PHONE: 7176375951 EMAIL: info@emeco.net

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

 GLO Global warming
 PHY Phys

 MAM Mammalian/systemic/organ toxicity
 REP Repr

 MUL Multiple hazards
 RES Resp

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)