

**CLASSIFICATION:** 07 21 13

**PRODUCT DESCRIPTION:** This HPD covers roof insulation panels, LegerFibre Type I & Type II by Le Groupe Legerlite. The Legerfibre system consists of a factory-laminated TYPE I or TYPE II EPS insulation panel with a wood-based panel. Length and width available: 4' x 4'.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 4 of 4 Materials

Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

*Are All Substances Above the Threshold Indicated:*

**Characterized**  Yes  No  
*Percent Weight and Role Provided?*

**Screened**  Yes  No  
*Using Priority Hazard Lists with Results Disclosed?*

**Identified**  Yes  No  
*Name and Identifier Provided?*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**WOOD-BASED PANEL [ WOOD FIBER - UNSPECIFIED (WOOD FIBER - UNSPECIFIED) NoGS ASPHALT, OXIDIZED (ASPHALT, OXIDIZED) LT-1 | CAN WATER (WATER) BM-4 POLYETHYLENE (POLYETHYLENE) LT-UNK STARCH (STARCH) LT-UNK ALUMINUM HYDROXIDE SULFATE (AL4(OH)6(SO4)3) (ALUMINUM HYDROXIDE SULFATE (AL4(OH)6(SO4)3)) LT-UNK AMINES, HYDROGENATED TALLOW ALKYL, ACETATES (AMINES, HYDROGENATED TALLOW ALKYL, ACETATES) LT-P1 | MUL STEARIC ACID (STEARIC ACID) LT-P1 | END SULFUR (SULFUR) LT-UNK | SKI ] EXPANDED POLYSTYRENE [ POLYSTYRENE (POLYSTYRENE) LT-UNK UNDISCLOSED LT-1 | PBT | END | MUL UNDISCLOSED LT-P1 UNDISCLOSED NoGS UNDISCLOSED LT-UNK ] RECYCLED EPS [ POLYSTYRENE (POLYSTYRENE) LT-UNK UNDISCLOSED LT-1 | PBT | END | MUL UNDISCLOSED LT-P1 UNDISCLOSED NoGS UNDISCLOSED LT-UNK ] ADHESIVE [ WATER (WATER) BM-4 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-1 | END | REP | MUL | DEL UNDISCLOSED LT-P1 | AQU | MAM | SKI | MUL ]**

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. The content inventory includes ranges to encompass both LegerFibre Type I and Type II products. Insulation panels contain materials with Special Conditions (reaction product, defined substances without identifier, recycled content - mixture) as per the HPDC. Guidelines for reporting Special Conditions materials are still under development by HPDC. Le Groupe Legerlite will update the HPD accordingly once these guidelines get published. Substances present in insulation panels, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities were considered available in the appropriate sections.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-03-21

PUBLISHED DATE: 2018-03-23

EXPIRY DATE: 2021-03-21



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### WOOD-BASED PANEL

#: 82.0000 - 85.7000

HPD URL: N/A

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Information about residuals and impurities not available from supplier since no tests are made.

OTHER MATERIAL NOTES: Wood-based panel with an asphalte coating.

### WOOD FIBER - UNSPECIFIED (WOOD FIBER - UNSPECIFIED)

ID: Not registered

#: 93.3600

GS: NoGS

RC: PostC

NANO: No

ROLE: Main material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Wood fibers come partly from post-consumer recycled sources

### ASPHALT, OXIDIZED (ASPHALT, OXIDIZED)

ID: 64742-93-4

#: 4.1600 - 4.3800

GS: LT-1

RC: None

NANO: No

ROLE: Asphalte coating ingredient

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

IARC

Group 2a - Agent is probably Carcinogenic to humans

SUBSTANCE NOTES: See Other Material Notes.

### WATER (WATER)

ID: 7732-18-5

#: 1.0000 - 1.1000

GS: BM-4

RC: None

NANO: No

ROLE: Binder ingredient

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

**POLYETHYLENE (POLYETHYLENE)**

ID: 9002-88-4

%: <b>0.7300</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Water-repellent</b>
------------------	-------------------	-----------------	-----------------	------------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

**STARCH (STARCH)**

ID: 9005-25-8

%: <b>0.2500 - 0.3100</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Binder ingredient</b>
---------------------------	-------------------	-----------------	-----------------	--------------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Wheat starch.

**ALUMINUM HYDROXIDE SULFATE (AL4(OH)6(SO4)3) (ALUMINUM HYDROXIDE SULFATE (AL4(OH)6(SO4)3))**

ID: 53810-32-5

%: <b>0.0500 - 0.0600</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Ingredient</b>
---------------------------	-------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

**AMINES, HYDROGENATED TALLOW ALKYL, ACETATES (AMINES, HYDROGENATED TALLOW ALKYL, ACETATES)**

ID: 61790-59-8

%: <b>0.0300</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Ingredient</b>
------------------	------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

**STEARIC ACID (STEARIC ACID)**

ID: 57-11-4

%: <b>0.0200</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Ingredient</b>
------------------	------------------	-----------------	-----------------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: See Other Material Notes.

## SULFUR (SULFUR)

ID: 7704-34-9

#: **0.0000 - 0.2200** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Asphalte coating ingredient**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SUBSTANCE NOTES: See Other Material Notes.

## EXPANDED POLYSTYRENE

#: **11.8000 - 15.0000**

HPD URL: N/A

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: Information related to residuals and impurities provided by supplier. Presence of residual styrene (CAS# 100-42-5) in final expanded polystyrene (EPS) at levels inferior to 500 ppm. Recent MOA (mode of action) studies confirm that humans and rats do not have the same tumorigenic process as mice for developing lung tumors. Since lung tumors are common in controlled mice populations used in research but not in rats, the MOA studies supports that the research on the respiratory tract effects of styrene in mice is not relevant to human risk assessment: [http://styrene.org/wp-content/uploads/2014/01/SIRC-Vol.9-No1\\_LoRes.pdf](http://styrene.org/wp-content/uploads/2014/01/SIRC-Vol.9-No1_LoRes.pdf)

OTHER MATERIAL NOTES: Ranges comes from the average composition of EPS provided to Le Groupe Legerlite. According to supplier, as polystyrene is processed, i.e. expanded then molded and finally aged, it loses blowing agent until the pentane content is 0. Formulation protected by a NDA.

## POLYSTYRENE (POLYSTYRENE)

ID: 9003-53-6

#: **98.0000 - 100.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Base resin**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The base polystyrene conforms to food contact material requirements per US 21 CFR and European Commission Regulation (EC) No. 10/2011 for use in direct food contact articles.

#: **0.0000 - 0.6000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Flame retardant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT

OSPAR - Priority PBTs & EDs & equivalent concern

PBT - Chemical for Priority Action

ENDOCRINE

OSPAR - Priority PBTs & EDs & equivalent concern

Endocrine Disruptor - Chemical for Priority Action

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

PBT

EHP - San Antonio Statement on BFRs & CFRs

Flame retardant substance class of concern for PB&T &

SUBSTANCE NOTES: OSPAR categorization is an initial screening tool used to assess risk assessment priority. Final Risk Assessment of this flame retardant has been completed by both Canada and the EU and determined this substance to be persistent but not bioaccumulative.

#: **0.0000 - 0.7500** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Surface additive package**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Approved direct food additive, identified as GRAS (generally regarded as safe) per US 21 CFR. Approved additive for FCM (food contact material) per European Commission Regulation (EC) No. 10/2011. Classified as persistent by ECHA but with no potential to bioaccumulate and is non-toxic.

#: **0.0000 - 0.7500** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Surface additive package**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

#: **0.0000 - 0.7500** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Surface additive package**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Approved indirect food additive per US 21 CFR . Approved additive for FCM (food contact material) per European Commission Regulation (EC) No. 10/2011. Classified as non-hazardous by ECHA.

## RECYCLED EPS

#: **2.1000 - 3.0000**

HPD URL: **N/A**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Same information as Expanded polystyrene.**

OTHER MATERIAL NOTES: **Same information as Expanded polystyrene. This material is a pre-consumer recycled EPS recovered by a third party and mechanically transformed from boards processed by Le Groupe Legerlite.**

## POLYSTYRENE (POLYSTYRENE)

ID: **9003-53-6**

#: **98.0000 - 100.0000** GS: **LT-UNK** RC: **PreC** NANO: **No** ROLE: **Base resin**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The base polystyrene conforms to food contact material requirements per US 21 CFR and European Commission Regulation (EC) No. 10/2011 for use in direct food contact articles.

?: 0.0000 - 0.6000

GS: LT-1

RC: PreC

NANO: No

ROLE: Flame retardant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT

OSPAR - Priority PBTs & EDs & equivalent concern

PBT - Chemical for Priority Action

ENDOCRINE

OSPAR - Priority PBTs & EDs & equivalent concern

Endocrine Disruptor - Chemical for Priority Action

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

PBT

EHP - San Antonio Statement on BFRs & CFRs

Flame retardant substance class of concern for PB&T & long range transport

SUBSTANCE NOTES: OSPAR categorization is an initial screening tool used to assess risk assessment priority. Final Risk Assessment of this flame retardant has been completed by both Canada and the EU and determined this substance to be persistent but not bioaccumulative.

?: 0.0000 - 0.7500

GS: LT-P1

RC: PreC

NANO: No

ROLE: Surface additive package

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Approved direct food additive, identified as GRAS (generally regarded as safe) per US 21 CFR. Approved additive for FCM (food contact material) per European Commission Regulation (EC) No. 10/2011. Classified as persistent by ECHA but with no potential to bioaccumulate and is non-toxic.

?: 0.0000 - 0.7500

GS: NoGS

RC: PreC

NANO: No

ROLE: Surface additive package

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

?: 0.0000 - 0.7500

GS: LT-UNK

RC: PreC

NANO: No

ROLE: Surface additive package

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Approved indirect food additive per US 21 CFR . Approved additive for FCM (food contact material) per European Commission Regulation (EC) No. 10/2011. Classified as non-hazardous by ECHA.

**ADHESIVE**

%: 0.4000

HPD URL: N/A

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not tested by adhesive supplier.

OTHER MATERIAL NOTES: Water-based adhesive used to assemble insulation panels. Formulation protected by a NDA.

**WATER (WATER)**

ID: 7732-18-5

%: 65.0000 - 75.0000

GS: BM-4

RC: None

NANO: No

ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

%: 15.0000 - 25.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Base polymer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

%: 4.0000 - 6.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Adhesion promotor

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

%: 1.0000 - 2.0000

GS: LT-P1

RC: None

NANO: No

ROLE: Plasticizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

#: **1.0000 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Plasticizer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

**MULTIPLE**

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

#: **1.0000 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Plasticizer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

**MULTIPLE**

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

#: **0.3000 - 0.5000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **pH adjustment**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

**ENDOCRINE**

EU - Priority Endocrine Disruptors

Category 1 - In vivo evidence of Endocrine Disruption Activity

**REPRODUCTIVE**

EU - SVHC Authorisation List

Toxic to reproduction - Prioritized for listing

**REPRODUCTIVE**

EU - GHS (H-Statements)

H360FD - May damage fertility. May damage the unborn child

**MULTIPLE**

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

**ENDOCRINE**

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

**DEVELOPMENTAL**

MAK

Pregnancy Risk Group B

**REPRODUCTIVE**

Japan - GHS

Toxic to reproduction - Category 1B

**REPRODUCTIVE**

EU - Annex VI CMRs

Reproductive Toxicity - Category 1B

**REPRODUCTIVE**

Australia - GHS

H360Fd - May damage fertility. Suspected of damaging the unborn child

SUBSTANCE NOTES: See Other Material Notes.

#: **0.1000 - 0.2000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Biocide**



HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: **See Other Material Notes.**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

**CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested**

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: -

APPLICABLE FACILITIES: -

**02-19**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

-



## MANUFACTURER INFORMATION

---

MANUFACTURER: **Le Groupe Legerlite**  
ADDRESS: **5901, route Transcanadienne**  
**Pointe-Claire Québec H9R 1B7, Canada**  
WEBSITE: **legerlite.ca**

CONTACT NAME: **Patrick Redmond**  
TITLE: **Technical Manager**  
PHONE: **514-694-2493**  
EMAIL: **predmond@legerlite.ca**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*