

CLASSIFICATION: 07 21 13

PRODUCT DESCRIPTION: This HPD covers roof insulation panels, Legerpan Type I and Type II by Le Groupe Legerlite. The Legerpan system consists of a factory-laminated TYPE I or TYPE II EPS insulation panel with a wood-based panel. Length and width available: 4' x 4'.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities
Considered in 4 of 4 Materials

Explanation(s) provided
for Residuals/Impurities?
 Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No
Percent Weight and Role Provided?

Screened Yes No
Using Priority Hazard Lists with Results Disclosed?

Identified Yes No
Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

FLAME RETARDANT SUPPORT PANEL [WOOD FIBER - UNSPECIFIED (WOOD FIBER - UNSPECIFIED) NoGS STARCH (STARCH) LT-UNK AMMONIUM SULFATE (AMMONIUM SULFATE) LT-P1 | END BORIC ACID (BORIC ACID) LT-1 | END | REP | MUL | DEL ACETIC ACID 30% (ACETIC ACID 30%) LT-UNK | RES | SKI MALACHITE GREEN OXALATE (MALACHITE GREEN OXALATE) LT-P1 | AQU | EYE | DEL ETHANAMINIUM, N-(4-((4-(DIMETHYLAMINO)PHENYL)PHENYLMETHYLENE)-2,5-CYCLOHEXADIEN-1-YLIDENE)-N-ETHYL-, ACETATE (1:1)) (ETHANAMINIUM, N-(4-((4-(DIMETHYLAMINO)PHENYL)PHENYLMETHYLENE)-2,5-CYCLOHEXADIEN-1-YLIDENE)-N-ETHYL-, ACETATE (1:1)) NoGS 2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S (2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S) LT-P1 | MUL 183815-54-5 NoGS HYDROCHLORIC ACID 0.036 % IN AQUEOUS SOLUTION (HYDROCHLORIC ACID 0.036 % IN AQUEOUS SOLUTION) BM-2 | RES | SKI | MAM PARAFFIN (PARAFFIN) LT-UNK] ALUMINUM CHLORIDE, BASIC (ALUMINUM CHLORIDE, BASIC) LT-UNK] EXPANDED POLYSTYRENE [POLYSTYRENE (POLYSTYRENE) LT-UNK UNDISCLOSED LT-1 | PBT | END | MUL UNDISCLOSED LT-P1 UNDISCLOSED NoGS UNDISCLOSED LT-UNK] RECYCLED EPS [POLYSTYRENE (POLYSTYRENE) LT-UNK UNDISCLOSED LT-1 | PBT | END | MUL UNDISCLOSED LT-P1 UNDISCLOSED NoGS UNDISCLOSED LT-UNK] ADHESIVE [WATER (WATER) BM-4 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-1 | END | REP | MUL | DEL UNDISCLOSED LT-P1 | AQU | MAM | SKI | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. The content inventory includes ranges to encompass both Legerpan Type I and Type II products. Insulation panels contain materials with Special Conditions (reaction product, defined substances without identifier, recycled content - mixture) as per the HPDC. Guidelines for reporting Special Conditions materials are still under development by HPDC. Le Groupe Legerlite will update the HPD accordingly once these guidelines get published. Substances present in insulation panels, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities were considered available in the appropriate sections.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: **2018-03-21**

PUBLISHED DATE: **2018-03-23**

EXPIRY DATE: **2021-03-21**



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

FLAME RETARDANT SUPPORT PANEL

#: 83.4000 - 86.7000

HPD URL: N/A

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not tested by supplier.

OTHER MATERIAL NOTES: Flame retardant insulating support panel designed for commercial roofing. It is integrally treated to prevent flame and smoke development and is designed to protect the roof insulation when torching is required for welding membranes or when hot asphalt is applied.

WOOD FIBER - UNSPECIFIED (WOOD FIBER - UNSPECIFIED)

ID: Not registered

#: 81.3000

GS: NoGS

RC: PostC

NANO: No

ROLE: Main material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: 47% of wood fibers are considered post-consumer recycled content. See Other Material Notes.

STARCH (STARCH)

ID: 9005-25-8

#: 6.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

AMMONIUM SULFATE (AMMONIUM SULFATE)

ID: 7783-20-2

#: 5.0000

GS: LT-P1

RC: None

NANO: No

ROLE: Flame retardant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: See Other Material Notes.

BORIC ACID (BORIC ACID)

ID: 10043-35-3

%: **5.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Flame retardant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEVELOPMENTAL	MAK	Pregnancy Risk Group B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
REPRODUCTIVE	Australia - GHS	H360Fd - May damage fertility. Suspected of damaging the unborn child

SUBSTANCE NOTES: See Other Material Notes.

ACETIC ACID 30% (ACETIC ACID 30%)

ID: 64-19-7

%: **0.1000 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Coloring agent - ingredient #1**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage

SUBSTANCE NOTES: See Other Material Notes.

MALACHITE GREEN OXALATE (MALACHITE GREEN OXALATE)

ID: 2437-29-8

%: **0.1000 - 0.2000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Coloring agent - ingredient #2**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
DEVELOPMENTAL	EU - GHS (H-Statements)	H361d - Suspected of damaging the unborn child

SUBSTANCE NOTES: Approximate for acetate salt of triarylmethanes

ETHANAMINIUM, N-(4-((4-(DIMETHYLAMINO)PHENYL)PHENYLMETHYLENE)-2,5-CYCLOHEXADIEN-1-YLIDENE)-N-ETHYL-, ACETATE (1:1) (ETHANAMINIUM, N-(4-((4-(DIMETHYLAMINO)PHENYL)PHENYLMETHYLENE)-2,5-CYCLOHEXADIEN-1-YLIDENE)-N-ETHYL-, ACETATE (1:1))

ID: 106168-50-7

RC: None NANO: No ROLE: **Coloring agent - ingredient #3**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S (2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CHLORIDE, HOMOPOLYMER, VISCOSITY APPROX. 9000 MPA S)

ID: 26062-79-3

RC: None NANO: No ROLE: **Coagulant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

183815-54-5

ID: 183815-54-5

RC: None NANO: No ROLE: **Coagulant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

HYDROCHLORIC ACID 0.036 % IN AQUEOUS SOLUTION (HYDROCHLORIC ACID 0.036 % IN AQUEOUS SOLUTION)

ID: 7647-01-0

RC: None NANO: No ROLE: **Coloring agent - ingredient #4**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rr) - irritant-induced

SKIN IRRITATION

EU - GHS (H-Statements)

H314 - Causes severe skin burns and eye damage

MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: See Other Material Notes.

PARAFFIN (PARAFFIN)

ID: 8002-74-2

#: 0.0000 - 0.8000 GS: LT-UNK RC: None NANO: No ROLE: Water-repellent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Wax emulsion represents 2% of final panel weight. The wax emulsion is composed of paraffin and aluminum chloride as per SDS. Ranges come from the composition information provided by the SDS. Complete composition not available.

ALUMINUM CHLORIDE, BASIC (ALUMINUM CHLORIDE, BASIC)

ID: 1327-41-9

#: 0.0000 - 0.0600 GS: LT-UNK RC: None NANO: No ROLE: Water-repellent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Wax emulsion represents 2% of final panel weight. The wax emulsion is composed of paraffin and aluminum chloride as per SDS. Ranges come from the composition information provided by the SDS. Complete composition not available.

EXPANDED POLYSTYRENE

#: 11.0000 - 13.9000

HPD URL: N/A

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Information related to residuals and impurities provided by supplier. Presence of residual styrene (CAS# 100-42-5) in final expanded polystyrene (EPS) at levels inferior to 500 ppm. Recent MOA (mode of action) studies confirm that humans and rats do not have the same tumorigenic process as mice for developing lung tumors. Since lung tumors are common in controlled mice populations used in research but not in rats, the MOA studies supports that the research on the respiratory tract effects of styrene in mice is not relevant to human risk assessment: http://styrene.org/wp-content/uploads/2014/01/SIRC-Vol.9-No1_LoRes.pdf

OTHER MATERIAL NOTES: Ranges comes from the average composition of EPS provided to Le Groupe Legerlite. According to supplier, as polystyrene is processed, i.e. expanded then molded and finally aged, it loses blowing agent until the pentane content is 0. Formulation protected by a NDA.

POLYSTYRENE (POLYSTYRENE)

ID: 9003-53-6

#: 98.0000 - 100.0000 GS: LT-UNK RC: None NANO: No ROLE: Base resin

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The base polystyrene conforms to food contact material requirements per US 21 CFR and European Commission Regulation (EC) No. 10/2011 for use in direct food contact articles.

<p>HAZARDS:</p> <p>PBT</p> <p>ENDOCRINE</p> <p>MULTIPLE</p> <p>PBT</p>	<p>AGENCY(IES) WITH WARNINGS:</p> <p>OSPAR - Priority PBTs & EDs & equivalent concern</p> <p>OSPAR - Priority PBTs & EDs & equivalent concern</p> <p>German FEA - Substances Hazardous to Waters</p> <p>EHP - San Antonio Statement on BFRs & CFRs</p>	<p>RC: None</p> <p>Class 2 - Hazard to Waters</p> <p>Flame retardant substance class of concern for PB&T & long range transport</p>	<p>NANO: No</p>	<p>ROLE: Flame retardant</p>
--	--	--	------------------------	-------------------------------------

SUBSTANCE NOTES: OSPAR categorization is an initial screening tool used to assess risk assessment priority. Final Risk Assessment of this flame retardant has been completed by both Canada and the EU and determined this substance to be persistent but not bioaccumulative.

<p>HAZARDS:</p> <p>None Found</p>	<p>AGENCY(IES) WITH WARNINGS:</p> <p>No warnings found on HPD Priority lists</p>	<p>RC: None</p>	<p>NANO: No</p>	<p>ROLE: Surface additive package</p>
--	--	------------------------	------------------------	--

SUBSTANCE NOTES: Approved direct food additive, identified as GRAS (generally regarded as safe) per US 21 CFR. Approved additive for FCM (food contact material) per European Commission Regulation (EC) No. 10/2011. Classified as persistent by ECHA but with no potential to bioaccumulate and is non-toxic.

<p>HAZARDS:</p> <p>None Found</p>	<p>AGENCY(IES) WITH WARNINGS:</p> <p>No warnings found on HPD Priority lists</p>	<p>RC: None</p>	<p>NANO: No</p>	<p>ROLE: Surface additive package</p>
--	--	------------------------	------------------------	--

SUBSTANCE NOTES: See Other Material Notes.

<p>HAZARDS:</p> <p>None Found</p>	<p>AGENCY(IES) WITH WARNINGS:</p> <p>No warnings found on HPD Priority lists</p>	<p>RC: None</p>	<p>NANO: No</p>	<p>ROLE: Surface additive package</p>
--	--	------------------------	------------------------	--

SUBSTANCE NOTES: Approved indirect food additive per US 21 CFR . Approved additive for FCM (food contact material) per European Commission Regulation (EC) No. 10/2011. Classified as non-hazardous by ECHA.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Same information as Expanded polystyrene.

OTHER MATERIAL NOTES: Same information as Expanded polystyrene. This material is a pre-consumer recycled EPS recovered by a third party and mechanically transformed from boards processed by Le Groupe Legerlite.

POLYSTYRENE (POLYSTYRENE)

ID: 9003-53-6

%: **98.0000 - 100.0000** GS: **LT-UNK** RC: **PreC** NANO: **No** ROLE: **Base resin**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The base polystyrene conforms to food contact material requirements per US 21 CFR and European Commission Regulation (EC) No. 10/2011 for use in direct food contact articles.

%: **0.0000 - 0.6000** GS: **LT-1** RC: **PreC** NANO: **No** ROLE: **Flame retardant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PBT	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport

SUBSTANCE NOTES: OSPAR categorization is an initial screening tool used to assess risk assessment priority. Final Risk Assessment of this flame retardant has been completed by both Canada and the EU and determined this substance to be persistent but not bioaccumulative.

%: **0.0000 - 0.7500** GS: **LT-P1** RC: **PreC** NANO: **No** ROLE: **Surface additive package**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Approved direct food additive, identified as GRAS (generally regarded as safe) per US 21 CFR. Approved additive for FCM (food contact material) per European Commission Regulation (EC) No. 10/2011. Classified as persistent by ECHA but with no potential to bioaccumulate and is non-toxic.

%: **0.0000 - 0.7500** GS: **NoGS** RC: **PreC** NANO: **No** ROLE: **Surface additive package**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

%: **0.0000 - 0.7500** GS: **LT-UNK** RC: **PreC** NANO: **No** ROLE: **Surface additive package**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Approved indirect food additive per US 21 CFR . Approved additive for FCM (food contact material) per European Commission Regulation (EC) No. 10/2011. Classified as non-hazardous by ECHA.

ADHESIVE

%: **0.4000**

HPD URL: **N/A**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities not tested by adhesive supplier.**

OTHER MATERIAL NOTES: **Water-based adhesive used to assemble insulation panels. Formulation protected by a NDA.**

WATER (WATER)

ID: **7732-18-5**

%: **65.0000 - 75.0000** GS: **BM-4** RC: **None** NANO: **No** ROLE: **Solvent**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

%: **15.0000 - 25.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Base polymer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

%: **4.0000 - 6.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Adhesion promotor**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: See Other Material Notes.

#: 1.0000 - 2.0000 GS: LT-P1 RC: None NANO: No ROLE: Plasticizer

HAZARDS: AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

#: 1.0000 - 2.0000 GS: LT-P1 RC: None NANO: No ROLE: Plasticizer

HAZARDS: AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

#: 1.0000 - 2.0000 GS: LT-P1 RC: None NANO: No ROLE: Plasticizer

HAZARDS: AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

#: 0.3000 - 0.5000 GS: LT-1 RC: None NANO: No ROLE: pH adjustment

HAZARDS: AGENCY(IES) WITH WARNINGS:

ENDOCRINE EU - Priority Endocrine Disruptors Category 1 - In vivo evidence of Endocrine Disruption Activity

REPRODUCTIVE EU - SVHC Authorisation List Toxic to reproduction - Prioritized for listing

REPRODUCTIVE EU - GHS (H-Statements) H360FD - May damage fertility. May damage the unborn child

MULTIPLE ChemSec - SIN List CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEVELOPMENTAL	MAK	Pregnancy Risk Group B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
REPRODUCTIVE	Australia - GHS	H360Fd - May damage fertility. Suspected of damaging the unborn child

SUBSTANCE NOTES: See Other Material Notes.

%: **0.1000 - 0.2000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Biocide**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: See Other Material Notes.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: -

APPLICABLE FACILITIES: -

02-20

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

-



MANUFACTURER INFORMATION

MANUFACTURER: **Le Groupe Legerlite**
ADDRESS: **5901, route Transcanadienne**
Pointe-Claire Québec H9R 1B7, Canada
WEBSITE: **legerlite.ca**

CONTACT NAME: **Patrick Redmond**
TITLE: **Technical Manager**
PHONE: **514-694-2493**
EMAIL: **predmond@legerlite.ca**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.