

**CLASSIFICATION:** 09 65 19

**PRODUCT DESCRIPTION:** Mannington's domestically manufactured LVT is crafted to deliver industry-leading performance. Providing a beautiful solution for every type of space, LVT domestically manufactured by Mannington in Madison, Georgia, features a non-ortho-phthalate construction and is FloorScore Certified to support improved indoor air quality. This LVT offers the superior performance of Quantum Guard technology and is made with rapidly renewable resource content. Boasting the largest array of designs and options in the industry, as well as an Industry-wide 3rd Party Type III EPD, Mannington LVT enables specifiers to craft unique spaces that contribute to people's wellbeing.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No

*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No

*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No

*All substances disclosed by Name (Specific or Generic) and Identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**LUXURY VINYL TILE (LVT) [ POLYVINYL CHLORIDE LT-P1 | RES CALCIUM CARBONATE LT-UNK DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg SOYBEAN OIL, EPOXIDIZED LT-UNK 2-PROPENOIC ACID, 2-METHYL-, BUTYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK QUARTZ LT-1 | CAN PHOSPHOROUS ACID, TRI-C12-15-ALKYL ESTERS NoGS 2-ETHYLHEXYL METHYL TEREPHTHALATE NoGS FATTY ACIDS, C18-UNSATD., DIMERS, ESTERS WITH DIETHYLENE GLYCOL NoGS ETHANOL, 2-(2-BUTOXYETHOXY)- LT-P1 | EYE | END ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-10-10

PUBLISHED DATE: 2019-10-10

EXPIRY DATE: 2022-10-10



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

## LUXURY VINYL TILE (LVT)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All formulation and residual data were collected from suppliers and those that fall above the stated threshold are divulged.

OTHER PRODUCT NOTES:

### POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-10-10

#: 45.00 - 50.00

GS: LT-P1

RC: None

NANO: No

ROLE: Base

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.

### CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-10-10

#: 35.00 - 40.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.

### DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-10-10

#: 10.00 - 15.00

GS: BM-3dg

RC: None

NANO: No

ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation. The expired GreenScreen Assessment was performed by ToxServices on September 20, 2016 and can be found at <https://pharosproject.net/assessments/viewFile/19>.

**SOYBEAN OIL, EPOXIDIZED**

ID: 8013-07-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-10-10**

%: **0.00 - 5.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.

**2-PROPENOIC ACID, 2-METHYL-, BUTYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE**

ID: 40471-03-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-10-10**

%: **0.00 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.

**QUARTZ**

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-10-10**

%: **0.00 - 1.00** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Australia	H350i - May cause cancer by inhalation
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.

## PHOSPHOROUS ACID, TRI-C12-15-ALKYL ESTERS

ID: 68610-62-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-10**

#: **0.00 - 1.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.

## 2-ETHYLHEXYL METHYL TEREPHTHALATE

ID: 63468-13-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-10-10**

#: **0.00 - 1.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.

## FATTY ACIDS, C18-UNSATD., DIMERS, ESTERS WITH DIETHYLENE GLYCOL

ID: 68551-91-7

%: **0.00 - 1.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: **A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.**

**ETHANOL, 2-(2-BUTOXYETHOXY)-**ID: **112-34-5**%: **0.00 - 1.00**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**EYE IRRITATION****EU - GHS (H-Statements)****H319 - Causes serious eye irritation****ENDOCRINE****TEDX - Potential Endocrine Disruptors****Potential Endocrine Disruptor**

SUBSTANCE NOTES: **A range is given due to variances in product color and thickness and to protect the proprietary nature of the formulation.**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/Mannington\\_2019\\_SCS-FS-01629\\_s.pdf](https://www.scs-certified.com/products/cert_pdfs/Mannington_2019_SCS-FS-01629_s.pdf)

CERTIFICATION AND COMPLIANCE NOTES: **SCS-FS-01629**

ISSUE DATE:

**2019-10-**

**01**

EXPIRY DATE:

**2020-09-**

**30**

CERTIFIER OR LAB:

**SCS Global**

**Services**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### MANNINGTON AMTICO PSA OR V-88

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The recommended method for installing Mannington domestically produced LVT is to use the full adhesive method with Mannington Amtico PSA or V-88 Full Spread Pressure Sensitive adhesive. The instructions for this installation procedure can be found on the Mannington Commercial web site ([www.manningtoncommercial.com](http://www.manningtoncommercial.com)).

### MANNINGTON AMTICO 373 OR V-82

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The recommended method for installing Mannington domestically produced LVT is to use the adhesive method with Mannington Amtico 373 or V-82 wet set adhesive. The instructions for this installation procedure can be found on the Mannington Commercial website ([www.manningtoncommercial.com](http://www.manningtoncommercial.com)).

## Section 5: General Notes



## MANUFACTURER INFORMATION

MANUFACTURER: **Mannington Mills**

ADDRESS: **1844 US Highway 41 S.E.**

**Calhoun GA 30701, USA**

WEBSITE: **www.manningtoncommercial.com**

CONTACT NAME: **Dave Kitts**

TITLE: **VP - Environment**

PHONE: **856-339-5871**

EMAIL: **dave.kitts@mannington.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*