

**CLASSIFICATION:** 09 72 19 Wall Coverings - Textile Wall Coverings

**PRODUCT DESCRIPTION:** This 100% woven polyethylene textile offers extreme performance for the wall. Cleanable and durable, it is the perfect solution for high traffic interiors. Alias II is a simple weave with an inherent slightly luminous quality. It is PVC free and made in the USA.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 0 of 1 Materials

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

*Are All Substances Above the Threshold Indicated:*

**Characterized**  Yes  No  
*Percent Weight and Role Provided?*

**Screened**  Yes  No  
*Using Priority Hazard Lists with Results Disclosed?*

**Identified**  Yes  No  
*Name and Identifier Provided?*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**AIIB FABRIC CONTENTS [ 1-HEXENE, POLYMER WITH ETHENE LT-UNK**  
**ACRYLIC BACKING STAIN REPELLANT UNDISCLOSED LT-1 | CAN | END**  
**UNDISCLOSED LT-1 | CAN UNDISCLOSED BM-2 | RES UNDISCLOSED LT-**  
**UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | RES | PHY | END**  
**ALUMINUM, TRIETHYL- LT-P1 | RES ALUMINUM COMPOUNDS LT-UNK |**  
**RES TITANIUM TETRACHLORIDE LT-P1 | SKI | MAM POLYCYCLIC**  
**AROMATIC HYDROCARBONS LT-1 | PBT | CAN POLYCYCLIC AROMATIC**  
**HYDROCARBONS (PAH) LT-1 | PBT POLYCYCLIC AROMATIC COMPOUNDS**  
**- COMPOUND GROUP LT-1 | PBT ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Certified

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-04-25

PUBLISHED DATE: 2018-04-25

EXPIRY DATE: 2021-04-25



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

## AIIB FABRIC CONTENTS

%: 100.0000 - 100.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not considered.

OTHER MATERIAL NOTES: This product is manufactured in various colors, which use combinations of 20+ dyes.

### 1-HEXENE, POLYMER WITH ETHENE

ID: 25213-02-9

%: 90.0000 - 94.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Base Material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### ACRYLIC BACKING

ID: Undisclosed

%: 3.0000 - 6.0000

GS:

RC: None

NANO: No

ROLE: Backing

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

### STAIN REPELLANT

ID: Undisclosed

%: 1.0000 - 2.0000

GS:

RC: None

NANO: No

ROLE: Stain Repellant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Fluorocarbon stain repellent, non-halogenated flame retardant, and antimicrobial.

%: 0.1000 - 1.0000

GS: LT-1

RC: None

NANO: No

ROLE: Dye

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: For white pigment.

#: **0.1000 - 1.0000**      GS: **LT-1**      RC: **None**      NANO: **No**      ROLE: **Dye**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: For black pigment.

#: **0.1000 - 1.0000**      GS: **BM-2**      RC: **None**      NANO: **No**      ROLE: **Dye**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: For various dyes.

#: **0.1000 - 1.0000**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **Dye**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	

SUBSTANCE NOTES: For brown pigment.

%: **0.1000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Dye**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: For yellow pigment.

%: **0.1000 - 1.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Dye**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H228 - Flammable solid

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H261 - In contact with water releases flammable gases

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: For aluminum pigment.

## ALUMINUM, TRIETHYL-

ID: **97-93-8**

%: **Impurity/Residual** GS: **LT-P1** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: Imported from Pharos process chemistry research

## ALUMINUM COMPOUNDS

ID: **Not registered**

%: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: Imported from Pharos process chemistry research

#: **Impurity/Residual**      GS: **LT-P1**      RC: **UNK**      NANO: **No**      ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION

EU - GHS (H-Statements)

H314 - Causes severe skin burns and eye damage

MAMMALIAN

US EPA - EPCRA Extremely Hazardous Substances

Extremely Hazardous Substances

SUBSTANCE NOTES: Imported from Pharos process chemistry research

**POLYCYCLIC AROMATIC HYDROCARBONS**

ID: 130498-29-2

#: **Impurity/Residual**      GS: **LT-1**      RC: **UNK**      NANO: **No**      ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT

WA DoE - PBT

PBT

CANCER

US NIH - Report on Carcinogens

Reasonably Anticipated to be Human Carcinogen

PBT

US EPA - Toxics Release Inventory PBTs

PBT

PBT

OSPAR - Priority PBTs &amp; EDs &amp; equivalent concern

PBT - Chemical for Priority Action

SUBSTANCE NOTES: Imported from Pharos process chemistry research

**POLYCYCLIC AROMATIC HYDROCARBONS (PAH)**ID: **Not registered**

#: **Impurity/Residual**      GS: **LT-1**      RC: **UNK**      NANO: **No**      ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT

WA DoE - PBT

PBT

PBT

US EPA - Toxics Release Inventory PBTs

PBT

PBT

OSPAR - Priority PBTs &amp; EDs &amp; equivalent concern

PBT - Chemical for Priority Action

SUBSTANCE NOTES: Imported from Pharos process chemistry research

**POLYCYCLIC AROMATIC COMPOUNDS - COMPOUND GROUP**ID: **Not registered**

#: **Impurity/Residual**      GS: **LT-1**      RC: **UNK**      NANO: **No**      ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT

US EPA - Toxics Release Inventory PBTs

PBT



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### UL/GreenGuard Certified

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2017-**

EXPIRY DATE: **2018-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All**

**07-28**

**10-29**

**Environment Inc.**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Commercial furniture and furnishings are tested in accordance with ANSI/BIFMA M7.1-2011(R2016) and determined to comply with ANSI/BIFMA X7.1-2011(R2016) and ANSI/BIFMA e3-2014e Credit 7.6.1. Seating products are modeled in the seating environment with a ventilation rate of 24.8 m<sup>3</sup>/hour. Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Textile warehousing and shipping from KnollTextiles, LUBIN Building, East Greenville, Pennsylvania facility. The East Greenville Pennsylvania textile warehouse and shipping, furniture manufacturing and commercial interiors facility is LEED Existing Building Gold Certified. This facility is also ISO 14001 and ISO 9001 Certified. Textiles can be purchased without finishes as a custom order to meet specific environmental standards, however, it may not comply with some contract market standards. Prior evaluation and approval is required by KnollTextiles.

**Confidentiality Notice:** This data is intended for the use of the individual or entity to which it is addressed and may contain confidential information that is privileged, confidential and exempt from disclosure under applicable law. Information has been provided by the supplier to the best of their knowledge at time of completion.



## MANUFACTURER INFORMATION

---

MANUFACTURER: **KnollTextiles**

ADDRESS: **1235 Water Street**

**East Greenville Pennsylvania 18041, USA**

WEBSITE: **https://www.knoll.com/shop/knolltextiles**

CONTACT NAME: **KnollTextiles**

TITLE: **N/A**

PHONE: **866-565-5858**

EMAIL: **textiles\_orders@knoll.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*