

CLASSIFICATION: 12 05 13 Fabrics

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Calypso is a high performance multi-use fabric approved for upholstery and wrapped panel application. 2 types of novelty yarns, an allover boucle yarn and tri-colored space dyed yarn, along with the weave structure give Calypso a dynamic textural appearance with multiple tones blended and twisted together. It is random but controlled. The palette is split between saturated colors and warm/cool neutrals. Calypso is part of the KT Collection of affordable modern design.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized
Percent Weight and Role Provided? Yes No

Screened
Using Priority Hazard Lists with Results Disclosed? Yes No

Identified
Name and Identifier Provided? Yes No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen
Benchmark or List translator Score..... BM-1
Nanomaterial..... No

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

**FABRIC CONTENTS [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK
WATER/STAIN RELEASE FACE FINISH DYES NYLON 6 LT-UNK ANTIMONY
TRIOXIDE BM-1 | MAM | CAN | AQU | MUL ANTIMONY COMPOUNDS,
INORGANIC LT-1 | MAM | AQU | CAN ANTIMONY COMPOUNDS LT-P1 |
MAM | AQU NON HALOGENATED FLAME RETARDANTS NoGS FLAME
RETARDANTS, NON-HALOGENATED, NON-ORGANOPHOSPHOROUS NoGS
FLAME RETARDANTS NoGS MANGANESE OXIDE LT-UNK NITROGEN
NoGS ZINC OXIDE BM-1 | AQU | RES | MUL BIOCIDAL COATINGS /
BIOCIDAL ADDITIVES (GADSL LIST) NoGS AZOCOLLOURANTS AND
AZODYES NoGS BIOCIDES NoGS ANTIMICROBIALS NoGS ZINC
COMPOUNDS LT-UNK NITROGEN NoGS]**

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Certified
Management: ISO 9001:2008 Quality management systems

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-01-19

PUBLISHED DATE: 2018-01-19

EXPIRY DATE: 2021-01-19

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

FABRIC CONTENTS

%: 100.0000 - 100.0000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Antimony Trioxide is present as a residual- used as a catalyst. The supplier's products are screened for chemicals of concern though internally developed database.

OTHER MATERIAL NOTES:

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

%: 90.0000 - 95.0000

GS: LT-UNK

RC: Both

NANO: No

ROLE: Base Fiber

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: 22% Post- Consumer Recycled Content. 27% Post- Industrial Recycled Content.

WATER/STAIN RELEASE FACE FINISH

ID: Undisclosed

%: 1.0000 - 2.0000

GS:

RC: None

NANO: No

ROLE: Water/ stain release face finish.

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

DYES

ID: Undisclosed

%: 0.5000 - 1.0000

GS:

RC: None

NANO: No

ROLE: Dyes

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

NYLON 6

ID: 25038-54-4

%: 0.0000 - 1.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Fiber used for filling yarn.

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ANTIMONY TRIOXIDE

ID: 1309-64-4

%: **Impurity/Residual**

GS: **BM-1**

RC: **UNK**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - R-phrases

R20 - Harmful by Inhalation (gas or vapor or dust/mist)

MAMMALIAN

EU - R-phrases

R22 - Harmful if Swallowed

CANCER

EU - R-phrases

R40 - Limited Evidence of Carcinogenic Effects

ACUTE AQUATIC

EU - R-phrases

R51 - Toxic to Aquatic Organisms

CANCER

IARC

Group 2B - Possibly carcinogenic to humans

CANCER

CA EPA - Prop 65

Carcinogen

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

CANCER

EU - GHS (H-Statements)

H351 - Suspected of causing cancer

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

CANCER

Japan - GHS

Carcinogenicity - Category 1B

SUBSTANCE NOTES: Imported from Pharos process chemistry research

ANTIMONY COMPOUNDS, INORGANIC

ID: **Not registered**

%: **Impurity/Residual**

GS: **LT-1**

RC: **UNK**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - R-phrases

R20 - Harmful by Inhalation (gas or vapor or dust/mist)

MAMMALIAN

EU - R-phrases

R22 - Harmful if Swallowed

ACUTE AQUATIC

EU - R-phrases

R51 - Toxic to Aquatic Organisms

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Imported from Pharos process chemistry research

ANTIMONY COMPOUNDSID: **Not registered**

%: Impurity/Residual	GS: LT-P1	RC: UNK	NANO: No	ROLE: Impurity/Residual
-----------------------------	------------------	----------------	-----------------	--------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:
----------	----------------------------

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: Imported from Pharos process chemistry research

NON HALOGENATED FLAME RETARDANTSID: **Not registered**

%: Impurity/Residual	GS: NoGS	RC: UNK	NANO: No	ROLE: Impurity/Residual
-----------------------------	-----------------	----------------	-----------------	--------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:
----------	----------------------------

None Found	No warnings found on HPD Priority lists
------------	---

SUBSTANCE NOTES: Imported from Pharos process chemistry research

FLAME RETARDANTS, NON-HALOGENATED, NON-ORGANOPHOSPHOROUSID: **Not registered**

%: Impurity/Residual	GS: NoGS	RC: UNK	NANO: No	ROLE: Impurity/Residual
-----------------------------	-----------------	----------------	-----------------	--------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:
----------	----------------------------

None Found	No warnings found on HPD Priority lists
------------	---

SUBSTANCE NOTES: Imported from Pharos process chemistry research

FLAME RETARDANTSID: **Not registered**

%: Impurity/Residual	GS: NoGS	RC: UNK	NANO: No	ROLE: Impurity/Residual
-----------------------------	-----------------	----------------	-----------------	--------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:
----------	----------------------------

None Found	No warnings found on HPD Priority lists
------------	---

SUBSTANCE NOTES: Imported from Pharos process chemistry research

MANGANESE OXIDEID: **1317-34-6**

%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Impurity/Residual
-----------------------------	-------------------	----------------	-----------------	--------------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: Imported from Pharos process chemistry research

NITROGEN

ID: 7727-37-9

%: **Impurity/Residual** GS: **NoGS** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: Imported from Pharos process chemistry research

ZINC OXIDE

ID: 1314-13-2

%: **Impurity/Residual** GS: **BM-1** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Imported from Pharos process chemistry research

BIOCIDAL COATINGS / BIOCIDAL ADDITIVES (GADSL LIST)

ID: Not registered

%: **Impurity/Residual** GS: **NoGS** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: Imported from Pharos process chemistry research

AZOCOLOURANTS AND AZODYES

ID: Not registered

%: **Impurity/Residual** GS: **NoGS** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: Imported from Pharos process chemistry research

BIOCIDES

ID: **Not registered**

#: **Impurity/Residual** GS: **NoGS** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Imported from Pharos process chemistry research

ANTIMICROBIALS

ID: **Not registered**

#: **Impurity/Residual** GS: **NoGS** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Imported from Pharos process chemistry research

ZINC COMPOUNDS

ID: **Not registered**

#: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Imported from Pharos process chemistry research

NITROGEN

ID: **7727-37-9**

#: **Impurity/Residual** GS: **NoGS** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Imported from Pharos process chemistry research

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of

VOC EMISSIONS

UL/GreenGuard Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-12-

EXPIRY DATE: 2018-

CERTIFIER OR LAB: UL Environment

APPLICABLE FACILITIES: All

06

10-19

Inc.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Commercial furniture and furnishings are tested in accordance with ANSI/BIFMA M7.1-2011(R2016) and determined to comply with ANSI/BIFMA X7.1-2011(R2016) and ANSI/BIFMA e3-2014e Credit 7.6.1. Seating products are modeled in the seating environment with a ventilation rate of 24.8 m³/hour. Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1

MANAGEMENT

ISO 9001:2008 Quality management systems

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-09-

EXPIRY DATE: 2018-

CERTIFIER OR LAB: NSF-ISR

APPLICABLE FACILITIES: N/A

18

09-14

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

+ Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

📖 Section 5: General Notes

Textile warehousing and shipping from KnollTextiles, LUBIN Building, East Greenville, Pennsylvania facility. The East Greenville Pennsylvania textile warehouse, textile quality control, textile shipping, furniture manufacturing and commercial interiors facility is LEED Existing Building Gold Certified. This facility is also ISO 14001 and ISO 9001 Certified. Textiles can be purchased without finishes as a custom order to meet specific environmental standards, however, it may not comply with some contract market standards. Prior evaluation and approval is required by KnollTextiles. Confidentiality Notice: This data is intended for the use of the individual or entity to which it is addressed and may contain confidential information that is privileged, confidential and exempt from disclosure under applicable law. Information has been provided by the supplier to the best of their knowledge at time of completion.

👁️ Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **KnollTextiles**

CONTACT NAME: **KnollTextiles**

ADDRESS: **1235 Water Street**

TITLE: **N/A**

KEY

OSHA MSDS	Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS	Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD

and for compliance with the HPD standard noted.