

**CLASSIFICATION:** 07 21 13 Board Insulation / 23 07 13 Duct Insulation

**PRODUCT DESCRIPTION:** 700 Series Insulations are made of inorganic glass fibers with a thermosetting resin binder and formed into semi-rigid or rigid rectangular boards. This HPD does cover the Types 703, Type 705, Type 706, and Type 707 with a smooth surface to accommodate fabrics or surface coating for acoustical wall panels and specialized ceiling applications.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No  
*One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**FIBERGLAS™ 700 SERIES INSULATION BOARD - UNFACED [ FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK UREA PHENOL FORMALDEHYDE (CURED PUF RESIN) LT-UNK UNDISCLOSED NoGS ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

All the contents down to 1000ppm of our final product (703 and 705 insulation board with FRK facer) are disclosed in this HPD.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

Recycled content: SCS Recycled Content Certification - Recycling Programs

Multi-attribute: Environmental Product Declaration (EPD) by UL - Product Specific

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-06-13

PUBLISHED DATE: 2019-05-30

EXPIRY DATE: 2021-06-13



## Section 2: Content in Descending Order of Quantity

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

*Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)*

### FIBERGLAS™ 700 SERIES INSULATION BOARD - UNFACED

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: To the best of our knowledge, all chemicals presented at  $\geq 1000$  ppm on the final product have been considered and disclosed. However, minerals used in manufacturing of glass fiber, might contain trace level of impurities.

OTHER PRODUCT NOTES: A mixture of chemicals called binder is applied on the glass fiber to protect the glass surface and adhere the fibers together. Liquid form of the binder turns into solid form after chemicals react during the curing process. That means hazard warning on HPD might not be applicable as the physical state of a chemical changes during the curing process.

**FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT**

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-13**

#: **80.00 - 90.00**

GS: **LT-UNK**

RC: **Both**

NANO: **No**

ROLE: **Thermal/Acoustic insulation**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Owens Corning instituted internal systems to assure continuous production of acceptable glasses based on state-of-the-art understanding of biosolubility. As a result of those steps, all the fiberglass and mineral wool insulations we sell, anywhere in the world, are continuously evaluated to assure that they are biosoluble, fulfilling the Note Q condition of the European Commission Directive 97/69/EC, and therefore do not present a health risk.

**UREA PHENOL FORMALDEHYDE (CURED PUF RESIN)**

ID: 25104-55-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-13**

#: **10.00 - 20.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The cured binder is the main component of the binder that holds fiberglass together and protects the glass surface.

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-13**

#: **0.10 - 1.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Catalyst**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The chemical that helps speed up the binder curing reaction that is incorporated into the binder.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### VOC Emissions

CERTIFYING PARTY: **Self-declared**  
APPLICABLE FACILITIES: **Newark, OH, USA.**  
CERTIFICATE URL:  
CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: **2018-06-14**  
EXPIRY DATE:  
CERTIFIER OR LAB: **NA**

### RECYCLED CONTENT

### SCS Recycled Content Certification - Recycling Programs

CERTIFYING PARTY: **Third Party**  
APPLICABLE FACILITIES: **Newark, OH, USA.**  
CERTIFICATE URL:  
[https://www.scs-certified.com/products/cert\\_pdfs/Owens\\_2019\\_SCS-MC-02066\\_s.pdf](https://www.scs-certified.com/products/cert_pdfs/Owens_2019_SCS-MC-02066_s.pdf)  
CERTIFICATION AND COMPLIANCE NOTES: **Conforms to the SCS Recycled Content Standard V7-0 for an Average 53% with Minimum 22% Post- Consumer and Balance 31% Pre-Consumer Recycled Glass Content. Material quantification and mass balance calculations completed on a dry-weight basis. (Plant wide weighted average).**

ISSUE DATE: **2019-04-01**  
EXPIRY DATE:  
CERTIFIER OR LAB: **SCS Global Services**

### MULTI-ATTRIBUTE

### Environmental Product Declaration (EPD) by UL - Product Specific

CERTIFYING PARTY: **Third Party**  
APPLICABLE FACILITIES: **Newark, OH, USA**  
CERTIFICATE URL:  
<https://www.owenscorning.com/NetworkShare/Shared/10019976-EPD---700-Series-Fiberglas-Insulation-Unfaced.pdf>  
CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: **2015-08-21**  
EXPIRY DATE:  
CERTIFIER OR LAB: **UL Environment**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

The health warning is automatically applied through the HPD 2.1 software. It does not apply to the specific situation of the ingredients in our product (for example, the form of the ingredient is not considered via the software screening).



## MANUFACTURER INFORMATION

---

MANUFACTURER: **Owens Corning**  
ADDRESS: **1 Owens Corning Parkway**  
**Toledo Ohio 43659, USA**  
WEBSITE: **www.owenscorning.com**

CONTACT NAME: **Jiafan Wang, Ph.D.**  
TITLE: **Environmental Toxicologist**  
PHONE: **800-GET-TECH**  
EMAIL: **Sustainability@owenscorning.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

