

Fiberglas™ 700 Series Insulation Board with ASJ MAX Facer by Owens Corning

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 21 13 Board Insulation / 23 07 13 Duct Insulation

PRODUCT DESCRIPTION: 700 Series Insulations are made of inorganic glass fibers with a thermosetting resin binder and formed into semi-rigid or rigid rectangular boards. This HPD does cover the Types 703 and 705 with factory-applied poly encapsulated ASJ MAX facing. The facer is a vapor retarder and provide a neat, finished appearance in mechanical applications.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

FIBERGLAS™ 700 SERIES INSULATION BOARD WITH ASJ MAX FACER [FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK UREA PHENOL FORMALDEHYDE (CURED PUF RESIN) LT-UNK KRAFT PAPER NoGS GLASS FILAMENTS NoGS UNDISCLOSED NoGS ALUMINUM POWDER (PYROPHORIC) LT-P1 | END | RES | PHY UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All the contents down to 1000ppm of our final product (703 and 705 insulation board with ASJ MAX facer) are disclosed in this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

Multi-attribute: Environmental Product Declaration (EPD) by UL - Product Specific

Recycled content: SCS Recycled Content Certification - Recycling Programs

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-06-13

PUBLISHED DATE: 2019-05-30

EXPIRY DATE: 2021-06-13



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

FIBERGLAS™ 700 SERIES INSULATION BOARD WITH ASJ MAX FACER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: To the best of our knowledge, all chemicals presented at ≥ 1000 ppm on the final product have been considered and disclosed. However, minerals used in manufacturing of glass fiber, might contain trace level of impurities.

OTHER PRODUCT NOTES: A mixture of chemicals called binder is applied on the glass fiber to protect the glass surface and adhere the fibers together. Liquid form of the binder turns into solid form after chemicals react during the curing process. That means hazard warning on HPD might not be applicable as the physical state of a chemical changes during the curing process.

FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-13

#: 70.00 - 90.00

GS: LT-UNK

RC:

Both

NANO:

No

ROLE: Thermal/Acoustic

Insulation

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Owens Corning instituted internal systems to assure continuous production of acceptable glasses based on state-of-the-art understanding of biosolubility. As a result of those steps, all the fiberglass and mineral wool insulations we sell, anywhere in the world, are continuously evaluated to assure that they are biosoluble, fulfilling the Note Q condition of the European Commission Directive 97/69/EC, and therefore do not present a health risk.

UREA PHENOL FORMALDEHYDE (CURED PUF RESIN)

ID: 25104-55-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-13

#: 5.00 - 20.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The cured binder is the main component of the binder that holds fiberglass together and protects the glass surface.

KRAFT PAPERID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-13**%: **1.00 - 10.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Facer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Component of the vapor barrier facer to provide the durability and flexibility.****GLASS FILAMENTS**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-13**%: **0.10 - 5.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Facer Reinforcement**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **The continuous filament glass fiber used in this product has a diameter larger than 6 microns, fulfilling the Note R condition of the European Commission Directive 97/69/EC. These continuous filament glass cannot be inhaled into the lower lung and have never been associated with any chronic lung disease.****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-13**%: **0.10 - 1.00**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Catalyst**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **The chemical that helps speed up the binder curing reaction that is incorporated into the binder.****ALUMINUM POWDER (PYROPHORIC)**ID: **7429-90-5**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2018-06-13**%: **0.10 - 5.00**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Facer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: Aluminum foil is one of the components of the facer, and it is analogue to the household aluminum foil that is non-hazardous. Therefore, it shall not considered to be associated with all hazardous warnings associated with aluminum metal.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-13**

#: **0.10 - 5.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Facer additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: One of the component in facer to provide the durability and flexibility.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **N/A**

06-14

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

MULTI-ATTRIBUTE

Environmental Product Declaration (EPD) by UL - Product Specific

CERTIFYING PARTY: **Third Party**

ISSUE DATE:

EXPIRY DATE:

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **Newark, OH, USA**

2015-08-21

Environmnet

CERTIFICATE URL:

<https://www.owenscorning.com/NetworkShare/Shared/10019976-EPD---700-Series-Fiberglas-Insulation-Unfaced.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

RECYCLED CONTENT

SCS Recycled Content Certification - Recycling Programs

CERTIFYING PARTY: **Third Party**

ISSUE DATE:

EXPIRY DATE:

CERTIFIER OR LAB: **SCS**

APPLICABLE FACILITIES: **Newark, OH, USA**

2019-04-01

Global Services

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/Owens_2019_SCS-MC-02066_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: **Conforms to the SCS Recycled Content Standard V7-0 for an Average 53% with Minimum 22% Post- Consumer and Balance 31% Pre-Consumer Recycled Glass Content. Material quantification is based on a plant-wide weighted average.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The health warning is automatically applied through the HPD 2.1 software. It does not apply to the specific situation of the ingredients in our product (for example, the form of the ingredient is not considered via the software screening).



MANUFACTURER INFORMATION

MANUFACTURER: **Owens Corning**
 ADDRESS: **1 Owens Corning Parkway**
Toledo Ohio 43659, USA
 WEBSITE: **www.owenscorning.com**

CONTACT NAME: **Jiafan Wang, Ph.D.**
 TITLE: **Environmental Toxicologist**
 PHONE: **800-GET-TECH**
 EMAIL: **Sustainability@owenscorning.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.