

**CLASSIFICATION:** 09 68 13

**PRODUCT DESCRIPTION:** J+J Flooring Group's collection of Nexus modular carpets work beautifully, whether specified alone or with one of our many broadloom options. Each pattern, combined with our Nexus modular backing, continues our over 55-year tradition for high performance and appealing design. Pair your imagination with our comprehensive product choices on your next project, and create your own dramatic statement.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided for Residuals/Impurities?  
 Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No  
*All substances disclosed by Name (Specific or Generic) and Identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

J+J FLOORING - NEXUS® MODULAR CARPET TILE [ CALCIUM CARBONATE LT-UNK NYLON 6 LT-UNK POLYVINYL CHLORIDE LT-P1 | RES DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3 POLYPROPYLENE LT-UNK 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYLBENZENE LT-UNK POLYETHYLENE TEREPHTHALATE LT-UNK GLASS, OXIDE, CHEMICALS LT-UNK | CAN SOYBEAN OIL, EPOXIDIZED LT-P1 ZEOLITES OTHER THAN ERIONITE (CLINOPTILOLITE, PHILLIPSITE, MORDENITE, NON-FIBROUS JAPANESE ZEOLITE, SYNTHETIC ZEOLITES) LT-UNK CARBON BLACK LT-1 | CAN OCTADECANOIC ACID, CALCIUM SALT LT-UNK QUARTZ LT-1 | CAN SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS LT-UNK 2-ETHYLHEXYL METHYL TEREPHTHALATE NoGS 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE, N-(HYDROXYMETHYL)-2-PROPENAMIDE, 2-PROPENAMIDE AND 2-PROPENITRILE LT-UNK CAPROLACTAM LT-UNK | SKI | EYE ]

Number of Greenscreen BM-4/BM3 contents ... 1  
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets  
Multi-attribute: NSF/ANSI 140-2007e - Gold

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2019-07-11

Yes  
 No

VERIFIER:  
VERIFICATION #:

PUBLISHED DATE: 2019-07-11  
EXPIRY DATE: 2022-07-11



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

## J+J FLOORING - NEXUS® MODULAR CARPET TILE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were collected from all suppliers and those that fall above the stated threshold are included.

OTHER PRODUCT NOTES:

### CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-11

#: 30.00 - 45.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers. The recycled content is produced by a proprietary re-milling process.

### NYLON 6

ID: 25038-54-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-11

#: 20.00 - 25.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Fiber

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

### POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-11

#: 10.00 - 20.00

GS: LT-P1

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

### DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-07-11**

#: **5.00 - 10.00** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers. The GreenScreen Assessment was updated by ToxServices on August 18, 2016 and can be found at <https://www.pharosproject.net/uploads/files/gs/5d9bd4312c532dcc3f418f4793913208379a0759.pdf>.

### POLYPROPYLENE

ID: 9003-07-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-07-11**

#: **1.00 - 2.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

### 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYL BENZENE

ID: 25767-47-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-07-11**

#: **0.00 - 5.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

### POLYETHYLENE TEREPHTHALATE

ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-07-11**

#: 0.00 - 5.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

**GLASS, OXIDE, CHEMICALS**

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-11

#: 0.00 - 5.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

EU - GHS (H-Statements)

H351 - Suspected of causing cancer

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

**SOYBEAN OIL, EPOXIDIZED**

ID: 8013-07-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-11

#: 0.00 - 5.00

GS: LT-P1

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

**ZEOLITES OTHER THAN ERIONITE (CLINOPTILOLITE, PHILLIPSITE, MORDENITE, NON-FIBROUS JAPANESE ZEOLITE, SYNTHETIC ZEOLITES)**

ID: 1318-02-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-07-11

#: 0.00 - 5.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Backing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

**CARBON BLACK**

ID: 1333-86-4

%: **0.00 - 1.00** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Colorant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

**OCTADECANOIC ACID, CALCIUM SALT**

ID: **1592-23-0**

%: **0.00 - 1.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

**QUARTZ**

ID: **14808-60-7**

%: **0.00 - 1.00** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Backing**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

## SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS

ID: 68439-57-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-11**

#: **0.00 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

## 2-ETHYLHEXYL METHYL TEREPHTHALATE

ID: 63468-13-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-11**

#: **0.00 - 1.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.

## 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE, N-(HYDROXYMETHYL)-2-PROPENAMIDE, 2-PROPENAMIDE AND 2-PROPENITRILE

ID: 61467-52-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-11**

#: **0.00 - 1.00**

GS: **LT-UNK**

RC:

**None**

NANO:

**No**

ROLE:

**Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: **A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.**

## **CAPROLACTAM**

ID: **105-60-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-07-11**

#: **0.00 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Fiber**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**SKIN IRRITATION**

**EU - GHS (H-Statements)**

**H315 - Causes skin irritation**

**EYE IRRITATION**

**EU - GHS (H-Statements)**

**H319 - Causes serious eye irritation**

SUBSTANCE NOTES: **A range is provided to protect the proprietary formulation information of both the manufacturing process and the suppliers.**



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### CRI Green Label Plus - Carpets

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2005-03-23**

EXPIRY DATE: **2019-09-30**

CERTIFIER OR LAB: **Carpet and Rug Institute**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL: <https://services.carpet-rug.org/api/GLPCertificate/9716>

CERTIFICATION AND COMPLIANCE NOTES: **GLP9716**

### MULTI-ATTRIBUTE

### NSF/ANSI 140-2007e - Gold

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2019-02-06**

EXPIRY DATE: **2021-12-31**

CERTIFIER OR LAB: **NSF International for the Carpet & Rug Institute**

CERTIFICATE URL:

<http://info.nsf.org/Certified/Sustain/listings.asp>

CERTIFICATION AND COMPLIANCE NOTES: **C0434141-100**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### COMMERCIALON® PREMIUM MODULAR CARPET ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

It is recommended that the installation of carpet be accomplished through the use Commercialon® Premium Modular Carpet Adhesive. Full instructions regarding installation of carpet are provided in the J+J Flooring Group's Carpet Installation handbook located at: <https://www.jjflooringgroup.com/technical/adhesives/>

## Section 5: General Notes



## MANUFACTURER INFORMATION

---

MANUFACTURER: **Engineered Floors**

ADDRESS: **818 J&J Drive**

**P.O. Box 1287**

**Dalton GA 30722, USA**

WEBSITE: <https://www.jjflooringgroup.com>

CONTACT NAME: **Russ Delozier**

TITLE: **Director of Sustainability**

PHONE: **7065292100**

EMAIL: [Russ.Delozier@jjflooringgroup.com](mailto:Russ.Delozier@jjflooringgroup.com)

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*