

CLASSIFICATION: 08 71 00

PRODUCT DESCRIPTION: The 100 Series concealed holders and stops provide the most attractive and reliable heavy-duty door control available. They are designed for installation on virtually all types of doors mounted on conventional type butt hinges, pivots, continuous hinges, swing clear hinges and numerous other specialty hinges. When used in conjunction with many surface-applied door closers, the 100 Series holders and stops provide the most effective control for entrance doors and vestibule doors of all types, as well as heavy or often used interior doors.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GLYNN-JOHNSON 104S OVER HEAD STOP [STEEL (UNS G10050 CARBON OR STEEL ALLOY) NoGS STEEL (ASTM A653 CS TYPE B STEEL) NoGS STEEL (MPIF FX-1008-100HT COPPER-INFILTRATED STEEL) NoGS STAINLESS STEEL (UNS S30400 STAINLESS STEEL ALLOY) NoGS STEEL (UNS K08500 STEEL ALLOY) NoGS STEEL (UNS G10100 CARBON OR STEEL ALLOY) NoGS STEEL (UNS G10500 CARBON OR STEEL ALLOY) NoGS ZINC LT-P1 | AQU | PHY | END | MUL STEEL (UNS G12144 CARBON OR STEEL ALLOY) NoGS STEEL (UNCONFIRMED ALLOY GRADE) NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED®

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-02-04

PUBLISHED DATE: 2019-02-04

EXPIRY DATE: 2022-02-04



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

GLYNN-JOHNSON 104S OVER HEAD STOP

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals considered through research and communication within company and suppliers.

OTHER PRODUCT NOTES: N/A

STEEL (UNS G10050 CARBON OR STEEL ALLOY)

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-04

#: 45.0000 - 50.0000

GS: NoGS

RC: UNK

NANO: No

ROLE: Body

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Due to the commodity nature of steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

STEEL (ASTM A653 CS TYPE B STEEL)

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-04

#: 30.0000 - 35.0000

GS: NoGS

RC: UNK

NANO: No

ROLE: Body

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Due to the commodity nature of steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

STEEL (MPIF FX-1008-100HT COPPER-INFILTRATED STEEL)

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-04

#: 5.0000 - 10.0000

GS: NoGS

RC: UNK

NANO: No

ROLE: Body

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Due to the commodity nature of steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

STAINLESS STEEL (UNS S30400 STAINLESS STEEL ALLOY)

ID: 12597-68-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-04**

#: **5.0000 - 10.0000**

GS: **NoGS**

RC: **UNK**

NANO: **No**

ROLE: **Body**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Due to the commodity nature of stainless steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

STEEL (UNS K08500 STEEL ALLOY)

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-04**

#: **1.0000 - 5.0000**

GS: **NoGS**

RC: **UNK**

NANO: **No**

ROLE: **Body**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Due to the commodity nature of steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

STEEL (UNS G10100 CARBON OR STEEL ALLOY)

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-04**

#: **1.0000 - 5.0000**

GS: **NoGS**

RC: **UNK**

NANO: **No**

ROLE: **Body**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Due to the commodity nature of steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

STEEL (UNS G10500 CARBON OR STEEL ALLOY)

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-04**

#: **1.0000 - 5.0000**

GS: **NoGS**

RC: **UNK**

NANO: **No**

ROLE: **Body**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: Due to the commodity nature of steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

ZINC ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-02-04**

#: **0.1000 - 2.5000** GS: **LT-P1** RC: **UNK** NANO: **No** ROLE: **Finish**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Due to the commodity nature of the metal, the status of recycled content is unknown.

STEEL (UNS G12144 CARBON OR STEEL ALLOY) ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-02-04**

#: **0.1000 - 2.5000** GS: **NoGS** RC: **UNK** NANO: **No** ROLE: **Body**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: Due to the commodity nature of steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

STEEL (UNCONFIRMED ALLOY GRADE) ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-02-04**

#: **0.1000 - 2.5000** GS: **NoGS** RC: **UNK** NANO: **No** ROLE: **Body**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: Due to the commodity nature of steel, the status of recycled content is unknown. A range is provided to account for variations in the product.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non- emitting source per LEED®

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **All**

12-18

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD represents the 104S Over Head Stop



MANUFACTURER INFORMATION

MANUFACTURER: **Allegion**
ADDRESS: **2720 Tobey Drive**
Indianapolis IN 46219, USA
WEBSITE: **www.allegion.com**

CONTACT NAME: **Tim Weller**
TITLE: **Manager of Codes, Standards and Sustainability**
PHONE: **317-810-3751**
EMAIL: **tim.weller@allegion.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.