Paradiene 20 SA Roof Membrane by Siplast by Siplast, Inc.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: SBS Modified Bitumen Roofing & Waterproofing Membrane

PRODUCT DESCRIPTION: For design teams selecting environmentally responsible roofing materials, Siplast offers the Paradiene 20 SA as part of the Paradiene 20/30 FR Roof Membrane System.. Paradiene 20 SA is a high performance modified bitumen base ply designed for use in homogeneous multi-layer modified bitumenroof membrane systems. Paradiene 20 SA consists of a lightweight random fibrous glass mat impregnated and coated with high quality styrenebutadiene-styrene (SBS) modified bitumen.



Section 1: Summary

Nested Method / Product Threshold

\sim	CENIT	ITORY
CUNI		IIONI

Inventory	Reporting	Forma
-----------	-----------	-------

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- ① 1,000 ppm
- Per GHS SDS Per OSHA MSDS
- C Other

Residuals/Impurities

Residuals/Impurities Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities? • Yes • No

All Substances Above the Threshold Indicated Are:

 ○ Yes Ex/SC Yes No Characterized

% weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PARADIENE 20 SA [ASPHALT / BITUMENS LT-1 | CAN LIMESTONE, CALCIUM CARBONATE LT-UNK QUARTZ LT-1 | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK HYDROCARBON OILS, PROCESS **BLENDS NoGS POLYPROPYLENE LT-UNK]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

INVENTORY AND SCREENING NOTES:

No residuals or impurities are expected to be present in the product at or above the reporting threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

Nanomaterial ... No

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: **SCREENING DATE: 2019-12-06** PUBLISHED DATE: 2019-12-06 EXPIRY DATE: 2022-12-06



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PARADIENE 20 SA

%: 100.00 - 100.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER MATERIAL NOTES: SBS modified bitumen asphalt roofing membrane.

ASPHALT / BITUMENS ID: 8052-42-4

HAZARD SCREENING METHOD: Phar	ros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 2019	9-12-06
%: 53.00 - 57.00	GS: LT-1	RC: None	nano: No	ROLE: Bituminous binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
CANCER	IARC	Group	2b - Possibly ca	arcinogenic to humans
CANCER	CA EPA - Prop 65	Carcii	nogen	
CANCER	US CDC - Occupational Carcinogens	Occu	oational Carcino	gen
CANCER	IARC		2B - Possibly ca pational sources	arcinogenic to humans - inhaled from
CANCER	MAK		nogen Group 3B ot sufficient for c	- Evidence of carcinogenic effects lassification

SUBSTANCE NOTES: The material used as the primary component in Paradiene 20 SA roofing and waterproofing membrane.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2019	9-12-06
%: 22.00 - 26.00	GS: LT-UNK	RC: None	nano: No	ROLE: Mineral stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the mineral stabilizing component in Paradiene 20 SA roofing and waterproofing membrane.

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-06			
%: 8.00 - 12.00	GS: LT-1	RC: None NANO: No ROLE: Parting Agent			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources			
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)			
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man			
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350i - May cause cancer by inhalation			

SUBSTANCE NOTES: The material used as the parting agent component in Paradiene 20 SA roofing and waterproofing membrane.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: F	haros Chemical and Materials Library	HAZARD SCREE	NING DATE: 201	9-12-06
%: 6.00 - 10.00	GS: LT-UNK	RC: None	nano: No	ROLE: Polymeric modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	gs.	
None found			No warning	gs found on HPD Priority Hazard Lists

 ${\tt SUBSTANCE\ NOTES:}\ The\ material\ used\ as\ the\ asphalt\ modifying\ component\ in\ Paradiene\ 20\ SA\ roofing\ and\ waterproofing\ membrane.$

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: **65997-17-3**

HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREI	ENING DATE: 20 1	19-12-06
%: 0.50 - 2.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Reinforcement material
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
None found			No war	nings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the reinforcement component in Paradiene 20 SA roofing and waterproofing membrane.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-06		
%: 0.50 - 2.00	gs: NoGS	RC: None	nano: No	ROLE: Reduce Viscosity
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING:	S	
None found			No warning	s found on HPD Priority Hazard Li

SUBSTANCE NOTES: The material used as the viscosity reducing component in Paradiene 20 SA roofing and waterproofing membrane.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCR		HAZARD SCREET	EENING DATE: 2019-12-06	
6: 0.10 - 0.50	GS: LT-UNK	RC: None	NANO: No	ROLE: Release film
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings four	nd on HPD Priority Hazard List

SUBSTANCE NOTES: The material used as the release film component in Paradiene 20 SA roofing and waterproofing membrane.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: All

11-18

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC Emissions testing has not been performed for this product.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Paradiene 20 SA is a self-adhesive applied SBS modified bitumen membrane used for roofing & waterproofing applications.

MANUFACTURER INFORMATION

MANUFACTURER: Siplast, Inc. ADDRESS: 1111 Highway 67

Arkadelphia Arkansas 71923, USA

WEBSITE: www.siplast.com

CONTACT NAME: Todd Franks

TITLE: Corporate Standards Manager

PHONE: 870-403-2963

EMAIL: todd.franks@siplast.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-LINK List Translator Benchmark Linknow

NoGS Unknown (no data on List Translator Lists)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.