# Paradiene 20 by Siplast by Siplast, Inc.

## CLASSIFICATION: SBS Modified Bitumen Roofing & Waterproofing Membrane

**PRODUCT DESCRIPTION:** Modified Bituminous Membrane Roofing & Waterproofing. For building owners selecting environmentally responsible roofing materials, Siplast offers the Paradiene 20 as part of the Paradiene 20/30 FR Roof Membrane System..

# 🟮 Section 1: Summary

## **CONTENT INVENTORY**

#### **Inventory Reporting Format**

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material
 Product

100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS
Other

**Threshold level** 

## **Residuals/Impurities**

Residuals/Impurities Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

# **Nested Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC • Yes O No

 % weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with results disclosed.

○ Yes Ex/SC ⊙ Yes ○ No

○ Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

PARADIENE 20 [ ASPHALT / BITUMENS LT-1 | CAN QUARTZ LT-1 | CAN LIMESTONE, CALCIUM CARBONATE LT-UNK STYRENE BUTADIENE RUBBER (POST-CONSUMER) LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK HYDROCARBON OILS, PROCESS BLENDS NoGS ]

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Identified

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

No residuals or impurities are expected to be present in the product at or above the reporting threshold.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: N/A

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-12-06 PUBLISHED DATE: 2019-12-06 EXPIRY DATE: 2022-12-06

# Health Product Declaration v2.1.1

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ARADIENE 20	/6. 100.00	%: 100.00 - 100.00			
PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes					
ESIDUALS AND IMPURITIES NO	TES: No residuals or impurities are expect	sted to be present in the product at or above the			
THER MATERIAL NOTES: SBS	modified bitumen asphalt roofing mem	brane.			
ASPHALT / BITUMENS		ID: <b>8052-4</b> :			
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-12-06			
%: 40.00 - 44.00	GS: <b>LT-1</b>	RC: None NANO: NO ROLE: Bituminous binder			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	IARC	Group 2b - Possibly carcinogenic to humans			
CANCER	CA EPA - Prop 65	Carcinogen			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			

QUARTZ				ID: <b>14808-60-7</b>
HAZARD SCREENING METHOD: Pharos Ch	emical and Materials Library	HAZARD SCREEN	ING DATE: 2019-1	12-06
%: 25.00 - 29.00	GS: LT-1	RC: None	NANO: <b>No</b>	ROLE: Parting Agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: The material used as the parting agent component in Paradiene 20 roofing and waterproofing membrane.

LIMESTONE, CALCIUM CARBONATE				ID: <b>1317-65-3</b>
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2019	-12-06
%: 19.00 - 23.00	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Mineral stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the mineral stabilizing component in Paradiene 20 roofing and waterproofing membrane.

STYRENE BUTADIENE	RUBBER (POST-CONSUMER)			ID: <b>9003-55-8</b>
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 201	9-12-06
%: <b>4.00 - 8.00</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Polymeric modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warnin	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The r	naterial used as the asphalt modifying compor	nent in Paradiene 2	20 roofing and	waterproofing membrane.
-				
CONTINUOUS FILAME	INT GLASS FIBER, NON-RESPIRABLE			ID: 65997-17-3
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREEN	NG DATE: 2019-	12-06
%: <b>0.50 - 2.00</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Reinforcement material
diana 20 by Sinlast				

HAZARD TYPE

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the reinforcement component in Paradiene 20 roofing and waterproofing membrane.

HYDROCARBON OILS, PROCESS BLENDS				
HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2019-12-06			
%: <b>0.50 - 1.00</b>	GS: NoGS	RC: None	NANO: <b>NO</b>	ROLE: Reduces Viscosity
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warning	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the viscosity reducing component in Paradiene 20 roofing and waterproofing membrane.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All	ISSUE DATE: 2019- 12-02	EXPIRY DATE:	CERTIFIER OR LAB: N/A
CERTIFICATE URL:			

CERTIFICATION AND COMPLIANCE NOTES: VOC content data is not applicable for this product category.

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Paradiene 20 is an SBS modified bitumen membrane used for roofing & waterproofing applications.

## MANUFACTURER INFORMATION

MANUFACTURER: Siplast, Inc. Address: 1111 Highway 67 South Arkadelphia Arkansas 71923, USA WEBSITE: www.siplast.com CONTACT NAME: Todd Franks TITLE: Corporate Standards Manager PHONE: 870-403-2963 EMAIL: todd.franks@siplast.com

## KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warmingPHY Physical Hazard (reactive)MAM Mammalian/systemic/organ toxicityREP Reproductive toxicityMUL Multiple hazardsRES Respiratory sensitizationNEU NeurotoxicitySKI Skin sensitization/irritation/corrosivityOZO Ozone depletionLAN Land ToxicityPBT Persistent Bioaccumulative ToxicNF Not found on Priority Hazard Lists

LAN Land Toxicity mulative Toxic NF Not found on Priority Hazard Lists LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LI-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)