

**CLASSIFICATION:** SBS Modified Bitumen Roofing Membrane

**PRODUCT DESCRIPTION:** For building owners selecting environmentally responsible roofing materials, Siplast offers the innovative Parafor 30 TG Eco-Activ® Depolluting Roof Membrane. Parafor 30 TG Eco-Activ is surfaced with Noxite® Depolluting Granules.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Residuals/Impurities  
Considered in 1 of 1 Materials  
  
Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances except SC substances characterized according to SC guidance.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.*

**Identified**  Yes Ex/SC  Yes  No  
*All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**PARAFOR 30 TG [ ASPHALT / BITUMENS LT-1 | CAN SC:NOXITE GRANULES Not Screened LIMESTONE; CALCIUM CARBONATE LT-UNK STYRENE BUTADIENE RUBBER (SBR) LT-UNK POLYESTER FIBERS NoGS HYDROCARBON OILS, PROCESS BLENDS NoGS POLYETHYLENE LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Special conditions applied: GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

No residuals or impurities are expected to be present in the product at or above the reporting threshold.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2019-12-06

PUBLISHED DATE: 2019-12-06  
EXPIRY DATE: 2022-12-06



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

## PARAFOR 30 TG

#: 100.00 - 100.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER MATERIAL NOTES: SBS modified bitumen asphalt roofing membrane

### ASPHALT / BITUMENS

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-06

#: 35.00 - 39.00

GS: LT-1

RC: None

NANO: No

ROLE: Bituminous binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The material used as the primary component in Parafor 30 TG Eco-Activ® roofing and waterproofing membrane.

### SC:NOXITE GRANULES

ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-12-06

#: 30.00 - 34.00

GS: Not Screened

RC: None

NANO: No

ROLE: UV Blocker and pollutants reducer.

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

Version: SCGeoMats/2018-02-23

Origin: France

Typical Composition: This disclosure does not provide typical composition.

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic materials.

Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological materials.

The material used as the surfacing component in Parafor 30 TG Eco-Activ® roofing and waterproofing membrane.

The material also used to reduce concentrations of airborne pollutants such as volatile organic compounds (VOCs) and nitrogen oxides and sulfur oxides by photocatalysis.

**LIMESTONE; CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-06**

#: **21.00 - 25.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Mineral stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the mineral stabilizing component in Parafor 30 TG Eco-Activ® roofing and waterproofing membrane.

**STYRENE BUTADIENE RUBBER (SBR)**

ID: 9003-55-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-06**

#: **5.00 - 8.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Polymeric modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the asphalt modifying component in Parafor 30 TG Eco-Activ® roofing and waterproofing membrane.

**POLYESTER FIBERS**

ID: 80595-68-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-06**

#: **0.50 - 2.00** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Reinforcement material**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the reinforcement component in Parafor 30 TG Eco-Activ® roofing and waterproofing membrane.

**HYDROCARBON OILS, PROCESS BLENDS**

ID: 68131-05-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-06**

#: **0.50 - 1.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Reduce Viscosity**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the viscosity reducing component in Parafor 30 TG Eco-Activ® roofing and waterproofing membrane.

**POLYETHYLENE**

ID: **9002-88-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-12-06**

#: **0.10 - 0.50**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Film surface material**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as a film surface material and burns when the membrane is installed in Parafor 30 TG Eco-Activ® roofing and waterproofing membrane.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **All**

**11-18**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **VOC Emissions testing has not been performed for this product.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Parafor 30 TG Eco-Activ meets or exceeds the requirements of ASTM D 6162 Type II, Grade G and CSA A123.23-15 Type B, Grade 1 for SBS-modified bituminous sheet materials using a polyester reinforcement. The Siplast Eco-Activ surfacing concept for the product has received an Environmental Claims Validation which verifies the removal of nitrogen oxides, sulfur oxides and other pollutants from the environment affecting both air and water quality. The Siplast Eco-Activ surfacing concept for the product has been recognized by the CSTB as an environmental protection innovation in the field of roof membranes under Pass- Innovation Report 2009-016. Testing to validate the reduction of air pollutants was carried out by the CNRS (National Scientific Research Center).



## MANUFACTURER INFORMATION

MANUFACTURER: **Siplast, Inc.**

ADDRESS: **1111 Highway 67 South**

**Arkadelphia AR 71923, USA**

WEBSITE: **www.siplast.com**

CONTACT NAME: **Todd Franks**

TITLE: **Corporate Standards Manager**

PHONE: **870/246-8095x1108**

EMAIL: **todd.franks@siplast.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*