Paratread Roof Protection Material by Siplast by Siplast, Inc.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: SBS Modified Bitumen Roofing Membrane

PRODUCT DESCRIPTION: For design teams selecting environmentally responsible roofing materials, Siplast offers the innovative Paratread Roof Protection Material by Siplast. Paratread is surfaced with ceramic-coated roofing granules.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- ① 1,000 ppm
- Per GHS SDS C Per OSHA MSDS
- C Other

Residuals/Impurities

Residuals/Impurities Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

Yes Ex/SC ○ Yes ○ No.

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PARATREAD [LIMESTONE, CALCIUM CARBONATE LT-UNK SC:SC:GRANULES Not Screened ASPHALT / BITUMENS LT-1 | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK HYDROCARBON OILS, PROCESS BLENDS NoGS POLYPROPYLENE LT-UNK QUARTZ LT-1 | CAN POLYESTER NoGS TITANIUM DIOXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

No residuals or impurities are expected to be present in the product at or above the reporting threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2019-12-06 PUBLISHED DATE: 2019-12-06 EXPIRY DATE: 2022-12-06



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PARATREAD %: 100.00 - 100.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER MATERIAL NOTES: SBS modified roofing walk pad.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-06		
%: 35.00 - 39.00	GS: LT-UNK	RC: None	nano: No	ROLE: Mineral stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the mineral stabilizing component in Paratread membrane.

SC:SC:GRANULES ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-06		
%: 30.00 - 34.00	gs: Not Screened	RC: None	NANO: No	ROLE: UV Blocker, weather resistance, appearance
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCGeoMats/2018-02-23

Origin: United States

Typical Composition: This disclosure does not provide typical composition.

Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.

Presence of Radioactive Elements: This disclosure does not provide radiactive elements which may be found in certain geological

materials.

ASPHALT / BITUMENS ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-06		
%: 24.00 - 28.00	gs: LT-1	RC: None	nano: No	ROLE: Bituminous binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		gen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhale occupational sources		
CANCER	MAK		ogen Group 3B ogen to sufficient for cl	- Evidence of carcinogenic effects assification

SUBSTANCE NOTES: The material used as the bituminous binding component in Paratread membrane.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-06		
%: 1.00 - 5.00	GS: LT-UNK	RC: None	nano: No	ROLE: Polymeric modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	3	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material used as the asphalt modifying component in Paratread membrane.

HYDROCARBON OILS, PROCESS BLENDS

ID: 68131-05-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-06		
%: 0.50 - 1.50	GS: NoGS	RC: None	nano: No	ROLE: Reduce Viscosity
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warnings	s found on HPD Priority Hazard Lists

POLYPROPYLENE ID: 9003-07-0 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-06 %: 0.50 - 1.00 GS: LT-UNK ROLE: Film surface material RC: None NANO: **No** AGENCY AND LIST TITLES WARNINGS HAZARD TYPE No warnings found on HPD Priority Hazard Lists

None found

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-12-06
%: 0.50 - 1.50	GS: LT-1	RC: None NANO: No ROLE: Parting Agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: The material used as the parting agent component in Paratread membrane.

POLYESTER				ID: 113669-95-7		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-12-06				
%: 0.50 - 1.50	gs: NoGS	RC: None	nano: No	ROLE: Reinforcement material		
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS			
None found			No war	rnings found on HPD Priority Hazard Lists		
	terial used as the reinforcement component	in Paratread me		rnings found on HPD Priority		

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2019	-12-06
%: 0.00 - 4.00	GS: LT-1	RC: None	NANO: No	ROLE: Color, UV Blocker

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Color, UV Blocker.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

11-18

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC Emissions testing has not been performed for this product.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Paratread is an SBS modified bitumen material used for roofing & waterproofing applications.

MANUFACTURER INFORMATION

MANUFACTURER: Siplast, Inc.

ADDRESS: 1111 Highway 67 South
Arkadelphia Arkansas 71923, USA

WEBSITE: www.siplast.com

CONTACT NAME: Todd Franks

TITLE: Corporate Standards Manager

PHONE: 870-403-2963

EMAIL: todd.franks@siplast.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1

NoGS Unknown (no data on List Translator Lists)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.