

CLASSIFICATION: 09 60 00.00 FINISHES: FLOORINGS

PRODUCT DESCRIPTION: The Chilewich Wall to Wall (W2W) flooring product is made in rolls by bonding textiles to a soft resilient polyurethane.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

Threshold Disclosed Per

- Material
- Product

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

CHILEWICH W2W COMMERCIAL FLOORING [POLYVINYL CHLORIDE (PVC) LT-P1 | RES SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK | CAN POLYETHER POLYOL LT-UNK CALCIUM CARBONATE BM-3 POLYETHYLENE TEREPHTHALATE (PET) LT-UNK EPOXIDIZED SOYBEAN OIL LT-UNK POLYMERIC MDI (PMDI) LT-UNK | RES | MUL | CAN NYLON 6 LT-UNK CARBON BLACK LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Chilewich worked with the Third Party HPD Preparer, ToxServices LLC, to obtain all required chemical formulation disclosed to the level of 1,000 ppm (0.1%) for this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

Other: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2018-03-13

PUBLISHED DATE: 2018-03-26

EXPIRY DATE: 2021-03-13



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

CHILEWICH W2W COMMERCIAL FLOORING

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Chilewich worked with the Third Party HPD Preparer, ToxServices LLC, to confirm that all residuals and impurities were considered during the preparation of this HPD

OTHER PRODUCT NOTES:

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

%: 28.3700 - 28.3700 GS: LT-P1 RC: None NANO: No ROLE: Structure Component

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The % composition listed for this substance is maximum % this substance can be present in the W2W Commercial Flooring formulation.

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

ID: 65997-17-3

%: 21.7100 - 21.7100 GS: LT-UNK RC: None NANO: No ROLE: Structure Component

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

EU - GHS (H-Statements)

H351 - Suspected of causing cancer

SUBSTANCE NOTES: The % composition listed for this substance is maximum % this substance can be present in the W2W Commercial Flooring formulation.

POLYETHER POLYOL

ID: 9082-00-2

%: 16.5000 - 16.5000 GS: LT-UNK RC: None NANO: No ROLE: Backing Structure Component

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The % composition listed for this substance is maximum % this substance can be present in the W2W Commercial

Flooring formulation.

CALCIUM CARBONATE

ID: 471-34-1

%: **10.0000 - 10.0000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Backing Structure Component**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The % composition listed for this substance is maximum % this substance can be present in the W2W Commercial Flooring formulation.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

%: **10.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Backing Structure Component**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

EPOXIDIZED SOYBEAN OIL

ID: 8013-07-8

%: **5.5200 - 5.5200** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Structure Component**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The % composition listed for this substance is maximum % this substance can be present in the W2W Commercial Flooring formulation.

POLYMERIC MDI (PMDI)

ID: 9016-87-9

%: **5.5000 - 5.5000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Backing Structure Component**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (G) - generally accepted

RESTRICTED LIST

US EPA - PPT Chemical Action Plans

EPA Chemical of Concern - Action Plan published

RESPIRATORY

US EPA - PPT Chemical Action Plans

Inhalation sensitizer causing asthma and lung damage

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

RESPIRATORY

MAK

Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: The % composition listed for this substance is maximum % this substance can be present in the W2W Commercial

NYLON 6

ID: 25038-54-4

%: **1.9000 - 1.9000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder Component**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The % composition listed for this substance is maximum % this substance can be present in the W2W Commercial Flooring formulation.

CARBON BLACK

ID: 1333-86-4

%: **0.5000 - 0.5000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Colorant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The % composition listed for this substance is maximum % this substance can be present in the W2W Commercial Flooring formulation.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

OTHER	Environmental Product Declaration (EPD) by UL - Industry Generic		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: ALL	02-23	02-23	Environmental
CERTIFICATE URL: http://spot.ulprospector.com			
CERTIFICATION AND COMPLIANCE NOTES: No Limitations: 4787689156.102.1			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Chilewich worked with the Third Party HPD Preparer, ToxServices, LLC, to verify that all chemical formulation information was correctly obtained to the level of 1,000 ppm for the preparation of this HPD. ToxServices LLC also worked with Chilewich to confirm that all residuals and impurities have been considered under the preparation of this HPD.



MANUFACTURER INFORMATION

MANUFACTURER: **Chilewich, LLC**

ADDRESS: **44 East 32nd Street**

New York NY 10016, US

WEBSITE:

https://www.chilewich.com/contract/floor/wall_to_wall

CONTACT NAME: **Joe Sultan**

TITLE: **CEO**

PHONE: **646-545-2457**

EMAIL: **contract@chilewich.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.