Acoustic Wall Coating by BAUX AB

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 83 13.00 Finishes: Acoustic Wall Coating

PRODUCT DESCRIPTION: BAUX Acoustic Wood Wool is an environment-friendly, recyclable material made from wood

wool, cement and water.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

€ 100 ppm

C 1,000 ppm

Per GHS SDS

C Per OSHA MSDS

C Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided

for Residuals/Impurities?

• Yes O No

Are All Substances Above the Threshold Indicated:

Characterized

Yes ○ No

Percent Weight and Role Provided?

Screened

Yes O No

Using Priority Hazard Lists with Results Disclosed?

Identified

Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ACOUSTIC WALL COATING [PORTLAND CEMENT LT-P1 | END | CAN

WOOD NoGS CALCIUM CARBONATE BM-3]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Explanation of "no" for Identification: Wood does not have a CAS number or a registered ID as per the HPD Builder database.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Emission measurement after 28 days

VOC content: Eurofins Indoor Air Comfort GOLD - certified product Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #:

SCREENING DATE: 2018-04-23 PUBLISHED DATE: 2018-05-14 EXPIRY DATE: 2021-04-23



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ACOUSTIC WALL COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: "No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS."

OTHER PRODUCT NOTES:

PORTLAND CEMENT ID: 65997-15-1

%: 48.0000 - 48.0000	gs: LT-P1	RC: None	nano: No	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
CANCER	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	

SUBSTANCE NOTES: Fulfills the requirements for sulfate resisting Portlandcement type SR 3 in EN 197-1 Cement-Part 1: Composition, specifications and conformity criteria for common cements. Notified product certification body No 0402 (SP Technical Research Institute of Sweden) has issued the certificate of constancy of performance with certificate No. 0402-CPR-101334. The number of Declaration of Performance is 0402-DoPSE13-101334. P-marked, due to Swedish supplementary requirements, according to certification rule CR 058 (by SP Certifiering) with certificate No. 101335 (a Swedish technical approval), for MH (moderate heat of hydration) according to SS 134202:2006, LA (low alkali) according to SS 134203:2014.

WOOD **ID: Not registered**

%: 35.0000 - 35.0000 GS: NoGS RC: None NANO: No ROLE: Apperance and Acoustic HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: FSC marked wood (fir) collected around our production facility - FSC Certificate is uploaded ISO 14001 certificate uploaded

CALCIUM CARBONATE ID: 471-34-1

%: 17.0000 - 17.0000 GS: BM-3 **BC:** None ROLE: Additive to the cement that reduce heat during drying. NANO: No

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Additive to the cement that reduce heat during drying.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

05-18

VOC EMISSIONS

Emission measurement after 28 days

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Laboratories are accredited by the Swedish Board for Accreditation and Conformity Assessment (SWEDAC) under the terms of Swedish legislation. This report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory. Brinellgatan 4 SE-504 62 BORAS,

ISSUE DATE: 2017-EXPIRY DATE: 2022-05-18

CERTIFIER OR LAB: RISE Research Institutes of

Sweden AB

CERTIFICATE URL:

SWEDEN

CERTIFICATION AND COMPLIANCE NOTES: The results in table 1 are expressed as area specific emission rates and as concentrations in a reference room (according to CEN/TS 16516:2013). The reference room has a base area of 3 m x 4 m and a height of 2.5 m, with an air exchange rate of 0.5 h-1. Ceiling area scenario 12 m2 is used in the calculations of the concentrations in the reference room.

ISSUE DATE: 2017-

09-29

11-12

VOC CONTENT

Eurofins Indoor Air Comfort GOLD - certified product

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Eurofins Product Testing A/S

Smedeskovvej 38 8464 Galten Denmark

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

09-29

EXPIRY DATE: 2022-

CERTIFIER OR LAB: Eurofins

Product Testing A/S

SUSTAINABLE FORESTRY

FSC Certification - Chain of Custody (COC)

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Jönköping, Sweden

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2009-EXPIRY DATE: 2019-

11-11

CERTIFIER OR LAB: DNV Business

Assurance

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PATTEX NO MORE NAILS WATER RESISTANT (HENKEL) HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Mounting can be done with screws or with adhesive.



No notes

MANUFACTURER INFORMATION

MANUFACTURER: BAUX AB

ADDRESS: Fabriksgatan 2

Österbymo Ydre 57060, Sweden

WEBSITE: https://www.traullit.se/kontakt/

CONTACT NAME: Erik Rääf

TITLE: Responsible for production

PHONE: 038160114

EMAIL: erik@traullit.se

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.