

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: For 9-540 PPG PURE PERFORMANCE INTERIOR LATEX SEMI-GLOSS ULTRA DEEP B, this assessment is limited to the base formula not including tint. PPG Pure performance is a premium, low-odor, zero-VOC*, 100% acrylic latex base paint designed to meet the performance requirements of the institutional, commercial and residential markets. Pure Performance Interior Latex is formulated to provide excellent hiding and application properties in addition to low odor, zero-VOC's*, and antimicrobial properties that resist mold and mildew on the dry paint film. Ideal for use in occupied areas such as: hotel/motel and resort properties, nursing homes, homes, schools, government facilities, retail space, office buildings, hospitals, and apartments. *Colorants added to base paints may increase the VOC significantly depending on color choice. However PPG offers a low VOC line of colorants which, if used even at maximum tint load in any color, contributes less than 8 g/L of VOC to the final tinted product. "

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PURE PERFORMANCE INTERIOR LATEX SEMI-GLOSS 9-540 [WATER

BM-4 UNDISCLOSED LT-UNK KAOLIN CLAY LT-UNK | CAN

UNDISCLOSED LT-UNK NEPHELINE SYENITE LT-UNK 2,2'-

ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE) LT-UNK

UNDISCLOSED LT-UNK SOLVENT-DEWAXED HEAVY PARAFFINIC

PETROLEUM DISTILLATES LT-1 | CAN | MUL UNDISCLOSED LT-UNK

DECANEDIOIC ACID, BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER

LT-P1 | PBT | MUL SODIUM PHOSPHATE, DIBASIC NoGS UNDISCLOSED

NoGS POTASSIUM HYDROXIDE LT-P1 | SKI ALCOHOLS, C12-14-

SECONDARY, ETHOXYLATED LT-P1 HYDROTREATED HEAVY

PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL) LT-1 | CAN | MUL

UNDISCLOSED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances representing 99.6% of the product weight meet the 1000 ppm threshold and are screened

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0

Regulatory (g/l): 0.0

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools)

VOC emissions: GreenGuard - Indoor Air Quality Certified

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-04-26

PUBLISHED DATE: 2019-05-31

EXPIRY DATE: 2022-04-26



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-1-1-standard

PURE PERFORMANCE INTERIOR LATEX SEMI-GLOSS 9-540

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: PPG's Product Stewardship and Hazard Communication program requires disclosure by our raw material suppliers of all components both intentional and residual, considered to be hazardous. PPG relies on the measurements of the raw material suppliers and the details of their disclosure in an extensive raw materials introduction process. Always refer to the Product label, Technical Data sheet (DS), and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: NA

WATER

ID: 558440-22-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-26

#: 60.00 - 70.00

GS: BM-4

RC: None

NANO: No

ROLE: Thinner

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-26

#: 20.00 - 25.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that presents the chemical family and associated hazards.

KAOLIN CLAY

ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-26

#: **5.00 - 10.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: **Range listed represents standard manufacturing variability.**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-04-26**

#: **5.00 - 10.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that presents the chemical family and associated hazards.**

NEPHELINE SYENITE

ID: **37244-96-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-04-26**

#: **1.00 - 3.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Range listed represents standard manufacturing variability.**

2,2'-ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE)

ID: **94-28-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-04-26**

#: **0.50 - 1.50** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Range listed represents standard manufacturing variability.**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-04-26**

#: 0.10 - 1.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Additive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that presents the chemical family and associated hazards.

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: 64742-65-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-26

#: 0.10 - 1.00

GS: LT-1

RC: None

NANO: No

ROLE: Additive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

EU - GHS (H-Statements)

H350 - May cause cancer

CANCER

EU - REACH Annex XVII CMRs

Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER

EU - Annex VI CMRs

Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

CANCER

Australia - GHS

H350 - May cause cancer

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-26

#: 0.10 - 1.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Additive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that presents the chemical family and associated hazards.

DECANEDIOIC ACID, BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER

ID: 41556-26-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-26

#: 0.10 - 0.50

GS: LT-P1

RC: None

NANO: No

ROLE: Additive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

SODIUM PHOSPHATE, DIBASIC

ID: 10140-65-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-26		
%: 0.10 - 0.50	GS: NoGS	RC: None	NANO: No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-26		
%: 0.10 - 0.50	GS: NoGS	RC: None	NANO: No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that presents the chemical family and associated hazards.

POTASSIUM HYDROXIDE

ID: 1310-58-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-26		
%: 0.10 - 0.50	GS: LT-P1	RC: None	NANO: No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-26**%: **0.10 - 0.50**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL)

ID: 64742-54-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-26**%: **0.10 - 0.50**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

EU - GHS (H-Statements)

H350 - May cause cancer

CANCER

EU - REACH Annex XVII CMRs

Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER

EU - Annex VI CMRs

Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

CANCER

Australia - GHS

H350 - May cause cancer

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-26**%: **0.10 - 0.50**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-26**%: **Impurity/Residual**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Substance not intentionally added. This product contains TiO₂ which has been classified as a GHS Carcinogen Category 2 based on its IARC 2B classification. In this case, the TiO₂ particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO₂ when the product is applied with a brush or roller. Sanding the coating surface or mist from spray applications may be harmful depending on the duration and level of exposure and require the use of appropriate personal protective equipment and/or engineering controls (see Section 8).

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

GreenGuard - Gold (previously Children & Schools)

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2011-02-07** EXPIRY DATE: **2019-05-07** CERTIFIER OR LAB: **None**
APPLICABLE FACILITIES: **All**
CERTIFICATE URL: [https://spot.ul.com/main-app/products/detail/5ad1e9ca55b0e82d946a281c?page_type=Products Catalog](https://spot.ul.com/main-app/products/detail/5ad1e9ca55b0e82d946a281c?page_type=Products%20Catalog)

CERTIFICATION AND COMPLIANCE NOTES: Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Classroom Environment with an air change of 0.82 hr⁻¹ and a loading of 94.60 m². ; and Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office Environment with an air change of 0.68 hr⁻¹ and a loading of 33.40 m². Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.

VOC EMISSIONS

GreenGuard - Indoor Air Quality Certified

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2011-02-07** EXPIRY DATE: **2019-05-07** CERTIFIER OR LAB: **None**
APPLICABLE FACILITIES: **All**
CERTIFICATE URL: <http://productguide.ulenvironment.com/SearchResults.aspx?CategoryID=15&SubCategoryID=28&TypeID=24&BrandID=820&perPage=72>

CERTIFICATION AND COMPLIANCE NOTES: Wall finishes are determined compliant using an Office Environment with an air change of 0.68 hr⁻¹ and a loading of 33.40 m². Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1.

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: **Self-declared** ISSUE DATE: **2019-05-20** EXPIRY DATE: CERTIFIER OR LAB: **none**
APPLICABLE FACILITIES: **All**
CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPG NEXT GENERATION COLORANT SYSTEM

HPD URL: **no HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to Pure Performance base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.

Section 5: General Notes

Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPG's Safety Data Sheet ("SDS") for this product. Users of this product should review PPG's SDS before using this product and follow all instructions and directions provided by PPG.



MANUFACTURER INFORMATION

MANUFACTURER: **PPG Architectural Finishes**
 ADDRESS: **One PPG Place**
Pittsburgh PA 15272, USA
 WEBSITE: **http://www.ppg.com**

CONTACT NAME: **Architectural Coatings Technical Advise Center**
 TITLE: **Technical Advisor**
 PHONE: **1-800-441-9695**
 EMAIL: **techservicerequests@ppg.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.