Sico Ecosource - Melamine - Base 3 (855-603) by PPG Architectural Finishes

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: SICO Ecosource® paints are formulated to offer exceptional results with minimum impact on the environment. This latex interior paint has zero volatile organic compound (VOC) before colorant is added*, it is ClearChem certified and suited to LEED projects. Sico Ecosource is available in a complete line of premix Pure White and 5 tinting bases offering the ability to achieve over 1,800 colors, from the purest white to the deepest, cleanest shades.* **Colorants added to base paints may increase the VOC significantly depending on color choice. However PPG offers a low VOC line of colorants which, if used even at maximum tint load in any color, contributes less than 8 g/L of VOC to the final tinted product.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- **⊙** 1,000 ppm
- Per GHS SDS C Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SICO ECOSOURCE - MELAMINE - BASE 3 (855-603) [WATER BM-4 UNDISCLOSED LT-UNK BARIUM SULFATE BM-2 | CAN TALC BM-1 | CAN CHLORITE NoGS ETHOXYLATED TRIETHYLPHENOL LT-UNK CETYLHYDROXYETHYLCELLULOSE LT-UNK DOLOMITE NoGS POLY(OXY-1,2-ETHANEDIYL, A-(2-PROPYLHEPTYL)-W-HYDROXY- LT-UNK ENGLISH FULLERS EARTH NOGS XANTHAN GUM LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED NoGS]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances representing 99.4% of the product weight meet the 1000 ppm threshold and are screened

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: ClearChem

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared VERIFIER:

SCREENING DATE: 2019-12-17 PUBLISHED DATE: 2020-02-07 **⊙** No



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

SICO ECOSOURCE - MELAMINE - BASE 3 (855-603)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

ID: 7732-18-5

RESIDUALS AND IMPURITIES NOTES: PPG's Product Stewardship and Hazard Communication program requires disclosure by our raw material suppliers of all components both intentional and residual, considered to be hazardous. PPG relies on the measurements of the raw material suppliers and the details of their disclosure in an extensive raw materials introduction process. Always refer to the Product label, Technical Data sheet (DS), and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: NA

WATER

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-17 %: 55.00 - 65.00 GS: **BM-4** ROLE: Thinner RC: None NANO: No HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-12-17 | | |
|--|------------------------|-----------------------------------|-------------------|---------------------------|
| %: 20.00 - 25.00 | GS: LT-UNK | RC: None | nano: No | ROLE: Binder |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No | warnings found on | HPD Priority Hazard Lists |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

BARIUM SULFATE ID: 7727-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-17

| %: 5.00 - 10.00 | GS: BM-2 | RC: None | nano: No | ROLE: Filler |
|--------------------------|---|--------------|---|--------------|
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | MAK | | Carcinogen Group 4 - Non-genotoxic carcinogen with lo risk under MAK/BAT levels | |
| SUBSTANCE NOTES: Range I | isted represents standard manufacturing | variability. | | |

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-12-17 | |
|--|------------------------|--|-------|
| %: 2.00 - 5.00 | GS: BM-1 | RC: None NANO: No ROLE: F | iller |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | |
| CANCER | IARC | Group 2b - Possibly carcinogenic to humans | |
| CANCER | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification | |
| | | | |

 ${\scriptsize \texttt{SUBSTANCE NOTES:}}\ \textbf{Range listed represents standard manufacturing } \ \textbf{variability.}$

| CHLORITE | ID: 1318-59-8 |
|----------|----------------------|
| | |

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-12-17 | | |
|--|------------------------|-----------------------------------|---------------------|--------------------------|
| %: 0.10 - 1.00 | gs: NoGS | RC: None | nano: No | ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No w | arnings found on HI | PD Priority Hazard Lists |

 ${\scriptsize \texttt{SUBSTANCE}\ NOTES:}\ \textbf{Range\ listed\ represents\ standard\ manufacturing\ variability.}$

ETHOXYLATED TRIETHYLPHENOL

ID: **99734-09-5**

ID: 14807-96-6

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEN | IING DATE: 2019-1 2 | 2-17 |
|--|------------------------|---------------|----------------------------|-----------------------------|
| %: 0.10 - 1.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Additive |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No | warnings found or | n HPD Priority Hazard Lists |

 ${\scriptsize \texttt{SUBSTANCE NOTES:}}\ \textbf{Range listed represents standard manufacturing variability}.$

CETYLHYDROXYETHYLCELLULOSE

ID: 80455-45-4

TALC

| HAZARD SCREENING METHOD | HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-12-17 | | |
|-------------------------|--|----------|-----------------------------------|-----------------------------|--|
| %: 0.10 - 1.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Additive | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No v | warnings found or | n HPD Priority Hazard Lists | |
| SUBSTANCE NOTES: Rang | ge listed represents standard manufacturing varia | ability. | | | |

| DOLOMITE | | | | ID: 16389-88- |
|--------------------------|---|---------------|---------------------|--------------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREEN | -17 | |
| %: 0.10 - 1.00 | GS: NoGS | RC: None | nano: No | ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No w | arnings found on HI | PD Priority Hazard Lists |
| SUBSTANCE NOTES: Range | listed represents standard manufacturing variab | pility. | | |

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-12-17 | | |
|--|------------------------|-----------------------------------|------------------|---------------------------|
| %: 0.10 - 1.00 | gs: LT-UNK | RC: None | nano: No | ROLE: Additive |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No w | arnings found on | HPD Priority Hazard Lists |

| ENGLISH FULLERS EAR | тн | | | ID: 8031-18 - |
|--------------------------|---------------------------------------|---------------|---------------------|--------------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREEN | ING DATE: 2019-12- | 17 |
| %: 0.10 - 1.00 | GS: NoGS | RC: None | nano: No | ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No wa | arnings found on HF | PD Priority Hazard Lists |

| XANTHAN GUM | | | | ID: 11138-66-2 |
|---------------------------------|--------------------------------|-----------------------------------|-----------------|-----------------------|
| HAZARD SCREENING METHOD: Pharos | Chemical and Materials Library | HAZARD SCREENING DATE: 2019-12-17 | | |
| %: 0.10 - 1.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Additive |

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-12-17 | | |
|--|------------------------|-----------------------------------|-----------------|---------------------------|
| %: 0.10 - 1.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Additive |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found No warnings found on HPD Priority Hazard Lists | | | | HPD Priority Hazard Lists |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-12-17 | | |
|--|----------------------------|--|--|--|
| %: 0.10 - 1.00 | GS: LT-1 | RC: None NANO: No ROLE: Additive | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | EU - GHS (H-Statements) | H350 - May cause cancer | | |
| CANCER | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man | | |
| MULTIPLE | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant | | |
| CANCER | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence | | |
| CANCER | GHS - Australia | H350 - May cause cancer | | |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEN | HAZARD SCREENING DATE: 2019-12-17 | | |
|--|------------------------|---------------|-----------------------------------|-----------------------------|--|
| %: 0.10 - 1.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Additive | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | No | warnings found or | n HPD Priority Hazard Lists | |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-12-17 | | |
|--|------------------------|-----------------------------------|------------------|-----------------------------|
| %: 0.10 - 1.00 | gs: NoGS | RC: None | nano: No | ROLE: Additive |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No | warnings found o | n HPD Priority Hazard Lists |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

ClearChem

CERTIFYING PARTY: Third Party ISSUE DATE: 2016-EXPIRY DATE: CERTIFIER OR LAB: Berkeley APPLICABLE FACILITIES: All 09-12 Analytical

CERTIFICATE URL:

https://clearchem.berkeleyanalytical.com/clearchem-

declared/www.sico.ca

CERTIFICATION AND COMPLIANCE NOTES: Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Classroom Environment with an air change of 0.82 hr and a loading of 94.60 m².; and Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office Environment with an air change of 0.68 hr and a loading of 33.40 m². Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared ISSUE DATE: 2019-CERTIFIER OR LAB: None EXPIRY DATE:

12-09

APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPG NEXT GENERATION COLORANT SYSTEM

HPD URL: no HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to SPEEDHIDE Pro-EV Zero base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.



Section 5: General Notes

Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPG's Safety Data Sheet ("SDS") for this product. Users of this product should review PPG's SDS before using this product and follow all

| instructions and directions provided by PPG. | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Sico Ecosource - Melamine - Base 3 (855-603) hpdrepository.hpd-collaborative.org | HPD v2.1.1 created via HPDC Builder Page 9 of 10 |

MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes

ADDRESS: One PPG Place Pittsburgh PA 15272, USA WEBSITE: www.ppg.com

CONTACT NAME: Architectural Coatings Technical

Advice Center

TITLE: Technical Advisor PHONE: 1-800-441-9695

EMAIL: techservicerequests@ppg.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **CAN** Cancer **DEV** Developmental toxicity

END Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.