

# Altro Lavencia Click (5mm), Loose Lay (5mm), and Plus (3mm) by Altro USA, Inc.

## Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 65 00

PRODUCT DESCRIPTION: Great looks aside, Altro Lavencia’s outstanding performance is just what you expect from Altro. High quality luxury vinyl tiles and planks specifically constructed to handle the tolls of commercial environments. Altro Lavencia Plus is a traditional glue-down LVT. It is 3mm thick with a 22 mil wear layer. Altro Lavencia Loose Lay is a traditional glue-down LVT. It is 5mm thick with a 22 mil wear layer. Altro Lavencia Click is an adhesive-free luxury vinyl tile (LVT). It is 5mm thick with a 22 mil wear layer. Lavencia Click installs without adhesive using a click mechanism. Generous warranties of 20 years commercial and lifetime residential confirm your installation will look beautiful and perform just as well for years to come.

### Section 1: Summary

### Basic Method / Product Threshold

#### CONTENT INVENTORY

##### Inventory Reporting Format

- Nested Materials Method
- Basic Method

##### Threshold Disclosed Per

- Material
- Product

##### Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

##### Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?  
 Yes  No

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No  
% weight and role provided for all substances.

Screened  Yes Ex/SC  Yes  No  
All substances screened using Priority Hazard Lists with results disclosed.

Identified  Yes Ex/SC  Yes  No  
All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**ALTRO LAVENCIA CLICK (5MM), LOOSE LAY (5MM), AND PLUS (3MM) [ CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3 DIOCTYL TEREPHTHALATE (DOTP) NoGS CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK STEARIC ACID LT-P1 | END ZINC STEARATE LT-P1 CARBON BLACK LT-1 | CAN EPOXY RESINS NoGS POLYETHYLENE LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Altro worked with a HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 threshold.

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

#### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore  
Other: NSF-332 Sustainable Resilient Floor 2007 DRAFT trial - Gold  
Other: Environmental Product Declaration (EPD) by SCS

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: ToxServices LLC

SCREENING DATE: 2019-03-29

Yes  
 No

VERIFIER: SCS Global Services  
VERIFICATION #: qGE-6512

PUBLISHED DATE: 2019-04-24  
EXPIRY DATE: 2022-03-29



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### ALTRO LAVENCIA CLICK (5MM), LOOSE LAY (5MM), AND PLUS (3MM)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Altro worked with a HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES:

#### CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-29

#: 56.8900 - 66.8000

GS: BM-3

RC: None

NANO: No

ROLE: Filler Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The GreenScreen® Benchmark assessment score of BM-3 was provided through the HPD 2.1 Builder Tool.

#### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-29

#: 20.7100 - 40.4500

GS: LT-P1

RC: None

NANO: No

ROLE: PVC Resin, Wear Layer and Film Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

#### BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-29

#: 6.0700 - 8.1000

GS: BM-3

RC: None

NANO: No

ROLE: DOTP Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The GreenScreen® Benchmark assessment score of BM-3 was provided through the HPD 2.1 Builder Tool.

### DIOCTYL TEREPHTHALATE (DOTP)

ID: 4654-26-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: **2019-03-29**

#: **0.8200 - 4.5300**      GS: **NoGS**      RC: **None**      NANO: **No**      ROLE: **PVC Wear Layer Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

### CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: **2019-03-29**

#: **0.5200 - 1.4400**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **Fiberglass Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

### STEARIC ACID

ID: 57-11-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: **2019-03-29**

#: **0.3000 - 0.4900**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **DOTP and Stabilizer Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
<b>ENDOCRINE</b>	<b>TEDX - Potential Endocrine Disruptors</b>	<b>Potential Endocrine Disruptor</b>

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

### ZINC STEARATE

ID: 557-05-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: **2019-03-29**

#: **0.1100 - 0.2000**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **Stabilizer Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

## CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-29**

#: **0.0800 - 0.1000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Colorant Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

## EPOXY RESINS

ID: 61788-97-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-29**

#: **0.0600 - 0.1600** GS: **NoGS** RC: **None** NANO: **No** ROLE: **UV Coating Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

## POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-29**

#: **0.0000 - 1.1000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **IXPE Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All Facilities**

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/AltroUSA\\_2018\\_SCS-FS-03862\\_s.pdf](https://www.scs-certified.com/products/cert_pdfs/AltroUSA_2018_SCS-FS-03862_s.pdf)

ISSUE DATE:

2018-12-01

EXPIRY DATE:

2019-11-30

CERTIFIER OR LAB:

SCS Global

CERTIFICATION AND COMPLIANCE NOTES: **Registration # SCS-FS-03862; Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.**

### OTHER

### NSF-332 Sustainable Resilient Floor 2007 DRAFT trial - Gold

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All Facilities**

CERTIFICATE URL:

[https://www.altro.com/getmedia/99644b90-422c-4742-ba6c-0124773ba673/AltroUSA\\_2019\\_SCS-RF-05379\\_s.pdf.aspx](https://www.altro.com/getmedia/99644b90-422c-4742-ba6c-0124773ba673/AltroUSA_2019_SCS-RF-05379_s.pdf.aspx)

ISSUE DATE: **2019-02-22**

EXPIRY DATE: **2021-11-30**

CERTIFIER OR LAB: **SCS Global**

CERTIFICATION AND COMPLIANCE NOTES: **Registration # SCS-RF-05379; Conforms to the NSF/ANSI 332-2015 Sustainability Assessment for Resilient Floor Coverings.**

### OTHER

### Environmental Product Declaration (EPD) by SCS

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All Facilities**

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/SCS-EPD-05046\\_Altro\\_071618.pdf](https://www.scs-certified.com/products/cert_pdfs/SCS-EPD-05046_Altro_071618.pdf)

ISSUE DATE: **2018-07-16**

EXPIRY DATE: **2023-07-15**

CERTIFIER OR LAB: **SCS Global**

CERTIFICATION AND COMPLIANCE NOTES: **SCS-EPD-05046; Product Category Rule (PCR) for preparing an Environmental Product Declaration (EPD) for Flooring: Carpet, Resilient, Laminate, Ceramic, Wood. NSF International. Version 2. 2014.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Use of Special Condition - No CAS# Available: The Altro models, which are covered under this current HPD, contain an additive chemical in which a CAS# was not able to be determined for. The component "PVC Wear Layer" contains an additive ingredient identified by the manufacturer as an "Environmental Stabilizer" that is present in the final product formulation at a maximum of 0.41% (4,100 ppm). The HPDC Approved Preparer worked with the supplier of the PVC Wear Layer and it was determined that a CAS# is not available for the environmental stabilizer additive. Therefore, the HPDC Approved Preparer has concluded that the Safety Data Sheet (SDS) published on March 13, 2015 for the PVC Wear Layer, that contains the environmental stabilizer ingredient, is compliant with the Commission Regulation (EU) No 2015/830 (EU CLP) and that no GHS Category 1 hazards are disclosed on the SDS., therefore, no HPD target hazards would be flagged for this ingredient



## MANUFACTURER INFORMATION

MANUFACTURER: **Altro USA, Inc.**

ADDRESS: **80 Industrial Way, Suite 1**

**Wilmington MA 01887, USA**

WEBSITE: **www.altrofloors.com**

CONTACT NAME: **Customer Service**

TITLE: **Support**

PHONE: **1.800.583.4244**

EMAIL: **support@altrofloors.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*