

Altro Lavencia Click Composite Core with Cork Backing (7.5mm) by Altro USA, Inc.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 65 00

PRODUCT DESCRIPTION: Lavencia Click installs without adhesive using a click mechanism. Generous warranties of 20 years commercial and lifetime residential confirm your installation will look beautiful and perform just as well for years to come. Altro Lavencia Click is an adhesive-free luxury vinyl tile (LVT). It is 7.5mm thick with a 22 mil wear layer.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
 % weight and role provided for all substances.

Threshold Disclosed Per

- Material
- Product

Screened Yes Ex/SC Yes No
 All substances screened using Priority Hazard Lists with results disclosed.

Explanation(s) provided for Residuals/Impurities?
 Yes No

Identified Yes Ex/SC Yes No
 All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ALTRO LAVENCIA CLICK COMPOSITE CORE WITH CORK BACKING (7.5MM) [CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES QUERCUS SUBER BARK - CORK NoGS POLYETHYLENE LT-UNK 1,1'-AZOBIS(FORMAMIDE) LT-UNK | RES SODIUM BICARBONATE LT-P1 | END BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3 DIOCTYL TEREPHTHALATE (DOTP) NoGS PROPANOL, [(1-METHYL-1,2-ETHANEDIYL)BIS(OXY)]BIS-, POLYMER WITH 1,1'-METHYLENEBIS[ISOCYANATOBENZENE] AND OXYBIS[PROPANOL] LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK ZINC STEARATE LT-P1 APEX 4 LT-UNK SODIUM HYDROXIDE LT-P1 | SKI | PHY GLYCERYL MONOSTEARATE LT-UNK TALC BM-1 | CAN STEARIC ACID LT-P1 | END]

Number of Greenscreen BM-4/BM3 contents ... 2
 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Altro worked with a HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore
 Other: NSF-332 Sustainable Resilient Floor 2007 DRAFT trial - Gold
 Other: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes

No

PREPARER: ToxServices LLC
VERIFIER: SCS Global Services
VERIFICATION #: qGE-6513

SCREENING DATE: 2019-03-29
PUBLISHED DATE: 2019-04-24
EXPIRY DATE: 2022-03-29



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ALTRO LAVENCIA CLICK COMPOSITE CORE WITH CORK BACKING (7.5MM)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Altro worked with a HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES:

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-29

#: 42.9700 - 43.0700

GS: BM-3

RC: None

NANO: No

ROLE: Filler Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The GreenScreen® Benchmark assessment score of BM-3 was provided through the HPD 2.1 Builder Tool.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-29

#: 36.2800 - 36.2800

GS: LT-P1

RC: None

NANO: No

ROLE: PVC Resin, Wear Layer and Film Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

QUERCUS SUBER BARK - CORK

ID: 61789-98-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-29

#: 10.6600 - 10.6600

GS: NoGS

RC: None

NANO: No

ROLE: Bark Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-29		
%: 9.6100 - 9.8000	GS: LT-UNK	RC: None	NANO: No	ROLE: IXPE Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

1,1'-AZOBIS(FORMAMIDE)

ID: 123-77-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-29		
%: 2.1300 - 2.1300	GS: LT-UNK	RC: None	NANO: No	ROLE: Anti-Foaming Agent Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

SODIUM BICARBONATE

ID: 144-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-29		
%: 2.1300 - 2.1300	GS: LT-P1	RC: None	NANO: No	ROLE: Anti-Foaming Agent Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-03-29		
%: 1.7300 - 1.7300	GS: BM-3	RC: None	NANO: No	ROLE: DOTP Component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The GreenScreen® Benchmark assessment score of BM-3 was provided through the HPD 2.1 Builder Tool.

DIOCTYL TEREPHTHALATE (DOTP)

ID: 4654-26-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-29**%: **1.5900 - 1.5900**GS: **NoGS**RC: **None**NANO: **No**ROLE: **PVC Wear Layer Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

PROPANOL, [(1-METHYL-1,2-ETHANEDIYL)BIS(OXY)]BIS-, POLYMER WITH 1,1'-METHYLENEBIS[ISOCYANATOBENZENE] AND OXYBIS[PROPANOL]

ID: 68092-58-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-29**%: **1.4500 - 1.4500**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Cork Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-29**%: **0.6900 - 0.6900**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Fiberglass Component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

ZINC STEARATE

ID: 557-05-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-29**%: **0.4600 - 0.4600**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Stabilizer Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

APEX 4

ID: 123-95-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-03-29			
%: 0.2000 - 0.2000	GS: LT-UNK	RC: None	NANO: No	ROLE: Lubricant Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

SODIUM HYDROXIDE

ID: 1310-73-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-03-29			
%: 0.1200 - 0.1200	GS: LT-P1	RC: None	NANO: No	ROLE: Stabilizer Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
PHYSICAL HAZARD (REACTIVE)	Korea - GHS	H290 - May be corrosive to metals

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

GLYCERYL MONOSTEARATE

ID: 123-94-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-03-29			
%: 0.1000 - 0.2000	GS: LT-UNK	RC: None	NANO: No	ROLE: IXPE Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-03-29			
%: 0.0700 - 0.1000	GS: BM-1	RC: None	NANO: No	ROLE: IXPE Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.1 Builder Tool.

STEARIC ACID

ID: 57-11-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-03-29**

#: **0.0000 - 0.7400** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Stabilizer Component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All Facilities**

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/AltroUSA_2018_SCS-FS-03862_s.pdf

ISSUE DATE:

2018-12-01

EXPIRY DATE:

2019-11-30

CERTIFIER OR LAB:

SCS Global

CERTIFICATION AND COMPLIANCE NOTES: **Registration # SCS-FS-03862; Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.**

OTHER

NSF-332 Sustainable Resilient Floor 2007 DRAFT trial - Gold

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All Facilities**

CERTIFICATE URL:

https://www.altro.com/getmedia/99644b90-422c-4742-ba6c-0124773ba673/AltroUSA_2019_SCS-RF-05379_s.pdf.aspx

ISSUE DATE: **2019-02-22**

EXPIRY DATE: **2021-11-30**

CERTIFIER OR LAB: **SCS Global**

CERTIFICATION AND COMPLIANCE NOTES: **Registration # SCS-RF-05379; Conforms to the NSF/ANSI 332-2015 Sustainability Assessment for Resilient Floor Coverings.**

OTHER

Environmental Product Declaration (EPD) by SCS

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All Facilities**

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/SCS-EPD-05046_Altro_071618.pdf

ISSUE DATE: **2018-07-16**

EXPIRY DATE: **2023-07-15**

CERTIFIER OR LAB: **SCS Global**

CERTIFICATION AND COMPLIANCE NOTES: **SCS-EPD-05046 Product Category Rule (PCR) for preparing an Environmental Product Declaration (EPD) for Flooring: Carpet, Resilient, Laminate, Ceramic, Wood. NSF International. Version 2. 2014.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Use of Special Condition - No CAS# Available: The Altro models, which are covered under this current HPD, contain an additive chemical in which a CAS# was not able to be determined for. The component "PVC Wear Layer" contains an additive ingredient identified by the manufacturer as an "Environmental Stabilizer" that is present in the final product formulation at a maximum of 0.14% (1,400 ppm). The HPDC Approved Preparer worked with the supplier of the PVC Wear Layer and it was determined that a CAS# is not available for the environmental stabilizer additive. Therefore, the HPDC Approved Preparer has concluded that the Safety Data Sheet (SDS) published on March 13, 2015 for the PVC Wear Layer, that contains the environmental stabilizer ingredient, is compliant with the Commission Regulation (EU) No 2015/830 (EU CLP) and that no GHS Category 1 hazards are disclosed on the SDS., therefore, no HPD target hazards would be flagged for this ingredient.



MANUFACTURER INFORMATION

MANUFACTURER: **Altro USA, Inc.**

ADDRESS: **80 Industrial Way, Suite 1**

Wilmington MA 01887, USA

WEBSITE: **www.altrofloors.com**

CONTACT NAME: **Customer Service**

TITLE: **Support**

PHONE: **1.800.583.4244**

EMAIL: **support@altrofloors.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.