

**CLASSIFICATION:** 09 30 00

**PRODUCT DESCRIPTION:** L'Antic Colonial is a company dedicated to the processing, sale and distribution of natural stone pavements and coatings, sale and distribution of vitreous ceramics and mosaics, sale, distribution and installation of laminate and parquet floors. Born in 1999 forming an important part of Porcelanosa Group, with the purpose of satisfying the growing demand of high quality natural products and inspiring spaces from the creative power of nature, with the intention of positioning itself as a creative reference in the design of spaces with high-value natural materials. Natural Stone, for the purpose of this HPD, shall consist of all natural stone tiles provided by L'Antic Colonial, including but not limited to marble, travertine, Limestone, quartzite, sandstone, slate, that are intended to cover floor and/or wall assemblies as a finish material.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 0 of 2 Materials

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

*Are All Substances Above the Threshold Indicated:*

**Characterized**  Yes  No

*Percent Weight and Role Provided?*

**Screened**  Yes  No

*Using Priority Hazard Lists with Results Disclosed?*

**Identified**  Yes  No

*Name and Identifier Provided?*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

[BIOPROT NATURAL STONE](#)

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score ... UNK

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC EMISSIONS

Management: ISO 14001:2015 Environmental management systems

Management: ISO 9001:2015 Quality Management Systems

Management: BS OHSAS 18001:2007 - Occupational Health and Safety Management

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-10-15

PUBLISHED DATE: 2018-10-15

EXPIRY DATE: 2021-10-15



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### BIOPROT

%: 0.2000 - 1.0000

HPD URL:

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No waste is considered in this raw material.

OTHER MATERIAL NOTES: The process of waterproofing the stone improves the characteristics of natural stone. The six faces of the piece carry this waterproofing. It also has added nanoparticles that give an antibacterial protection.

### NATURAL STONE

%: 0.0000 - 100.0000

HPD URL:

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No waste is considered in this raw material.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold. This raw material is classified as non-hazardous.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### VOC EMISSIONS

CERTIFYING PARTY: **Third Party**      ISSUE DATE: **2018-**      EXPIRY DATE:      CERTIFIER OR LAB: **Tecnalia**  
APPLICABLE FACILITIES: **L'Antic Colonial factory.**      **01-25**  
CERTIFICATE URL: <http://www.anticcolonial.com/>

CERTIFICATION AND COMPLIANCE NOTES: **The natural stone meets the requirements. No warnings or hazards are associated with the final products. VOC content: Natural Stone products meet LEED qualifications for an inherently non - emitting source and hence do not require testing. In addition, the waterproofing of the stone has tests carried out by third parties and it is considered low emission of VOCs.**

### MANAGEMENT

### ISO 14001:2015 Environmental management systems

CERTIFYING PARTY: **Third Party**      ISSUE DATE: **2008-**      EXPIRY DATE: **2020-**      CERTIFIER OR LAB: **SGS**  
APPLICABLE FACILITIES: **Processing, sale and**      **09-10**      **09-10**  
**distribution of floor and wal surfaces of natural**  
**stone; Sale and distribution of ceramic an glass**  
**mosaics; Sale, distribution and installation of**  
**laminare and wood floors.**  
CERTIFICATE URL: <http://www.anticcolonial.com/>

CERTIFICATION AND COMPLIANCE NOTES: **This certificate documents that the company has established an effective Environmental Management System (EMS). The standard is designed for achieving a balance between maintaining profitability and reducing environmental impacts, while at the same time it controls that environmental legislation is complied with.**

### MANAGEMENT

### ISO 9001:2015 Quality Management Systems

CERTIFYING PARTY: **Third Party**      ISSUE DATE: **2006-**      EXPIRY DATE: **2018-**      CERTIFIER OR LAB: **SGS**  
APPLICABLE FACILITIES: **Processing, sale and**      **12-20**      **12-20**  
**distribution of floor and wal surfaces of natural**  
**stone; Sale and distribution of ceramic an glass**  
**mosaics; Sale, distribution and installation of**  
**laminare and wood floors.**  
CERTIFICATE URL: <http://www.anticcolonial.com/>

CERTIFICATION AND COMPLIANCE NOTES: **A certificate documenting that the company has established an effective Quality Management System (QMS). The standard examines the management system, the responsibilities of the Management, the resource management, and the implementation of the product/service.**

### MANAGEMENT

### BS OHSAS 18001:2007 - Occupational Health and Safety Management

CERTIFYING PARTY: **Third Party**      ISSUE DATE: **2013-**      EXPIRY DATE: **2019-**      CERTIFIER OR LAB: **SGS**  
APPLICABLE FACILITIES: **Processing, sale and**      **02-07**      **01-01**  
**distribution of floor and wal surfaces of natural**  
**stone; Sale and distribution of ceramic an glass**  
**mosaics; Sale, distribution and installation of**  
**laminare and wood floors.**

**CERTIFICATION AND COMPLIANCE NOTES:** An occupational health and safety (OHS) management system encompasses more than just your health and safety program. It includes health and safety policies, systems, standards, and records, and involves incorporating your health and safety activities and program into your other business processes. Having an effective management system improves your ability to continuously identify hazards and control risks in your workplace.

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### ADHESIVES AND GROUTING MATERIALS

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

See <http://www.butech.net/> and <http://www.anticcolonial.com/> (installation, cleaning and maintenance instructions)

## Section 5: General Notes

L'Antic Colonial maintains from its beginnings a philosophy of active and voluntary contribution to social, economic and environmental improvement. Aware of the commitment it makes with its customers, respect for the Environment and considering Safety and Health of workers as one of its main objectives in order to effectively manage it, has established Quality Systems in its organization, Environmental, Chain of Custody and Health and Safety at Work. Based on the standards ISO-9001, ISO-14001, the FSC and PEFC and OHSAS-18001 certification systems, marking the main objective in compliance with the requirements specified by the client, as well as the applicable standards and those of the organization in the products and services it offers, as well as the protection of life, integrity and health of all workers, both their own and those of collaborating companies. All this is compatible with compliance with the legislation and internal procedures in environmental, safety and health matters in force. In addition, L'Antic Colonial has proposed to guarantee responsible forest management and the traceability of its wood products to the final consumer, through the implementation and maintenance of the chain of custody control system.



## MANUFACTURER INFORMATION

MANUFACTURER: **Porcelanosa**

ADDRESS: **Ctra. Nacional 340 km. 54**

**Vila-Real Castellón 12540, Spain**

WEBSITE: <http://www.anticcolonial.com/>

CONTACT NAME: **Sebastián Torres Pliego**

TITLE: **Quality Manager**

PHONE: **964534545**

EMAIL: **sebastian.torres@anticcolonial.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*