Porcelain Tiles by Cooperativa Ceramica Di Imola

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: Ceramic Tile in conformity whith standard ISO 13006 PRODUCT DESCRIPTION: Ceramic tile full vetrified for floors and wall, for internal and exernal use

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method
 Basic Method

Threshold Disclosed Per

Material

C Product

Threshold level • 100 ppm • 1,000 ppm • Per GHS SDS • Per OSHA MSDS

O Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 1 Materials

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

PORCELAIN CERAMIC [SILICA, VITREOUS LT-UNK MULLITE (AL605(SIO4)2) LT-UNK FELDSPAR LT-UNK | RES]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This material is fired at a high temperature and a sintered ceramic material

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: MAS Certified Green - VOC Emissions Recycled content: Extended Producer Responsibility (EPR) program - LEED compliant

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2018-09-20 PUBLISHED DATE: 2019-01-08 EXPIRY DATE: 2021-09-20 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

PORCELAIN CERAMIC	%: 100.00	%: 100.0000 - 100.0000			
IATERIAL THRESHOLD: 100 pp	m RESIDUALS A	RESIDUALS AND IMPURITIES CONSIDERED: NO			
RESIDUALS AND IMPURITIES NOTE esiduals derives from it.	ES: This material is fired at a hight temp	erature and sintere	d ceramic end t	that does not contain	
IPD URL: http://www.ccimo	bla.com/				
THER MATERIAL NOTES: All SU	ubstances in this material are below the	e reportable thresho	old.		
SILICA, VITREOUS				ID: 11126-22-0	
HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREEN	HAZARD SCREENING DATE: 2018-09-20		
%: 60.0000 - 80.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Bilder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: This mate	erial is fired at a high temperature and a sinter	ed ceramic material			
MULLITE (AL6O5(SIO4)2)	erial is fired at a high temperature and a sinter	ed ceramic material	TE: 2018-09-20	id: 1302-93-8	
MULLITE (AL6O5(SIO4)2)				ID: 1302-93-8 Cryostalline part	
MULLITE (AL6O5(SIO4)2) HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREENING DA			
MULLITE (AL605(SI04)2) HAZARD SCREENING METHOD: %: 10.0000 - 20.0000	naros Chemical and Materials Library	HAZARD SCREENING DA RC: None NAN			
MULLITE (AL605(SI04)2) HAZARD SCREENING METHOD: %: 10.0000 - 20.0000 HAZARD TYPE	naros Chemical and Materials Library GS: LT-UNK	HAZARD SCREENING DA RC: None NAN WARNINGS			
MULLITE (AL605(SI04)2) HAZARD SCREENING METHOD: %: 10.0000 - 20.0000 HAZARD TYPE	naros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES No hazards found	HAZARD SCREENING DA RC: None NAN WARNINGS			
MULLITE (AL605(SI04)2) HAZARD SCREENING METHOD: %: 10.0000 - 20.0000 HAZARD TYPE	naros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES No hazards found	HAZARD SCREENING DA RC: None NAN WARNINGS			
MULLITE (AL6O5(SIO4)2) HAZARD SCREENING METHOD: Ph %: 10.0000 - 20.0000 HAZARD TYPE SUBSTANCE NOTES: This mate	naros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES No hazards found	HAZARD SCREENING DA RC: None NAN WARNINGS		Cryostalline part	
MULLITE (AL6O5(SIO4)2) HAZARD SCREENING METHOD: Ph %: 10.0000 - 20.0000 HAZARD TYPE SUBSTANCE NOTES: This mate	aaros Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES No hazards found erial is fired at a high temperature and a sinter	HAZARD SCREENING DA RC: None NAN WARNINGS	o: No Role: (Cryostalline part	

SUBSTANCE NOTES: This material is fired at a high temperature and a sintered ceramic material

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	MAS Certified Green - VOC Emissions			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: This certification is not specific to a particular facility CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2011-	EXPIRY DATE:	CERTIFIER OR LAB: Centro Ceramico di Bologna	
RECYCLED CONTENT	Extended Producer F	Extended Producer Responsibility (EPR) program - LEED compliant		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: This certification is not specific to a particular facility CERTIFICATE URL:	ISSUE DATE: 2018- 09-13	EXPIRY DATE:	CERTIFIER OR LAB: Technological Laboratory of Cooperativa Ceramica d'Imola	
CERTIFICATION AND COMPLIANCE NOTES:				

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The Cooperativa Ceramica d'Imola tiles are manufactured with selected and particularly pure raw matererials that are subject to the most modern extraction and control Technologies. The high pressing force achieves, after heat treatment at over 1200, a highly compact and resistent tile whith an extremely low water absorption. The tile surfaces may, during normal wear, release some material that is not in any way harmful. Any material removed is absolutely inert from a toxicological point of view and is not harmful for the environment. Cooperativa Ceramica d'Imola ceramic tile are not affected by fire. They are not damanged from being exposed to flames and they limit the spreading and intensification of the flames. Cooperativa Ceramica d'Imola ceramic tiles do not allow the proliferation of bacteria and they are ideal for locations where sterility condition must be maintained. All waste material from the industrial production is inert and does not constuite a reactivity or resistance hazard from a chemical and Thermal point of view. The waste can be disposed in the environment without any risk or it can be reused to prepare other material (substrates, etc)

MANUFACTURER INFORMATION

MANUFACTURER: Cooperativa Ceramica Di Imola Address: Via Vittorio Veneto 13 Imola Bologna 40026, Italy WEBSITE: imolaceramica.it CONTACT NAME: Franco Billi TITLE: Technological Laboratory Manager PHONE: 0542601601 EMAIL: franco.billi@ccimola.it

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)