Praxis Solid Cork Flooring by Zandur

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 62 29

PRODUCT DESCRIPTION: Solid Cork Flooring made from renewable and recycled cork bark. Product attributes include incredible durability, acoustical attentuation and underfoot comfort.



Section 1: Summary

Basic Method / Product Threshold

Percent Weight and Role Provided?

CONTENT INVENTORY

Inventory Reporting Format
C Nested Materials Method
Basic Method
Threshold Disclosed Per
C Material
• Product

Threshold level	
⊙ 100 ppm	

C 1,000 ppm Per GHS SDS C Per OSHA MSDS C Other

Residuals/Impurities

Considered C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

Are All Substances Above the Threshold Indicated:

Yes O No Characterized

 Yes ○ No Screened

Using Priority Hazard Lists with Results Disclosed?

Identified

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PRAXIS SOLID CORK FLOORING [CORK OAK (BARK) NoGS

POLYURETHANE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2018-09-27** PUBLISHED DATE: 2018-09-27 EXPIRY DATE: 2021-09-27



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

PRAXIS SOLID CORK FLOORING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are produced during the manufacturing process

OTHER PRODUCT NOTES:

CORK OAK (BARK)				ID: Not registe	red	
%: 96.0000 - 96.0000	GS: NoGS	RC: PreC	nano: No	ROLE: Product Ingredient		
HAZARDS:	AGENCY(IES) WITH W	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings fo	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Ingredient comprised of 100% cork bark which is a rapidly renewable resource. The raw material used is from preconsumer waste developed in the manufacture of cork stoppers.

POLYURETHANE					ID: 64440-88-6	
%: 6.0000 - 6.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Binder		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found o	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: None						



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2015-03-31

EXPIRY DATE:

CERTIFIER OR LAB: Professional Testing Laboratory Inc.

CERTIFICATE URL: http://zandur.com/

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ZANDUR #40 ADHESIVE

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for all installations of cork flooring

AQUA-PRO SATIN POLYURETHANE FINISH

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Recommended to apply two coats for commercial application over pre-finished tile to provide a seamless installation.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Zandur
ADDRESS: 12695 LEE HWY

WASHINGTON VA 22747, United States

WEBSITE: 12695 LEE HWY

CONTACT NAME: Robert McKee

TITLE: President PHONE: 6109324390

EMAIL: rmckee@zandur.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.