# **Unraveled** by Pallas Textiles

## **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: Product #: 27.168 Unraveled is a polycarbonate polyurethane with a unique characteristics.



## Section 1: Summary

## **Basic Method / Product Threshold**

#### CONTENT INVENTORY

## **Inventory Reporting Format**

- Nested Materials Method
- Basic Method

### **Threshold Disclosed Per**

- Material
- Product

### Threshold level

- C 100 ppm
- ① 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

### Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

C Yes Ex/SC © Yes C No

% weight and role provided for all substances.

Screened

C Yes Ex/SC • Yes C No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

UNRAVELED [ POLYURETHANE FOAMS LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK NICKEL RUTILE YELLOW LT-1 | RES | CAN RAYON (OBSCURE CASRN, USE 9004-34-6) NoGS METHYLCELLULOSE LT-UNK 1,6-HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM N,N-DIMETHYLFORMAMIDE LT-1 | CAN | REP | EYE | DEL | MUL | END ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

As disclosed by the Mill.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  SCREENING DATE: 2019-09-06 PUBLISHED DATE: 2019-09-06 EXPIRY DATE: 2022-09-06



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

## **UNRAVELED**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have not been considered at the mill/manufacturing facility.

OTHER PRODUCT NOTES: PVC Free

POLYURETHANE FOAMS ID: 9009				
HAZARD SCREENING METHOD: F	HAZARD SCREENING DATE: 2019-09-06			
%: 38.93 - 38.93	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Top Skin And Base Layer
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists

POLYETHYLENE TEREPHTHALATE (PET)				
HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2019-09-06			
%: 19.68 - 19.68	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Baxcking
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		N	lo warnings found	on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

NICKEL RUTILE YELLOW			ID: <b>8007-18-9</b>		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2019-09-06		
%: 5.60 - 5.60	GS: LT-1	RC: None	nano: <b>No</b>	ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen

SUBSTANCE NOTES: None

## **RAYON (OBSCURE CASRN, USE 9004-34-6)**

ID: 99331-82-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-09-06		
%: <b>4.92 - 4.92</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Backing	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found o	n HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

METHYLCELLULOSE	ID: <b>9004-67-5</b>

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-09-06		
%: <b>4.65 - 4.65</b>	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found or	n HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

## 1,6-HEXAMETHYLENE DIISOCYANATE

ID: **822-06-0** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-06		
%: <b>0.87 - 0.87</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Catalyst

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: None

N,N-DIMETHYLFORMAMIDE	ID: <b>68-12-2</b>
-----------------------	--------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-06		
%: 0.04 - 0.04	GS: <b>LT-1</b>	RC: None	NANO: <b>No</b>	ROLE: Additive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
DEVELOPMENTAL	EU - GHS (H-Statements)	H360D - May damage the unborn child
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
DEVELOPMENTAL	MAK	Pregnancy Risk Group B
REPRODUCTIVE	GHS - Korea	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
CANCER	GHS - Japan	Carcinogenicity - Category 1B [H350]
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
DEVELOPMENTAL	GHS - Malaysia	H360D - May damage the unborn child

SUBSTANCE NOTES: None



## **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Self-declared

ISSUE DATE:

EXPIRY DATE:

CERTIFIER OR LAB: SCS

APPLICABLE FACILITIES: Green Bay, WI

2019-09-02

2020-09-02

**Global Services** 

CERTIFICATE URL:

https://www.scscertified.com/products/cert\_pdfs/KI\_2018\_EXT\_SCS-IAQ-03102\_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: Is certified when used on KI products.



# 🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### **CLEANING/MAINTENANCE INSTRUCTIONS**

HPD URL: https://p.widencdn.net/i9m6k3/Pallas-Flexing-Muscles-Environmental-Data-Sheet

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Cleaning Code - W, Bleach Cleanable (10:1) - Water- or solvent-based cleaner only.



## Section 5: General Notes

Mill Naming: Unraveled Unraveled, an eco-friendly material, overlays a printed pattern on a matte surface to create a three-dimensional illusion of unraveling. The 100% biodegradable polyurethane surface also has silver ion antimicrobial properties to inhibit bacteria growth.

#### MANUFACTURER INFORMATION

MANUFACTURER: Pallas Textiles
ADDRESS: 1330 Bellevue Street
Green Bay WI 54302, USA

WEBSITE: www.pallastextiles.com

CONTACT NAME: Robin Kunstmann TITLE: Sustainability Manager

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

PHONE: 920-468-2335

EMAIL: sustainability@pallastextiles.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

AQU Aquatic toxicity
CAN Cancer

DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

## **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

## Other Terms

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.