Block Filler by Cloverdale Paint Inc. - Cloverdale Paint & Rodda Paint Co.

Health Product Declaration v2.1

CLASSIFICATION: 09 97 23 Finishes: Concrete and Masonry Coatings

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Rodda Paint's Sprayable Block Filler is a high-solids interior and exterior white acrylic primer/filler designed to fill voids in porous masonry surfaces. This is a quality formulated heavy-bodied Block Filler is preferred by professional painters, and MPI approved for priming open cell cinder block wall and similar substrates. This low-odor acrylic emulsion is formulated to prime and fill small voids and seal pores in cement and cinder block, leaving a smooth surface for subsequent topcoats. Rodda's Block Filler can be brushed and rolled, or easily sprayed and back-rolled to ensure any voids are filled when specified for residential or commercial work. Block Filler can be top-coated with any Rodda waterborne or alkyd architectural finish coats. Product Code: 501901

Section 1: Summary

Basic Method / Product Threshold

CON	1TE1	1T	INV	/EN	TO	RY

Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Above the Thres	hold Indicated:
Nested Materials Method	C 100 ppm	Considered	Characterized	6 6
Basic Method	⊙ 1,000 ppm	C Partially	Percent Weight and Role Provided?	• Yes • No
Threshold Disclosed Per Material Product	Per GHS SDSPer OSHA MSDSOther	Considered Not Considered Explanation(s) provided	Screened Using Priority Hazard Lists with Results Disclosed?	• Yes • No
E I Toddet		for Residuals/Impurities? • Yes • No	Identified Name and Identifier Provided?	C Yes O No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SPRAYABLE BLOCK FILLER [NEPHELINE SYENITE _T-UNK WATER BM-4 VINYL ACETATE POLYMER _T-UNK TITANIUM DIOXIDE _T-1 | CAN | END KAOLIN CLAY _T-UNK | CAN UNDISCLOSED _T-UNK SILICA, AMORPHOUS _T-P1 | CAN ALUMINA TRIHYDRATE _BM-2 | RES UNDISCLOSED _T-UNK HYDROXYETHYL CELLULOSE _T-P1 | END SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES _T-1 | CAN | MUL ENGLISH FULLERS EARTH NOGS POLYETHYLENE GLYCOL BENZYL (1,1,3,3-TETRAMETHYLBUTYL)PHENYL ETHER NOGS]

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, and thus are "Undisclosed" on this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <35 Regulatory (g/l): <35 Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. No certifications have been added to this HPD.

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

hird Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2018-01-05
	VERIFIER:	PUBLISHED DATE: 2018-01-05
Yes	VERIFICATION #:	EXPIRY DATE: 2021-01-05

No

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

SPRAYABLE BLOCK FILLER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER PRODUCT NOTES: Percent by weight of substances reported as range in order to further protect the proprietary nature of this formulation.

NEPHELINE SYENITE					7244-96-5	
%: 50.0000 - 55.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Extender		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					
SUBSTANCE NOTES: Identified	on the US EPA Safer Chemic	al Ingredient List.				

WATER							
%: 25.0000 - 30.0000	GS: BM-4	RC: None	nano: No	ROLE: Diluent; Flow Aid			
HAZARDS:	AGENCY(IES) WITH V	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings for	No warnings found on HPD Priority lists					
SUBSTANCE NOTES:							

VINYL ACETATE POLYMER				
GS: LT-UNK	RC: None	nano: No	ROLE: Binder	
AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:			
No warnings found on	No warnings found on HPD Priority lists			
	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:	GS: LT-UNK RC: None NANO: No ROLE: Binder AGENCY(IES) WITH WARNINGS:

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. TITANIUM DIOXIDE ID: 13463-67-7

%: 5.0000 - 10.0000	GS: LT-1	RC: None	NANO: No	ROLE: Pigment		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
CANCER	US CDC - Occupational (US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK	MAK		A - Evidence of carcinogenic effects but not MAK/BAT value		
ENDOCRINE	TEDX - Potential Endocri	TEDX - Potential Endocrine Disruptors		Disruptor		

SUBSTANCE NOTES: Substance bound in matrix of finished product. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" (http://ow.ly/Z5ken).

KAOLIN CLAY D: 1332-58-7

%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Extender
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but sufficient for classification	

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List.

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder Component		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement with third-party consultant; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	nano: No	ROLE: Binder Component		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists with results disclosed.

SILICA, AMORPHOUS ID: 7631-86-9

%: 0.1000 - 0.5000	GS: LT-P1	RC: None	nano: No	ROLE: Filler; Extender	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	Japan - GHS		Carcinogenicity - Category 1A		

SUBSTANCE NOTES: Substance bound in matrix of finished product.

ALUMINA TRIHYDRATE ID: 21645-51-2

%: 0.1000 - 0.5000	GS: BM-2	RC: None	NANO: No	ROLE: Opacifying Agent	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only		

SUBSTANCE NOTES: Form-specific hazard not expected to apply once substance bound in matrix of finished product.

UNDISCLOSED

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None NANO: No ROLE: Dispersant		ROLE: Dispersant	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Substance bound in matrix of finished product. Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement; substance to remain proprietary. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

HYDROXYETHYL CELLULOSE ID: 9004-62-0

%: 0.1000 - 0.5000	GS: LT-P1 RC: None	nano: No	ROLE: Thickener			
HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:				
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor				

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Identified\ on\ the\ US\ EPA\ Safer\ Chemical\ Ingredient\ List}.$

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: 64742-65-0

%: 0.1000 - 0.5000	GS: LT-1	RC: None	nano: No	ROLE: Foam Control Agent	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	EU - R-phrases		R45 - May cause cancer		
CANCER	EU - GHS (H-Statements)		H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be re as if they are Carcinogenic to man		,	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive T		Mutagen &/or Reproductive Toxicant	
CANCER	EU - Annex VI CMRs		Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
CANCER	Australia - GHS		H350 - May cause cancer		

SUBSTANCE NOTES: Substance bound in matrix of finished product. According to Pharos CML: "The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract". We are working with our supplier to determine if this exception applies to this substance. As per supplier SDS, no component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen by IARC, OSHA, or NTP. Supplier SDS further states: "This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm."

ENGLISH FULLERS EARTH ID: 8031-18-3

%: 0.1000 - 0.5000	GS: NoGS	RC: None	nano: No	ROLE: Extender	
HAZARDS:	AGENCY(IES) WITH WARN	NINGS:			
None Found	No warnings found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					

POLYETHYLENE GLYCOL BENZYL (1,1,3,3-TETRAMETHYLBUTYL)PHENYL ETHER

ID: 60864-33-7

%: 0.1000 - 0.2000	GS: NoGS	RC: None	nano: No	ROLE: Surfactant
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Cloverdale Paint Inc. - Cloverdale Paint

& Rodda Paint Co.

ADDRESS: 6107 N Marine Drive Portland OR 97203, USA

WEBSITE: Information in Canada:

www.cloverdalepaint.com, and USA:

www.roddapaint.com

CONTACT NAME: Jeff McIntyre

TITLE: Business Development Manager

PHONE: 206.396.7074

EMAIL: jmcintyre@roddapaint.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **GLO** Global warming PHY Physical Hazard (reactive) **CAN** Cancer MAM Mammalian/systemic/organ toxicity **REP** Reproductive toxicity

MUL Multiple hazards

DEV Developmental toxicity **RES** Respiratory sensitization **END** Endocrine activity **NEU** Neurotoxicity SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity **OZO** Ozone depletion **LAN** Land Toxicity

GEN Gene mutation **PBT** Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information

LT-P1 List Translator Possible Benchmark 1

Block Filler hpdrepository.hpd-collaborative.org **BM-1** Benchmark 1 (avoid - chemical of high concern) **BM-U** Benchmark Unspeci ed (insu cient data to benchmark)

from List Translator lists to benchmark) **NoGS** Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.